
Cucumber Report




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	8 m 49.612 s

SCENARIOS SUMMARY




 # Feature Name	Scenario Name	T	P	F	S	Duration
1 AR/AP Module	Verify accounting entries post payment settlement approval	15	14	1	0	8 m 49.599 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 8 m 49.612 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 9:43:06.228 AM	1 // 9:51:55.840 AM /	Pass - 0	1	Pass - 14	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify accounting entries post payment settlement approval



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	1 m 0.943 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.443 s
	screenshot		
	** CESTION *** PARTY (SQL)** ANNIANOUS AND PARTY (SQL)** ** *** ANNIANOUS CONTROL OF THE CONTRO		
2	And user should navigate to accounts payable menu	PASSED	2.906 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
	TEACH OF THE STATE		

3. And Go to payment settlement module PASSED 2761 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.443 s 4 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.400 s 5 And update data set id for accounting entries payment settlement PASSED 0.530 s 4 FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.530 s 5 And get the approved record from list view PASSED 0.089 s 5 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.300 s 6 FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.536 s 6 FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.536 s 6 FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.536 s 6 FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.536 s 7 And click on equiry menu PASSED 0.279 s 8 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.337 s	#	Step / Hook Details	Status	Duration
screenshot And update data set id for accounting entries payment settlement AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) accompany AFTER_STEP_STEP_STEP_STEP_STEP_STEP_STEPDEFINITIONS.HooksClass.addScreenshot(io.cucumber.java.Scenario) accompany AFTER_STEP_STEP_STEP_STEP_STEP_STEPDEFINITIONS.HooksClass.addScreenshot(io.cucumber.java.Scenario) accompany AFTER_STEP_STEP_STEP_STEP_STEP_	3	And Go to payment settlement module	PASSED	2.781 s
After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) screenshot After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step - step definitions. Hooks Class. add Sc			PASSED	0.443 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on report segment button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s PASSED 0.337 s		### ADDITION Structure language Company Company		
screenshot After_step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on report segment button After_step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot After_step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.337 s	4		PASSED	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on report segment button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.300 s 2.565 s PASSED 0.536 s 0.536 s			PASSED	0.530 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on report segment button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.300 s 2.565 s PASSED 0.536 s 0.536 s		*** A SECTION*** *** No. 100 100		
Screenshot Then click on report segment button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s PASSED 0.337 s	5	And get the approved record from list view	PASSED	0.089 s
6 Then click on report segment button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And click on equiry menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.337 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.536 s 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.337 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.536 s 0.279 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.337 s		### ACTION Married Control		
7 And click on equiry menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.337 s	6	Then click on report segment button	PASSED	2.565 s
7 And click on equiry menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.337 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.536 s
7 And click on equiry menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.279 s 0.337 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.337 s		### ACE 1907 Annual Process 1		
	7	And click on equiry menu	PASSED	0.279 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
		screenshot		


Con near by financial transction stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED PASSED	0.462 s
·		
stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	
		0.404 s
at continues above D a south		
ch codes	PASSED	0.754 s
stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
** Consideration and Particular Consideration and Consideration an		
saction from date in calender	PASSED	0.209 s
stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.404 s
10 Anni Britania - Sarania 10 Anni Britania - Sarania - S		
date in calender	PASSED	2.391 s
stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
** Constitutes address (E.) © Foot .		
-	tepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) + date in calender	tepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED date in calender

#	Step / Hook Details	Status	Duration
12	And click on transaction to date in calender icon	PASSED	0.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.451 s
	screenshot		
	TESTINO THE SET OF TH		
	Section Control Contro		
13	Then Select To date in calender	PASSED	0.391 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
	AZZHTO		
	Name		
	A many A many Second 9 many Second 9 many		
.4	And Click View HyperLink	PASSED	7 m 16.904 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.437 s
	screenshot		
	ACADO Proposition of the control of		
.5	Then verify approved settlement reference number is available in the GI report	FAILED	1.254 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"(//datatable-body-cell[1]//span[contains(text(), 'PAN-75-2023-01-14')])[1]"} (Session info: chrome=109.0.5414.74) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.153', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [c5acd1677ab0eaea29824dd43df6f91b, findElement {using=xpath, value=(//datatable-body-cell[1]//span[contains(text(), 'PAN-75-2023-01-14')])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:52795}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52795/devtoo, se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c5acd1677ab0eaea29824dd43df6f91b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	า		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ARAP_AccountingEntries. verify_approved_settlement_reference_number_is_available_in_the_gl_report(ARAP_AccountingEntries.java:498) at ?.verify approved settlement reference number is available in the Gl report(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/AzentioAutomationFramework/ARAP_Excel/src/test/java/features/ArAp4.features:296) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.191 s
	State of the state		


EXPANDED SECTION -- 9 --




EXPANDED SECTION




EXPANDED SECTION




EXPANDED SECTION --- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

