
**Duration**: 9.403 s Start: Dec 15, 11:25:50.386 am End: Dec 15, 11:25:59.789 am Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 31 31 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration	
1	AR/AP Module	2	0	2	0	9.403 s	




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify cancelled advances is not available for payment settlement	16	0	0	16	7.291 s
2	AR/AP Module	Verify cancelled advances is not available for payment settlement	15	0	0	15	1.785 s

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 9.403 s	Scenarios		Steps	
		Total - 2		Total - 31	
/ 11:25:50.386 a	am // 11:25:59.789 am /	Pass - 0	2	Pass - 0	31
		Fail - 2		Fail - 0	
		Skip - 0		Skip - 31	


## (S)- Verify cancelled advances is not available for payment settlement



BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	7.212 s
org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 99 Current browser version is 108.0.5359.99 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: 10.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:156) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:266) at org.openqa.selenium.chromium.ChromiumDriver.startSession(RemoteWebDriver.java:89) at org.openqa.selenium.chromium.ChromiumDriver.startSession(RemoteWebDriver.java:89)	TAILLE	7.212 3
F 1	ersion of ChromeDriver only supports Chrome version 99 Current browser version is 108.0.5359.99 with binary path C:\Program iles\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: 0.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. thromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver. <init>(RemoteWebDriver.java:39)</init>	ersion of ChromeDriver only supports Chrome version 99 Current browser version is 108.0.5359.99 with binary path C:\Program illes\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: .0.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. chromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], esiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:41)</init>		
	at resources.BaseClass.initializeDriver(BaseClass.java:28)		
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given Navigate The Azentio Url	SKIPPED	0.000 s
2	Then Choose the second Tab Segment	SKIPPED	0.000 s
3	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
4	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
5	And Click On Search Icon	SKIPPED	0.000 s
6	And Updating Testdata Id for cancelled advances	SKIPPED	0.000 s
7	Then Enter Cancelled Value In Advance Status	SKIPPED	0.000 s
8	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.000 s
9	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
10	And Click On Main module Accounts payable	SKIPPED	0.000 s
11	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.001 s
12	And Click Add icon button	SKIPPED	0.000 s
13	Then Enter payment option	SKIPPED	0.000 s
14	And Give stored Business partner Name	SKIPPED	0.001 s
15	Then Choose value date as System current date	SKIPPED	0.001 s
16	And find the Advance reference number for cancelled Advances is availabe at the billing queue	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.009 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

## (S)- Verify cancelled advances is not available for payment settlement



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.767 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 99 Current browser version is 108.0.5359.99 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: '10.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:156) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.sexecute(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.sexecute(RemoteWebDriver.java:244) at org.openqa.selenium.chromete.RemoteWebDriver.sexecute(RemoteWebDriver.java:39) at org.openqa.selenium.chrome.ChromeDriver.sexecute(ChromeDriver.java:39) at org.openqa.selenium.chrome.ChromeDriver.sexecute(ChromeDriver.java:40) at org.openqa.selenium.chrome.ChromeDriver.sexecute(ChromeDriver.java:40) at org.openqa.selenium.chrome.ChromeDriver.sexecute(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given Navigate The Azentio Url	SKIPPED	0.000 s
2	Then Choose the second Tab Segment	SKIPPED	0.000 s
3	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
4	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.001 s
5	And Click On Search Icon	SKIPPED	0.000 s
6	Then Enter Cancelled Value In Advance Status	SKIPPED	0.000 s
7	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.000 s
8	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
9	And Click On Main module Accounts payable	SKIPPED	0.000 s
10	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.001 s
11	And Click Add icon button	SKIPPED	0.000 s
-		SKIPPED	0.000 s
12	Then Enter payment option		
13	And Give stored Business partner Name  Then Change value data as Sustain suggest data	SKIPPED	0.000 s
14	Then Choose value date as System current date	SKIPPED	0.000 s
15	And find the Advance reference number for cancelled Advances is availabe at the billing queue	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null		

DETAILED SECTION -- 7 -

#	Step / Hook Details	Status	Duration
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		