


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	18.990 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	To verify the impact if user enters all the valid details and	19	15	1	3	18.985 s
	feature module	clicking on save button					

DETAILED SECTION -- 4 --

(F)- Check Budget Request and Allocation feature module

FAILED	DURATION - 18.990 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 1:23:44.024 pi	m // 1:24:03.014 pm /	Pass - 0	1	Pass - 15	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- To verify the impact if user enters all the valid details and clicking on save button



#	Step / Hook Details	Status	Duration
1	Given Navigate The url	PASSED	10.383 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
2	Then Transfer icon	PASSED	0.589 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		

3 And Budget module field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The step of the s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	
Screenshot * * ********************************	S
# © manufactures Facility type - total facility - Section ()	
▶ Marinari E O	
One transport of the control of the	
4 Then Budget module Budget Request and Allocation clk Eye Icon PASSED 0.375 s	S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.217 stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	S
screenshot	
### \$\frac{\pi_{\text{total}} \ \frac{\pi_{\text{total}} \ \frac{\pi_{\text{total}} \ \frac{\pi_{\text{total}} \ \pi_{\text{total}} \ \frac{\pi_{\text{total}} \ \pi_{\text{total}} \ \frac{\pi_{\text{total}} \ \pi_{\text{total}} \ \pi_{\text{total}} \ \frac{\pi_{\text{total}} \ \pi_{\text{total}} \pi_{\text{total}} \ \pi_{\text{total}} \pi_{\text{total}} \ \pi_{\text{total}} \pi_{\text	
5 And the Budget Code fields PASSED 0.030 s	 S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.215 s	S
screenshot	
## Of the control of	
6 Then the Budget Name Fields PASSED 0.022 s	s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s	S
screenshot	

7 And the Budget Year fields AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then the Budget Type fields AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And the Budget Budget Amount fields AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And the Budget Budget Amount fields AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then the Budget Slatus fields PASSED 0.024 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefi	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then the Budget Type fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 After STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 After STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) D 10 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)				
screenshot Then the Budget Type fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.026 s PASSED O.104 s PASSED O.104 s PASSED O.105 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.028 s PASSED O.024 s PASSED O.024 s	7		PASSED	0.021 s
8 Then the Budget Type fields PASSED 0.026 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And the Budget Budget Amount fields PASSED 0.028 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.028 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then the Budget Status fields PASSED 0.024 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then the Budget Status fields PASSED 0.024 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
8 Then the Budget Type fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.026 s PASSED 0.104 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.028 s PASSED 0.105 s Then the Budget Status fields PASSED 0.024 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.024 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.104 s 0.104 s 0.104 s 0.104 s		The contraction The contra		
Screenshot 9 And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.024 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.124 s	8	Then the Budget Type fields	PASSED	0.026 s
9 And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.024 s PASSED 0.142 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
9 And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.028 s 0.105 s PASSED 0.105 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.105 s PASSED 0.105 s		0 mm		
screenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.024 s 0.142 s	9	And the Budget Budget Amount fields	PASSED	0.028 s
10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.024 s 0.142 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
10 Then the Budget Status fields AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.024 s 0.142 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s		9		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s	10	Then the Budget Status fields	PASSED	0.024 s
screenshot		·	PASSED	0.142 s
		screenshot]	


#	Step / Hook Details	Status	Duration
11	And Add icon Request and Allocation	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
	Description		
12	Then choose current Budget Code	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	Screenshot * * *** ***************************	_	
13	And Clk current Budget Year	PASSED	0.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.239 s
	POST SPECIAL SECTION DE LA CONTRACTION DE LA CON		
14	Then Clk on Branch fields	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		


#	Step / Hook Details	Status	Duration
	# Operation of the control of the co		
15	And Clk one Branch in branch field	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
	Post for land to the first to t		
16	Then Clk on Branch ok button in pop up	FAILED	0.314 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=97.0.4692.71) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'lNMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0054a79df811d3f7817d6de4804eceeb, isElementDisplayed {id=58ad8c8f-bfaa-4143-b039-308cc69b94d9}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDatabic: C:UsersININDC~1VappDatalL), goog:chromeOptions: {debuggerAddress: localhost:57022}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformMame: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57022/fevtoo, se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauth:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauth:extension:largeBlob: true, webauth:extension:largeBlob: true, webauth:extension:largeBlob: true, webauth:extensio		

DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at stepdefinitions.KUBS_Requestandallocation_autoauth_Saverecord. Clk_on_Branch_ok_button_in_pop_up(KUBS_Requestandallocation_autoauth_Saverecord.java:152) at ?.Clk on Branch ok button in pop up(file:///C:/Users/inindc00075/eclipse-workspace/AzentioFramework/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetRequestandAllocation.feature:323) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	# OF THE PROPERTY OF THE PROPE		
17	Then Clk Need currency	SKIPPED	0.000 s
18	And Select Amount for which Budget Type Show in Budget type	SKIPPED	0.000 s
19	And Clk on save icon	SKIPPED	0.000 s

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

