

Cucumber Report

Feb 13, 2022, 5:47:52 AM

Start : Feb 13, 5:43:33.711 AM

End : Feb 13, 5:47:51.617 AM

Duration : 4 m 17.906 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	Checking the Fixed Asset <u>functionality</u>	1	0	1	0	4 m 17.906 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Fixed Asset functionality</u>	<u>GL should be mapped to the asset and displayed in the list view of Asset GL sub module</u>	15	5	1	9	4 m 17.900 s





(F)- Checking the Fixed Asset functionality

FAILED	DURATION - 4 m 17.906 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
/ 5:43:33.711 AM // 5:47:51.617 AM /					

(S)- GL should be mapped to the asset and displayed in the list view of Asset GL sub module

FAILED	DURATION - 4 m 17.900 s		Steps Total - 15 Pass - 5 Fail - 1 Skip - 9	
/ 5:43:33.714 AM // 5:47:51.614 AM /				
Checking the Fixed Asset functionality				
@MultiAuth @KUBS_FAT_UAT_002_004				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.561 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
			
2	Then Click on Fixed Asset Direction icon	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Fixed assets configuration	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot 		
4	Then Click on Asset GL configuration Eye button	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot 		
5	Then Click on Fixed Asset Add button	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot 		
6	Then Fill Asset GL configuration Mandatory fields	FAILED	3 m 59.545 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [40e40dcb66414a0a66a2045f66cb5b8b, findElement {using=xpath, value=//ion-col[9]/app-kub-iov[1]/span[1]/ng-select[1]/div[1]/div[1]/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir:		

#	Step / Hook Details	Status	Duration
	<p>C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\DevTools\goog:chromeOptions: {debuggerAddress: localhost:64535}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64535/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 40e40dcb66414a0a66a2045f66cb5b8b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.FixedAsset_AssetGLConfiguration.fill_asset_gl_configuration_mandatory_fields(FixedAsset_AssetGLConfiguration.java:82) at ?.Fill Asset GL configuration Mandatory fields(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/FixedAsset_AssetGLConfiguration.feature:11) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [40e40dcb66414a0a66a2045f66cb5b8b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\DevTools\goog:chromeOptions: {debuggerAddress: localhost:64535}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:</p>	FAILED	4.018 s


#	Step / Hook Details	Status	Duration
	Proxy(), se:cdp: ws://localhost:64535/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 40e40dcb66414a0a66a2045f66cb5b8b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
7	Then Click on Fixed Asset Save button	SKIPPED	0.000 s
8	Then Click on Fixed Asset Notification	SKIPPED	0.001 s
9	And Select Inventory Item and Submit the record	SKIPPED	0.001 s
10	Then log in to the reviewer account	SKIPPED	0.000 s
11	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
12	Then log in to the Checker Account	SKIPPED	0.001 s
13	And then checker claim the record	SKIPPED	0.000 s
14	Then click on the checker Notification	SKIPPED	0.000 s
15	And select the record and Approve by checker	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.246 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [40e40dcb66414a0a66a2045f66cb5b8b, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\NININDC~1\AppData\Local\Temp\chrome-win-1068691\chrome.exe}, goog:chromeOptions: {debuggerAddress: localhost:64535}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64535/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 40e40dcb66414a0a66a2045f66cb5b8b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	<pre>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</pre>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GL should be mapped to the asset
and displayed in the list view of Asset GL
sub module


(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GL should be mapped to the asset
and displayed in the list view of Asset GL
sub module

(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GL should be mapped to the asset
and displayed in the list view of Asset GL
sub module

(F) Checking the Fixed Asset functionality

















The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 04-Oct-2022, language English, user Azentio Software (AZENTMAIN), and a profile icon for ANANT. The left sidebar menu is expanded to the Finance section, which includes options like Business partner setup, General ledger configuration, Accounting setup, Expense/AR & AP configuration, Budget configuration, and Fixed assets configuration. The Fixed assets configuration option is selected, and its sub-menu is visible, showing Asset category, Asset code configuration, Branch level depreciation, and Asset GL configuration. The Asset GL configuration option is highlighted. The main content area displays a welcome message for 'anant'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GL should be mapped to the asset
and displayed in the list view of Asset GL
sub module

(F) Checking the Fixed Asset functionality

The screenshot shows the Kastle Universal Banking (Beta) interface with the Asset GL Configuration View. The top navigation bar is the same as the previous screenshot. The left sidebar menu is expanded to the Finance section, and the Asset GL configuration option is selected. The main content area displays the Asset GL Configuration View, which includes a table with columns: Actions, Asset Code, Asset GL, Accumulated Depreciation GL, and Status. The table lists several assets, including ELECTRONICS-LAP001-lappy, 01-001-F, 01-001-plywood, 01-001-desk, 01-ASTSBCTGRY001-wood, ELECTRONICS-LAP001-Apple_Mac, 01-001-Study Table, and ELECTRONICS-LAP001-Micromax. The table also shows the total count of 39 assets. The bottom navigation bar includes Home and Preference buttons.

Actions	Asset Code	Asset GL	Accumulated Depreciation GL	Status
 	ELECTRONICS-LAP001-lappy	IFRS-AS-AS1000017	IFRS-AS-AS1000017	Active
 	01-001-F	IFRS-AS-AS1000017	IFRS-AS-AS1000017	Active
 	01-001-plywood	IFRS-AS-AS1000017	IFRS-AS-AS1000017	Active
 	01-001-desk	IFRS-AS-AS1000017	IFRS-AS-AS1000017	Active
 	01-ASTSBCTGRY001-wood	IFRS-AS-AS1000023	IFRS-AS-AS1000005	Active
 	ELECTRONICS-LAP001-Apple_Mac	IFRS-1000041-AS	IFRS-OPEXP-OE6000007	Active
 	01-001-Study Table	IFRS-AS-AS1000023	IFRS-AS-AS1000023	In-Active
 	ELECTRONICS-LAP001-Micromax	IFRS-1000041-AS	IFRS-OPEXP-OE6000007	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GL should be mapped to the asset
and displayed in the list view of Asset GL
sub module

(F) Checking the Fixed Asset functionality

Finance

Business partner setup

General ledger configurat...

Accounting setup

Expense/AR & AP configu...

Budget configuration

Fixed assets configuration

Asset category

Asset code configuration

Branch level depreciation

Asset GL configuration

22 Appro...

11 Messa...

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN)

ANANT

Asset GL Configuration

* Asset code	* Fixed Asset GL	* Accumulated Depreciation GL
* Depreciation GL	* Profit On Sale GL	* Loss On Sale GL
* Write-Off GL	* Impairment Loss GL	* Accumulated Impairment Loss GL
* Revaluation Surplus GL		

Home

Preference