


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	3 m 30.505 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Check if the given asset is sold at higher price	21	19	1	1	3 m 30.498 s

DETAILED SECTION -- 4 --

## (F)- FIXED ASSETS

FAILED	DURATION - 3 m 30.505 s	Scenarios		Steps	41
		Total - 1		Total - 21	
/ 1:47:36.448 A	MM // 1:51:06.953 AM /	Pass - 0	1	Pass - 19	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## (S)- Check if the given asset is sold at higher price



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	47.701 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.763 s
	screenshot		
	The Control of Control		
2	And user should navigate to fixed asset menu	PASSED	0.887 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		

,	387 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.8	
screenshot	391 s
The control of the	
4 And click on add button to create sale asset record DASSED 0.5	584 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.5	572 s
5 And Fill the required fields to sale asset PASSED 3.8	346 s
	307 s
screenshot	
6 Then Save and submit the asset sale record PASSED 14.	.294 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.4	143 s

7 And User should go to the kubs url and login as a reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Given User should go to the kubs url and login as a checker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 16.925 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  16.925 s		3 mm 5 0 1		
Screenshot  8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  3.995 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  16.925 s	7		PASSED	16.636 s
8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  16.925 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
8 Then Click on notification button in reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ###################################		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  0.918 s  0.918 s  0.918 s		IN OUR DATE OF THE PARTY OF THE		
9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  16.925 s	8	Then Click on notification button in reviewer	PASSED	0.251 s
9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  3.995 s  PASSED  0.279 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.918 s
9 And approve the record by reviewer user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  3.995 s  0.279 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  0.279 s		1		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Given User should go to the kubs url and login as a checker user  PASSED  0.279 s	9	And approve the record by reviewer user	PASSED	3.995 s
10 Given User should go to the kubs url and login as a checker user  PASSED 16.925 s				
10 Given User should go to the kubs url and login as a checker user  PASSED 16.925 s		screenshot	1	
		# O CONTINUES OF C		
	10	Given User should go to the kubs url and login as a checker user	PASSED	16.925 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
screenshot		screenshot	]	

#	Step / Hook Details	Status	Duration
	© Contractorium bioliti logii - (contractori - contractori - contractor		
	Start Start		
11	And Click on security management in checker	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
	** O MATAGEMENT STATE OF THE PART AND ADMINISTRATION OF THE PART ADMINISTRA		
	The state of the s		
12	Then Click on open pool in checker	PASSED	0.439 s
12	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s
	screenshot	17,0025	0.1213
		-	
	**   **   **   **   **   **   **   *		
13	And Click on claim button in checker	PASSED	0.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot	-	
	■ \$ table to take the state of take the state o		
	300 \$ 300 \$		
14	And capture claimed status	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		


15 Then click on notification in checker  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  17 Given User should go to the kubs url and login as a maker user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  11.252 SCREENSHOT  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  0.713 s	#	Step / Hook Details	Status	Duration
Then click on notification in checker  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  16 Then checker should approved the asset sale  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  17 Given User should go to the kubs url and login as a maker user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  11.252 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.713 s		The Contraction of the Contracti		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  16 Then checker should approved the asset sale  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  17 Given User should go to the kubs url and login as a maker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  11.252 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.713 s				
Screenshot  16 Then checker should approved the asset sale  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  17 Given User should go to the kubs url and login as a maker user  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 PASSED  11.252 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 PASSED  11.252 s  0.713 s	15			
16 Then checker should approved the asset sale  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  17 Given User should go to the kubs url and login as a maker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  11.252 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  17 Siven User should go to the kubs url and login as a maker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  11.252 s  O.713 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.438 s
16 Then checker should approved the asset sale  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  17 Given User should go to the kubs url and login as a maker user  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  O.1713 s  O.713 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  17 Given User should go to the kubs url and login as a maker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  O.178 s  11.252 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot		1		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  17 Given User should go to the kubs url and login as a maker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  O.178 s  11.252 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot	16	Then checker should approved the asset sale	PASSED	7.016 s
17 Given User should go to the kubs url and login as a maker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ###################################				0.178 s
17 Given User should go to the kubs url and login as a maker user  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.713 s		screenshot	1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    PASSED   0.713 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	17	Given User should go to the kubs url and login as a maker user	PASSED	11.252 s
Screenshot		·	PASSED	0.713 s
The Confidence of the Confiden		screenshot	1	
		■ © 100/1000000000000		
18 And user should navigate to fixed asset menu PASSED 0.567 s	18	And user should navigate to fixed asset menu	PASSED	0.567 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.357 s			PASSED	0.357 s
screenshot		screenshot	1	

#	Step / Hook Details	Status	Duration
	1		
19	When click on eye button of asset sale	PASSED	0.608 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
	Compared to the compared to		
20	Then click on first eye button to get the profit earned	FAILED	4.825 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading value) (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [85508894f3d159f3e9da43a58d6a6478, executeScript {script=return document.getElementsByClassName('form_field ng-pristine ng-valid ng-touched')[2]. value, args=[]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300001, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:argeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8550b894f3d159f83e0a43a58d6a6478  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(PolegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at ?.click on first eye button to get the profit earned(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetSale.feature:28) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
	*** O Control		
21	And maker should logout	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --







EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

