

Cucumber Report

Nov 3, 2022, 4:48:35 PM

Start : Nov 03, 4:47:46.370 PM

End : Nov 03, 4:48:33.200 PM

Duration : 46.830 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 5


FAILED - 1

SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	46.830 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type Purchases	10	5	1	4	46.823 s





(F)- AR/AP Module


FAILED	DURATION - 46.830 s	Scenarios		Steps	
/ 4:47:46.370 PM // 4:48:33.200 PM /		Total - 1		Total - 10	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

(S)- Create a contract for an active vendor with expense type Purchases

<div>FAILED</div> <div>DURATION - 46.823 s</div>		<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 4:47:46.377 PM // 4:48:33.200 PM /</div>				
<div>AR/AP Module</div>				
<div>@AR/AP</div> <div>@KUBS_AR/AP_UAT_001_001_TC_001_01</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	18.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	2.675 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of vendor contract	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
			
4	And click on add button to create contract	PASSED	2.559 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.478 s
	screenshot		
			
5	And user update the data set ID for vendor contract	PASSED	0.004 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
			
6	And Fill the required fields to create contract	FAILED	9.206 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <span_ngcontent-sjq-c287="" class="input-calendar">... is not clickable at point (630, 449). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		


#	Step / Hook Details	Status	Duration
	<p>[2f6e20cb8ea4fe1d73991e67b2498495, clickElement {id=fa47f9aa-c4f5-4a60-961c-92c3ed75ed41}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60785}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60785/devtools, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (2f6e20cb8ea4fe1d73991e67b2498495)] -> xpath: //ion-col[12]/app-kub-date-time/ion-item/div/span[1]] Session ID: 2f6e20cb8ea4fe1d73991e67b2498495</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. fill_the_required_fields_to_create_contract(ACCOUNTSPAYABLE_VendorContracts.java:156) at ?.Fill the required fields to create contract(file:///C:/Users/inindc00089/git/ AzentioAutomationFrameworkGit1/AzentioAutomationFramework/src/test/java/features/ArAp1.feature:11) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.183 s

#	Step / Hook Details	Status	Duration
7	And Save the Record from maker	SKIPPED	0.000 s
8	Then click on the Notification icon	SKIPPED	0.000 s
9	Then store the Reference ID and open the vendor contract record	SKIPPED	0.001 s
10	Then click submit and enter remark for vendor contract	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract for an active vendor
with expense type Purchases


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract for an active vendor
with expense type Purchases

(F) AR/AP Module



(F) AR/AP Module

The screenshot shows the Azentio ONEBanking web application. At the top left is the Azentio logo. To its right are navigation links for "13-Sep-2023", "English", "Azentio Software", and "(AZENTMAIN)". Further right are icons for email, documents, and user profile, labeled "ANANT". Below the header is a dark blue sidebar menu. It starts with a "Finance" dropdown menu. Below it are three circular icons representing different functions. Then there's a section with three items: "General ledger transaction", "Budget", and "Accounts payable", each with a clock icon and a checkmark. Below this is a section with five items: "Vendor contracts", "Vendor purchase orders", "Goods received note (GRN)", "Invoice booking", and "Payment settlement", each with a clock icon, a checkmark, and a trash can icon. At the bottom of the sidebar are two more items: "Payment settlement cancellation" (with a clock icon, checkmark, and trash can) and "22 Appro..." (with a plus icon). The main content area has a dark grey background. At the top left of this area is a back arrow. At the top right is a search magnifying glass icon. In the center of the main area is a large orange loading spinner. At the bottom right corner of the screen is a dark blue circular button with a white plus sign.

(F) AR/AP Module

AZENTIO
ONEBanking

13-Sep-2023 English ▾ Azentio Software ▾ (AZENTMAIN) ANANT

Finance ▾

- ⌕ General ledger transaction
- ⌕ Budget
- ✓ Accounts payable
- Vendor contracts** ⌚ ✓ 🗑️
- Vendor purchase orders ⌚ ✓ 🗑️
- Goods received note (GRN) ⌚ ✓ 🗑️
- Invoice booking ⌚ ✓ 🗑️
- Payment settlement ⌚ ✓ 🗑️
- Payment settlement cancellation ⌚ ✓ 🗑️
- Auto invoice it ⌚ ✓ 🗑️

22 Appro... ✖
11 Mess... ✖

Contract Creation

* Entity Branch Azentio Main Branch ▾	* Expense Type ▾	* BP Name ▾
BP Branch ▾	Contract Account Code ▾	* Contract Name
Transaction Date 13-Sep-2023	* Agreement Date 13-Sep-2023	* Contract End Date 13-Sep-2023
*Contract Signed on Date 13-Sep-2023	Total Contract Value INR × ▾	Contract Status Active ▾
Transaction Status ▾	Remark ▾	

+ Other Details

+ Additional Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract for an active vendor
with expense type Purchases

(F) AR/AP Module

Finance

Azentio ONE Banking

13-Sep-2023 English Azentio Software (AZENTMAIN) ANANT

Contract Creation

Contract Creation

* Entity Branch Azentio Main Branch

* Expense Type Purchases Contract

* BP Name DELUXE 001

BP Branch DADAR BRANCH

Contract Account Code

* Contract Name Tokyo

Transaction Date 13-Sep-2023

* Agreement Date 10-Oct-2023

* Contract End Date 10-Oct-2023

* Contract Signed on Date 13-Sep-2023

Total Contract Value INR

Contract Status Active

Transaction Status

Remark

Other Details

Additional Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract for an active vendor
with expense type Purchases

(F) AR/AP Module

Finance

Azentio ONE Banking

13-Sep-2023 English Azentio Software (AZENTMAIN) ANANT

Contract Creation

Contract Creation

* Entity Branch Azentio Main Branch

* Expense Type Purchases Contract

* BP Name DELUXE 001

BP Branch DADAR BRANCH

Contract Account Code

* Contract Name Tokyo

Transaction Date 13-Sep-2023

* Agreement Date 10-Oct-2023

* Contract End Date 10-Oct-2023

* Contract Signed on Date 13-Sep-2023

Total Contract Value INR

Contract Status Active

Transaction Status

Remark

Other Details

Additional Details

Oct 2023

Sun Mon Tue Wed Thu Fri Sat

1 2 3 4 5 6 7

8 9 10 11 12 13 14

15 16 17 18 19 20 21

22 23 24 25 26 27 28

29 30 31 1 2 3 4

5 6 7 8 9 10 11