

# Cucumber Report

20 Jan 2023, 4:05:52 PM

Start : Jan 20, 4:03:24.794 PM

End : Jan 20, 4:05:50.042 PM

Duration : 2 m 25.248 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 11  
FAILED - 1  
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>to verify user can able to do transaction in petty cash module</u>	1	0	1	0	2 m 25.248 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>to verify user can able to do transaction in petty cash module</u>	<u>Create reimbursement for vouchers received</u>	18	11	1	6	2 m 25.241 s


**(F)- to verify user can able to do transaction in petty cash module**

<b>FAILED</b>	<b>DURATION - 2 m 25.248 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 18 Pass - 11 Fail - 1 Skip - 6	
/ 4:03:24.794 PM // 4:05:50.042 PM /					


**(S)- Create reimbursement for vouchers received**

<div>FAILED</div> <div>DURATION - 2 m 25.241 s</div>			<div>Steps</div> <div>Total - 18</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 4:03:24.801 PM // 4:05:50.042 PM /				
to verify user can able to do transaction in petty cash module				
@KUBS_PC_UAT_003_001				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	36.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.879 s
	screenshot		
			
2	Then Choose the second Tab Segment	PASSED	1.962 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.517 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And Click on Petty cash module	PASSED	0.620 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
			
4	Then Click on Reimbursement Eye Icon	PASSED	0.322 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.187 s
	screenshot		
			
5	Then Click on Add Icon in Petty cash	PASSED	0.957 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.504 s
	screenshot		
			
6	And Get the data set id for reimbursement in maker	PASSED	0.013 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
			
7	And Choose Cash Memo Ref number	PASSED	0.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then Enter Advance Amount value	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
			
9	And Choose Expense Code	PASSED	0.783 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.493 s
	screenshot		
			
10	Then Enter Reimbursement Amount	PASSED	0.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
			
11	And Enter Reimbursement Remarks	PASSED	0.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	<p><b>Then save Record in Petty cash</b></p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.126', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [67b881a21ed1f82edd1ba0cac343baaf, findElement {using=xpath, value=//button[@aria-label='Close']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:62905}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62905/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 67b881a21ed1f82edd1ba0cac343baaf     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source)     at java.base/java.lang.String.valueOf(String.java:4225)     at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)     at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673)     at java.base/java.lang.String.valueOf(String.java:4225)     at java.base/java.lang.StringBuilder.append(StringBuilder.java:173)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)     at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)     at stepdefinitions.Petty_Cash.save_record_in_petty_cash(Petty_Cash.java:186)     at ?.save Record in Petty cash(file:///C:/Users/ININDC00073/git/KamalaPriya_ExcelUpdated_KUBS/ </pre>	FAILED	1 m 0.401 s

#	Step / Hook Details	Status	Duration
	AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/PettyCash_UAT.feature:205) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.126', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [67b881a21ed1f82edd1ba0cac343baaf, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chromeOptions: {debuggerAddress: localhost:62905}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62905/devtools, se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 67b881a21ed1f82edd1ba0cac343baaf at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)	FAILED	0.250 s
13	Then Goto The Notification Icon	SKIPPED	0.001 s
14	And Store the Referance Id and Open the Record for reimbursement in petty cash	SKIPPED	0.000 s
15	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
16	Then Get the reviewer id for reimburesement and store it in excel	SKIPPED	0.001 s
17	And Close the Alert	SKIPPED	0.000 s
18	Then logout from maker	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	32.742 s
	org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.126', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [67b881a21ed1f82edd1ba0cac343baaf, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chromeOptions: {debuggerAddress: localhost:62905}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp:		




#	Step / Hook Details	Status	Duration
	<p>ws://localhost:62905/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 67b881a21ed1f82edd1ba0cac343baaf</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create reimbursement for vouchers  
received


(F) to verify user can able to do  
transaction in petty cash module





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create reimbursement for vouchers  
received

(F) to verify user can able to do  
transaction in petty cash module



<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Create reimbursement for vouchers received</u></p>	
<p><u>(F) to verify user can able to do transaction in petty cash module</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Create reimbursement for vouchers received</u></p>	
<p><u>(F) to verify user can able to do transaction in petty cash module</u></p>	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create reimbursement for vouchers  
received

(F) to verify user can able to do  
transaction in petty cash module

Finance

Petty Cash Reimbursement Request

Employee: ANANT

Cash Memo Ref No

Add Voucher  
Choose File No file chosen

Expense Code-Description	Reimbursement Amount	Remarks	Action
	0	your remarks...	+

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create reimbursement for vouchers  
received

(F) to verify user can able to do  
transaction in petty cash module

Finance

Petty Cash Reimbursement Request

Employee: ANANT

Cash Memo Ref No

Add Voucher  
Choose File No file chosen

Expense Code-Description	Reimbursement Amount	Remarks	Action
	0	your remarks...	+

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create reimbursement for vouchers  
received

(F) to verify user can able to do  
transaction in petty cash module

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes the date '21-Nov-2022', language 'English', and user 'ANANT'. The left sidebar lists various financial modules, with 'Reimbursement' highlighted. The main content area is titled 'Petty Cash Reimbursement Request'. It features a form with fields for 'Employee' (ANANT), 'Cash Memo Ref No' (with a dropdown showing 'No items found'), and 'Advance Amount' (INR). Below these is an 'Add Voucher' section with a 'Choose File' button and the text 'No file chosen'. At the bottom, there is a table with columns: 'Expense Code-Description', 'Reimbursement Amount' (0), 'Remarks' (your remarks...), and 'Action' (a blue '+' button).

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create reimbursement for vouchers  
received

(F) to verify user can able to do  
transaction in petty cash module

This screenshot is identical to the one above, showing the AZENTIO ONEBanking Petty Cash Reimbursement Request form. The interface elements, including the sidebar, top navigation, and form fields, are the same.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create reimbursement for vouchers  
received

(F) to verify user can able to do  
transaction in petty cash module

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create reimbursement for vouchers  
received

(F) to verify user can able to do  
transaction in petty cash module

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create reimbursement for vouchers  
received

(F) to verify user can able to do  
transaction in petty cash module

The screenshot displays the 'Petty Cash Reimbursement Request' form in the AZENTIO ONEBanking application. The interface includes a top navigation bar with the date '21-Nov-2022', language 'English', and user 'ANANT'. A left sidebar menu lists various financial modules, with 'Reimbursement' currently selected. The main form area contains fields for 'Employee' (ANANT), 'Cash Memo Ref No' (with a red error message 'Please select Cash Memo Ref No'), and 'Advance Amount' (set to INR). Below these is an 'Add Voucher' section with a 'Choose File' button and the text 'No file chosen'. A table for 'Expense Code-Description' is visible, with one entry: 'EXP\_01 - Petrol' with a 'Reimbursement Amount' of 200. The table has columns for 'Expense Code-Description', 'Reimbursement Amount', 'Remarks', and 'Action'. The 'Action' column for the first entry contains an 'Okay' button and a '+' icon.

Expense Code-Description	Reimbursement Amount	Remarks	Action
EXP_01 - Petrol	200	Okay	+