


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	1	0	1	0	1 m 14.724 s




:	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	To verify the reports for fixed asset	Check Asset Limit Config	10	7	1	2	1 m 14.717 s

(F)- To verify the reports for fixed asset

FAILED	DURATION - 1 m 14.724 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 5:00:29.838 PI	M // 5:01:44.562 PM /	Pass - 0	1	Pass - 7	10
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Check Asset Limit Config



#	Step / Hook Details	Status	Duration
1	And User get the limit config testdata for test case01	PASSED	6.347 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.478 s
	screenshot		
	+		
2	Given Maker Navigate to UAT URL login	PASSED	49.754 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.059 s
	screenshot		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user should navigate to master reports menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s	#	Step / Hook Details	Status	Duration
And user should navigate to master reports menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s PASSED 0.003 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s	3	Then click on report icon	PASSED	3.532 s
4 And user should navigate to master reports menu PASSED 1.622 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 5 Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.003 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.003 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.003 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.452 s
4 And user should navigate to master reports menu AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AND User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.276 s		ACMINO Strate for the first of		
screenshot Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.346 s PASSED 0.109 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s	4	And user should navigate to master reports menu	PASSED	1.622 s
5 Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
5 Then click on temp grid button of asset limit configuration AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.109 s PASSED 0.240 s 7 And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s PASSED 0.256 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTION AND User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.346 s 0.109 s 0.240 s		State of the state		
screenshot Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s	5	Then click on temp grid button of asset limit configuration	PASSED	0.612 s
6 Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s 0.240 s 0.240 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
Then Get the system date for asset ammenment report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.240 s PASSED O.003 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.256 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s PASSED 0.003 s PASSED 0.003 s		ACADO		
7 And User get the limit config testdata for test case01 PASSED 0.003 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.256 s	6	Then Get the system date for asset ammenment report	PASSED	0.109 s
7 And User get the limit config testdata for test case01 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.003 s 0.256 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s		State to the state of the state		
	7	And User get the limit config testdata for test case01	PASSED	0.003 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
		screenshot		


#	Step / Hook Details	Status	Duration
	State of the state		
8	And select the accountings standards and date to check the asset limit are displaying	FAILED	0.095 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.FixedAsset_Reports. select_the_accountings_standards_date_to_check_the_asset_limit_are_displaying(FixedAsset_Reports.java:966) at ?.select the accountings standards and date to check the asset limit are displaying(file:///C:/Users/ININDC00073/git/ KamalaPriya_ExcelUpdated_KUBS/AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/FixedAssetReports. feature:242) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.291 s
	### Company of the co		
9	Then click in the view button to check	SKIPPED	0.000 s
10	Then the report is displaying all the asset codes details for a branch	SKIPPED	0.000 s

EXPANDED SECTION -- 7


(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Limit Config


(F) To verify the reports for fixed asset



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

