


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify user can able to do transaction in gl2 moduyle	1	0	1	0	10.437 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can able to do	System should display the Income statement report	8	0	0	8	10.431 s
	transaction in gl2 moduyle						

DETAILED SECTION -- 4 --

(F)- To verify user can able to do transaction in gl2 moduyle

FAILED	DURATION - 10.437 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 12:39:20.676 P	M // 12:39:31.113 PM /	Pass - 0	1	Pass - 0	8
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 8	

(S)- System should display the Income statement report



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	10.389 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 101 Current browser version is 99.0.4844.82 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:156) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:266) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:266) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:289) at org.openqa.selenium.chromiumDriver.		10.003 3

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:41)</init>		
	at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given Maker Navigate to UAT URL login	SKIPPED	0.001 s
2	Then click on report segment button	SKIPPED	0.001 s
3	Then click on Financial reporting button	SKIPPED	0.001 s
4	Then click on Income statement report	SKIPPED	0.000 s
5	Then fill the input fields of Income statement report	SKIPPED	0.000 s
6	Then Select Transaction from date Financial Transaction Report	SKIPPED	0.000 s
7	And click view button of report	SKIPPED	0.000 s
8	Then verify the Record available in report	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		