



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
2	AR_AP Module	1	0	1	0	56.941 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify accounting entries post payment settlement	17	15	1	1	56.934 s
		cancellation					

DETAILED SECTION

(F)- AR_AP Module

FAILED	DURATION - 56.941 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 3:07:30.582 pn	n // 3:08:27.523 pm /	Pass - 0	1	Pass - 15	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Verify accounting entries post payment settlement cancellation



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	32.548 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.681 s
	screenshot		
2	And click on accounts Payable module	PASSED	9.586 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
	The first transmission of the first transmis		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.230 s PASSED 0.111 s PASSED 0.316 s	#	Step / Hook Details	Status	Duration
screenshot And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	3	Then Click sub module Payment settlement Cancellation Eye Icon	PASSED	0.233 s
4 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user update the Excelsheet testdata for payment settlement cancellation accounting Entries AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s PASSED 0.230 s PASSED 0.111 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.111 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s
4 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 And user update the Excelsheet testdata for payment settlement cancellation accounting Entries AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.259 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.259 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.111 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.316 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user update the Excelsheet testdata for payment settlement cancellation accounting Entries AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Txn No for Advance to Empolyee AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.283 s O.283 s O.283 s O.212 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.259 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on Table Row First Eye Icon in ARAP PASSED O.311 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.316 s		+		
screenshot Art Err Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) FASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) FASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) FASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) FASSED Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) FASSED O.259 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) FASSED O.311 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.316 s	4	And Click On Search Icon	PASSED	1.631 s
5 And user update the Excelsheet testdata for payment settlement cancellation accounting Entries PASSED 0.012 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.189 s Then Enter Txn No for Advance to Empolyee PASSED 0.259 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.230 s Then Click on Table Row First Eye Icon in ARAP PASSED 0.111 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.111 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
5 And user update the Excelsheet testdata for payment settlement cancellation accounting Entries AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter Txn No for Advance to Empolyee AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.111 s PASSED 0.316 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Txn No for Advance to Empolyee AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.111 s PASSED 0.316 s		*** The state of t		
screenshot Then Enter Txn No for Advance to Empolyee AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.259 s 0.230 s 0.230 s	5	And user update the Excelsheet testdata for payment settlement cancellation accounting Entries	PASSED	0.012 s
6 Then Enter Txn No for Advance to Empolyee PASSED 0.259 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.111 s PASSED 0.111 s O.316 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.230 s PASSED 0.111 s PASSED 0.316 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.230 s PASSED 0.111 s PASSED 0.316 s		*** The state of t		
screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.316 s	6	Then Enter Txn No for Advance to Empolyee	PASSED	0.259 s
7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.111 s 0.316 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.316 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.316 s				
	7	Then Click on Table Row First Eye Icon in ARAP	PASSED	0.111 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
screensnot		screenshot		

#	Step / Hook Details	Status	Duration
	A		
8	Then click on report segment button	PASSED	1.822 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
	ACCIVIDATION OF THE PROPERTY O		
9	And click on equiry menu	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
	AUTO		
10	Then click on edit icon near by fiancial transaction menu	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
	The state of the s		
11	And choose branch code	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot	1	


#	Step / Hook Details	Status	Duration
	ALESTIO PART May a final to the state of th		
12	And click on transaction from date calender icon	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		
	Note the state of the S of the		
13	Then choose the from date	PASSED	0.787 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
	The state of the s		
14	And click on the transaction to date calender icon	PASSED	0.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
	TABLE OF THE PARTY		
15	Then choose the to date	PASSED	0.344 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		

#	Step / Hook Details	Status	Duration
	The state of the s		
16	And click on view button	FAILED	1.141 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <pre>span_ngcontent.xxm.c637="">sp.:/span> is not clickable at point (1876, 88). Other element would receive the click: <ion-buttons_ngcontent.xxm.c637="">sp.:/</ion-buttons_ngcontent.xxm.c637=""></pre>		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
	DATES THE REPORT OF THE PARTY		
17	Then Verify Accounting entries Advance to Empolyee post payment settlement cancellation	SKIPPED	0.001 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

