

# Cucumber Report

21-Mar-2022, 5:38:24 pm

Start : Mar 21, 5:38:02.046 pm

End : Mar 21, 5:38:23.488 pm

Duration : 21.442 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 8  
FAILED - 1  
SKIPPED - 19







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL2 Module</u>	1	0	1	0	21.442 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL2 Module</u>	<u>Create a category for the accounting type based on the base accounting book for Expenditure</u>	28	8	1	19	21.435 s


**(F)- Check the Functionality of the GL2 Module**




<b>FAILED</b>	<b>DURATION - 21.442 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 28 Pass - 8 Fail - 1 Skip - 19	
/ 5:38:02.046 pm // 5:38:23.488 pm /					


**(S)- Create a category for the accounting type based on the base accounting book for Expenditure**

<b>FAILED</b>	<b>DURATION - 21.435 s</b>		Steps Total - 28 Pass - 8 Fail - 1 Skip - 19	
/ 5:38:02.053 pm // 5:38:23.488 pm /				
Check the Functionality of the GL2 Module				
@KUBS_GL_UAT_003_004				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot 		
2	And Click on Accounting Setup module	PASSED	0.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click sub module Accounting Category	PASSED	0.393 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		
			
4	And Click on Add icon	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
			
5	And enter the category code as Expenditure	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
			
6	And select the accounting book for Expenditure	PASSED	0.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And enter the accounting category for Expenditure	PASSED	0.237 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
			
8	And select GI code generation	PASSED	0.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
			
9	And Save the Record	FAILED	1.185 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled=""&gt;...&lt;/ion-button&gt; is not clickable at point (1414, 88). Other element would receive the click: &lt;ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated"&gt;...&lt;/ion-buttons&gt; (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8f089e3eff54554f17e0b3ec9a610d85, clickElement {id=827ebfc9-8f6a-47a8-90cb-043474012016}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:62279}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62279/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8f089e3eff54554f17e0b3ec9a610d85)] -&gt; xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 8f089e3eff54554f17e0b3ec9a610d85</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.GL2_Accounting_Book_Definition.save_the_record(GL2_Accounting_Book_Definition.java:136) at ?.Save the Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ GL2_Accounting_Setup.feature:148) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.159 s
10	Then Goto The Notification Icon	SKIPPED	0.000 s
11	And Store the Referance Id and Open the Record	SKIPPED	0.001 s
12	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
13	Given Navigate as a Reviewer	SKIPPED	0.000 s
14	Then click on Notify icon	SKIPPED	0.001 s
15	And Click First record Action icon	SKIPPED	0.000 s
16	Then Approve the record in Reviewer	SKIPPED	0.000 s
17	And Give Remark and Submit	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
18	Given Navigate as a Checker	SKIPPED	0.000 s
19	Then Click module security management	SKIPPED	0.000 s
20	And Claim the Record in Checker	SKIPPED	0.000 s
21	Then Goto the Checker notification Icon	SKIPPED	0.000 s
22	And Click the First Action Icon	SKIPPED	0.000 s
23	Then Approve the Record in checker stage	SKIPPED	0.001 s
24	And Give the Remark and Submit it	SKIPPED	0.000 s
25	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
26	And Click on Accounting Setup module	SKIPPED	0.000 s
27	Then click sub module Accounting Category	SKIPPED	0.000 s
28	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a category for the accounting  
type based on the base accounting book  
for Expenditure


(F) Check the Functionality of the GL2  
Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a category for the accounting  
type based on the base accounting book  
for Expenditure

(F) Check the Functionality of the GL2  
Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a category for the accounting  
type based on the base accounting book  
for Expenditure

(F) Check the Functionality of the GL2  
Module

Kastle Universal Banking (Beta)

31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category Configuration

Actions	Legal Entity Name	Category Code	Accounting Category	Accounting Book	Template Type	Txn Date	Status
	Azentio Software	ACCBOOK013D2	accbook-013d2	test-d2	Base Template	21-Mar-2022	Active
	Azentio Software	1111	Asset11	Base_GAPP2	Base Template	21-Mar-2022	Active
	Azentio Software	ASSET2	Asset1	Base_GAPP2	Base Template	21-Mar-2022	Active
	Azentio Software	ACCBOOK03	AccBook03	Account_Base	Base Template	17-Mar-2022	Active
	Azentio Software	ASSET	Assets	Base_GAPP2	Base Template	06-Dec-2021	In-Active
	Azentio Software	NONOPEX	Non-Operating Income /	IFRS_01	CUSTOM_TEMPLATE	29-Oct-2021	In-Active
	Azentio Software	OPEX	Operating Expenses	IFRS_01	CUSTOM_TEMPLATE	29-Oct-2021	In-Active
	Azentio Software	EXP	Expenditure	IFRS_01	CUSTOM_TEMPLATE	25-Oct-2021	Active

12 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a category for the accounting  
type based on the base accounting book  
for Expenditure

(F) Check the Functionality of the GL2  
Module

Kastle Universal Banking (Beta)

31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

\* Category Code

\* Accounting Book

\* Effective Date

21-03-2022

Accounting Category \*

GI Code Generation

New Sequence Flag

GI Prefix

GI Suffix

Separator

Starting Sequence Number

Current Sequence Number

Remarks

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a category for the accounting  
type based on the base accounting book  
for Expenditure

(F) Check the Functionality of the GL2  
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

\* Category Code EXPENDITURE \* Accounting Book \* Effective Date 21-03-2022

Accounting Category \* GI Code Generation New Sequence Flag

GI Prefix GI Suffix Separator

Starting Sequence Number Current Sequence Number Remarks

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a category for the accounting  
type based on the base accounting book  
for Expenditure

(F) Check the Functionality of the GL2  
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

\* Category Code EXPENDITURE \* Accounting Book Expenditure \* Effective Date 21-03-2022

Accounting Category \* GI Code Generation New Sequence Flag

GI Prefix GI Suffix Separator

Starting Sequence Number Current Sequence Number Remarks

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a category for the accounting  
type based on the base accounting book  
for Expenditure

(F) Check the Functionality of the GL2  
Module

Kastle Universal Banking (Beta)

31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

\* Category Code  
EXPENDITURE

\* Accounting Book

\* Effective Date  
21-03-2022

Accounting Category \*  
Expenditure

GI Code Generation

New Sequence Flag

GI Prefix

GI Suffix

Separator

Starting Sequence Number

Current Sequence Number

Remarks

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a category for the accounting  
type based on the base accounting book  
for Expenditure

(F) Check the Functionality of the GL2  
Module

Kastle Universal Banking (Beta)

31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

\* Category Code  
EXPENDITURE

\* Accounting Book

\* Effective Date  
21-03-2022

Accounting Category \*  
Expenditure

GI Code Generation

New Sequence Flag

GI Prefix

GI Suffix

Separator

Starting Sequence Number 117000000

Current Sequence Number 117000000

Remarks

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a category for the accounting  
type based on the base accounting book  
for Expenditure

(F) Check the Functionality of the GL2  
Module

Kastle Universal Banking (Beta) 31-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

\* Category Code  
EXPENDITURE

\* Accounting Book

\* Effective Date  
21-03-2022

Accounting Category \*  
Expenditure

GI Code Generation  
Auto

New Sequence Flag ☐

GI Prefix

GI Suffix

Separator

Starting Sequence Number  
117000000

Current Sequence Number  
117000000

Remarks

22 Appro... 11 Messa...

Home Preference