

Cucumber Report

21 Feb 2023, 10:22:19 AM

Start : Feb 21, 10:22:08.709 AM

End : Feb 21, 10:22:17.648 AM

Duration : 8.939 s

Features


Scenarios


Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 5
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 60







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	5	0	5	0	8.939 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>AR/AP Module</u>	<u>Verify Balance sheet post Debit Note is cancelled</u>	17	0	0	17	3.462 s
2	<u>AR/AP Module</u>	<u>Verify Balance sheet post Credit Note is cancelled</u>	16	0	0	16	1.235 s
3	<u>AR/AP Module</u>	<u>Verify Balance sheet post payment settlement approval.</u>	10	0	0	10	1.290 s
4	<u>AR/AP Module</u>	<u>Verify Balance sheet post approval through online mode</u>	8	0	0	8	1.333 s
5	<u>AR/AP Module</u>	<u>Verify Balance sheet post cheque is cleared</u>	9	0	0	9	1.223 s

(F)- AR/AP Module

FAILED	DURATION - 8.939 s	Scenarios		Steps	
/ 10:22:08.709 AM // 10:22:17.648 AM /		Total - 5	5	Total - 60	60
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 0	
		Skip - 0		Skip - 60	



(S)- Verify Balance sheet post Debit Note is cancelled

<div>FAILED</div> <div>DURATION - 3.462 s</div>			Steps		
/ 10:22:08.720 AM // 10:22:12.182 AM /			Total - 17		
AR/AP Module			Pass - 0		
@AR/AP @KUBS_AR_AP_UAT_003_006_TC_02			Fail - 0		
			Skip - 17		

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.28', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)	FAILED	3.404 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
2	Then select data set ID for balance sheet post debit note is cancelled	SKIPPED	0.001 s
3	Then Choose the second Tab Segment	SKIPPED	0.001 s
4	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
5	Then Click on Accounts Receivable Debit Note Eye Icon	SKIPPED	0.000 s
6	And Click On Search Icon	SKIPPED	0.001 s
7	Then Enter Cancelled Value In Debit Not Status	SKIPPED	0.000 s
8	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.000 s
9	And Get the Branch Name in wait	SKIPPED	0.001 s
10	Then Get the Transaction Date	SKIPPED	0.000 s
11	Then Third Segment report Icon	SKIPPED	0.000 s
12	And Click on Financial Reporting module	SKIPPED	0.001 s
13	Then Click on Balance sheet Sub module	SKIPPED	0.001 s
14	Then Fill branch details for post debit note balance sheet report	SKIPPED	0.000 s
15	Then Give Getted Transaction Date	SKIPPED	0.000 s
16	Then Click on Balance sheet View button	SKIPPED	0.000 s
17	And verify Balance sheet post Bill is approved	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		



(S)- Verify Balance sheet post Credit Note is cancelled

<div>FAILED</div> <div>DURATION - 1.235 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 16</div>	
/ 10:22:12.440 AM // 10:22:13.675 AM /				
AR/AP Module				
@AR/AP @KUBS_AR/AP_UAT_003_007TC_02				

#	Step / Hook Details	Status	Duration
	<p>BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.28', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)</p>	FAILED	1.214 s
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
2	Then select data set ID for Verify balance sheet post credit note is cancelled	SKIPPED	0.000 s
3	Then Choose the second Tab Segment	SKIPPED	0.001 s
4	When click the Account Receivable main module	SKIPPED	0.000 s
5	And click the eye icon in credit note	SKIPPED	0.000 s
6	And click the search icon in credit note page	SKIPPED	0.001 s
7	And search credit note status as cancelled	SKIPPED	0.001 s
8	And click the first eye icon in the Cancelled Credit List	SKIPPED	0.000 s
9	And get buisness partner name , get credit note number and get credit note date	SKIPPED	0.000 s
10	And click the notes option in top	SKIPPED	0.000 s
11	And click the financial reporting button	SKIPPED	0.001 s
12	And click the balance sheet report	SKIPPED	0.000 s
13	Then Fill branch details for balance sheet report	SKIPPED	0.001 s
14	And select the date	SKIPPED	0.001 s
15	And click the view icon	SKIPPED	0.000 s
16	Then Verify Balance sheet should be updated correctly basis the legs impacted in accounting entries.	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		



(S)- Verify Balance sheet post payment settlement approval.

FAILED		DURATION - 1.290 s			Steps Total - 10 Pass - 0 Fail - 0 Skip - 10			
/ 10:22:13.723 AM // 10:22:15.013 AM /								
AR/AP Module								
@KUBS_AR/AP_UAT_004_007_TC_05 @AR/AP								

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.281 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.28', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
2	Then select data set ID for verify balance sheet post payment settlement approval	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then Choose the second Tab Segment	SKIPPED	0.000 s
4	Then Click on Report button	SKIPPED	0.000 s
5	Then Click on Financial Reporting tab	SKIPPED	0.001 s
6	Then Click on Balance Sheet Report edit button	SKIPPED	0.000 s
7	Then Fill branch details for report	SKIPPED	0.001 s
8	Then Select date in calendar	SKIPPED	0.000 s
9	Then Click on the View button	SKIPPED	0.001 s
10	Then close the report	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		



(S)- Verify Balance sheet post approval through online mode

<div>FAILED</div> <div>DURATION - 1.333 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 8</div>	<div></div>
<div>/ 10:22:15.048 AM // 10:22:16.381 AM /</div>				
<div>AR/AP Module</div>				
<div>@AR/AP @KUBS_AR_AP_UAT_010_001_TC_04</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.325 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.28', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32) </pre>		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
2	Then select data set ID for Verify Balance sheet post approval through online mode	SKIPPED	0.000 s
3	Then click on report icon	SKIPPED	0.000 s
4	And user should navigate to financial reporting menu	SKIPPED	0.001 s
5	Then click on temp grid button of Balance sheet report	SKIPPED	0.000 s
6	And fill the required field of Balance sheet report	SKIPPED	0.000 s
7	Then click on view button to view the balance sheet report	SKIPPED	0.000 s
8	Then Verify balance sheet should updated correctly post approval through online mode	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	<pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) </pre>		

(S)- Verify Balance sheet post cheque is cleared

<div>FAILED</div> <div>DURATION - 1.223 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	<div></div>
<div>/ 10:22:16.425 AM // 10:22:17.648 AM /</div>				
<div>AR/AP Module</div>				
<div>@KUBS_AR_AP_UAT_010_002_TC_05 @AR/AP</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.217 s
	<pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.28', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], </pre>		

#	Step / Hook Details	Status	Duration
	<pre>desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)</pre> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)</pre> <pre>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)</pre> <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</pre> <pre>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)</pre> <pre>at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)</pre> <pre>at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)</pre> <pre>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)</pre> <pre>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)</pre> <pre>at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)</pre> <pre>at resources.BaseClass.initializeDriver(BaseClass.java:28)</pre> <pre>at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)</pre>		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
2	Then select data set ID for Verify Balance sheet post cheque is cleared	SKIPPED	0.000 s
3	Then click on report icon	SKIPPED	0.000 s
4	And user should navigate to financial reporting menu	SKIPPED	0.001 s
5	Then click on temp grid button of Balance sheet report	SKIPPED	0.000 s
6	Then Fill branch details for Balance sheet report post cheque is cleared	SKIPPED	0.000 s
7	Then Select balance sheet as on date	SKIPPED	0.000 s
8	Then click on view button to view the balance sheet report	SKIPPED	0.000 s
9	Then Verify balance sheet should updated correctly post cheque is cleared	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	<pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null</pre> <pre>at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</pre>		