

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	22.871 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify maker can able to create budget code	16	16	0	0	22.863 s
	<u>feature</u>						

DETAILED SECTION -- 4

(F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 22.871 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 5:35:12.829 PM	1 // 5:35:35.700 PM /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify maker can able to create budget code




#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.959 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
	Shall type: Anniholated Section () () () () () () () () () () () () ()		
2	Then click on budget configuration Menu	PASSED	0.639 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		

AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefi	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click on add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot FASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then enter budget code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		The control of the		
screenshot 4 And click on add icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 Then enter budget code AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.203 s PASSED 0.289 s 0.289 s	3	And click on budget definition sub menu and click on eye icon	PASSED	0.436 s
And click on add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter budget code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.203 s 0.289 s 0.149 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
4 And click on add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then enter budget code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASED APASE		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter budget code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And enter budget type And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.289 s 0.138 s 0.149 s 0.302 s PASSED 0.302 s PASSED 0.302 s		© mean : : : : : : : : : : : : : : : : : : :		
screenshot Then enter budget code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.302 s PASSED 0.142 s	4	And click on add icon	PASSED	0.203 s
Then enter budget code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.302 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s			PASSED	0.289 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s PASSED 0.302 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s		Continue Continue		
Screenshot 6 And enter budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.302 s 0.142 s	5	Then enter budget code	PASSED	0.138 s
6 And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.302 s 0.142 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
6 And enter budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.302 s 0.142 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s		0		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s	6	And enter budget type	PASSED	0.302 s
screenshot			PASSED	0.142 s
		screenshot]	


#	Step / Hook Details	Status	Duration
	■ © AND PRODUCTION PRODUCTION STATEMENT OF THE PRODUCTION		
7	And enter warning percentage	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
	© Construction		
8	And enter budget name	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
9	Then give remark	PASSED	0.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The step of the st	PASSED	0.175 s
10	Then click on save button	PASSED	3.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		

#	Step / Hook Details	Status	Duration
	## Of the Control of		
11	Then Click on notification icon	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		
	■ O STATE CONTINUES STATE OF STATE CONTINU		
12	And select the first record	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.289 s
13	Then click on submit button	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Texation of the step of the st	PASSED	0.193 s
14	And enter remark in alert tab	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		


DETAILED SECTION -- 8 --




EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --







EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

