


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	BUDGET TRANSFER SUBMODULE UAT TESTCASES	1	0	1	0	3 m 12.281 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	BUDGET TRANSFER SUBMODULE	Check the trasnfering budget code and transferred budget	19	7	1	11	3 m 12.262 s
	<u>UAT TESTCASES</u>	code type should be same					

DETAILED SECTION -- 4 --

(F)- BUDGET TRANSFER SUBMODULE UAT TESTCASES

FAILED	DURATION - 3 m 12.281 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 8:42:02.696 PN	M // 8:45:14.977 PM /	Pass - 0	1	Pass - 7	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

(S)- Check the trasnfering budget code and transferred budget code type should be same



#	Step / Hook Details	Status	Duration
1	Given navigate to kubs url and login as a maker user	PASSED	36.780 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.775 s
	screenshot		
2	Then select the budget menu in segment button	PASSED	0.748 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		

3 And click on the eye icon of budget transfer sub module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 4 Then click on add button to create budget record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksCl	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then click on add button to create budget record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.759 s 0.759 s 0.759 s 0.759 s 0.759 s				
screenshot 4 Then click on add button to create budget record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.202 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s	3	And click on the eye icon of budget transfer sub module	PASSED	0.946 s
4 Then click on add button to create budget record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 10.202 s PASSED 0.165 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.759 s
4 Then click on add button to create budget record PASSED 0.758 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And fill the required field to transfer budget PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And fill the required field to transfer budget PASSED 33.206 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 Then save and submit by the maker user to transfer PASSED 10.202 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then save and submit by the maker user to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED O.165 s				
screenshot 5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then save and submit by the maker user to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.202 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s	4	Then click on add button to create budget record	PASSED	0.758 s
5 And fill the required field to transfer budget PASSED 33.206 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then save and submit by the maker user to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.202 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.588 s
5 And fill the required field to transfer budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then save and submit by the maker user to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.202 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then save and submit by the maker user to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10.202 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.186 s		PO SERVICE STATES OF THE PROPERTY OF THE PROPE		
Screenshot 6 Then save and submit by the maker user to transfer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s	5	And fill the required field to transfer budget	PASSED	33.206 s
6 Then save and submit by the maker user to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
6 Then save and submit by the maker user to transfer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s		0 mm		
	6	Then save and submit by the maker user to transfer	PASSED	10.202 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
		screenshot		


#	Step / Hook Details	Status	Duration
	The control of the		
7	And Navigate to the Url and login as reviewer user	PASSED	10.840 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.585 s
	screenshot		
	The state of the s		
8	Then Click on the Notification button	FAILED	40.188 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4a8f52ce9b97b1c4a231d46c4df67358, findElement {using=xpath, value=//ion-button[@ng-reflect-router-link=/inbox]}} Capabilities {accepttnsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:61133}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdg: ws://localhost:61133/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFielnetractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4a8f52ce9b97b1c4a231d46c4df67358 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceConstructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.Service.DriverCommandExecutor.ivokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote		

	Step / Hook Details	Status	Duration
7	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
ı	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
ı	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
l	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
l	at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
l	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
l	at helper.WaitHelper.waitForElement(WaitHelper.java:79)		
ı	at stepdefinitions.		
l	BUDGET_BudgetTransfer_KUBS_BP_UAT_006_002.click_on_the_notification_button(BUDGET_BudgetTransfer_KUBS_BP_UAT_006_002.java:206)		
l	at ?.Click on the Notification button(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/		
l	BUDGET_BudgetTransfer_KUBS_BP_UAT_006_002.feature:12)		
l	* Not displayable characters are replaced by '?'.		
I	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.026 s
	revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4a8f52ce9b97b1c4a231d46c4df67358, screenshot {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC-1\AppData\L); goog:chromeOptions: {debuggerAddress: localhost:61133}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61133/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4a8f52ce9b97b1c4a231d46c4df67358 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139)		
	The state of the s		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
9	Then Find the budget code which is submitted by maker	SKIPPED	0.000 s
10	And reviewer user should logout	SKIPPED	0.001 s
11	Given Navigate to kubs Url and login as a Checker user	SKIPPED	0.001 s
12	And Click on the security management menu	SKIPPED	0.001 s
13	Then Click on open pool sub menu	SKIPPED	0.001 s
14	And Click on claim button of the submitted record	SKIPPED	0.001 s
15	Then claimed status should appear	SKIPPED	0.000 s
16	Then Click on the Notification button	SKIPPED	0.000 s
17	Then finally checker should approve the record	SKIPPED	0.000 s
18	And system should show prompt message for verification	SKIPPED	0.000 s
19	Then checker user should logout	SKIPPED	0.000 s
13	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.234 s
	org.openga.selenium.WebDriverException: chrome not reachable (Session info: chrome=\$6.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [4a8f52ce9b97b1c4a231d46c4df67358, close {}}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:Users(ININDO—1-1AppDataL), goog:chromeOptions: {debuggerAddress: localhost:61133}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61133/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4a8f52ce9b97b1c4a231d46c4df67358 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:139) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:139) at or		


EXPANDED SECTION --- 9 --



EXPANDED SECTION --- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the trasnfering budget code and transferred budget code type should be same

(F) BUDGET TRANSFER SUBMODULE UAT TESTCASES

