

Cucumber Report

Mar 31, 2022, 1:27:52 PM

Start : Mar 31, 1:27:36.732 PM

End : Mar 31, 1:27:51.767 PM

Duration : 15.035 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 1


FAILED - 1

SKIPPED - 57







#	Feature Name	T	P	F	S	Duration
1	<u>Checking the Fixed Asset functionality</u>	1	0	1	0	15.035 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	Check if any impaired asset can be de-allocated	59	1	1	57	15.031 s


(F)- Checking the Fixed Asset functionality

FAILED	DURATION - 15.035 s	Scenarios		Steps	
/ 1:27:36.732 PM // 1:27:51.767 PM /		Total - 1		Total - 59	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 57	

(S)- Check if any impaired asset can be de-allocated

<div>FAILED</div> <div>DURATION - 15.031 s</div>		 <table border="1"><thead><tr><th>Scenario</th><th>Pass</th><th>Fail</th></tr></thead><tbody><tr><td>1</td><td>9</td><td>0</td></tr><tr><td>2</td><td>3</td><td>0</td></tr><tr><td>3</td><td>0</td><td>0</td></tr><tr><td>4</td><td>0</td><td>0</td></tr><tr><td>5</td><td>0</td><td>0</td></tr><tr><td>6</td><td>0</td><td>0</td></tr><tr><td>7</td><td>0</td><td>0</td></tr><tr><td>8</td><td>0</td><td>0</td></tr><tr><td>9</td><td>0</td><td>0</td></tr><tr><td>10</td><td>0</td><td>0</td></tr><tr><td>11</td><td>0</td><td>0</td></tr><tr><td>12</td><td>0</td><td>0</td></tr><tr><td>13</td><td>0</td><td>0</td></tr><tr><td>14</td><td>0</td><td>0</td></tr><tr><td>15</td><td>0</td><td>0</td></tr></tbody></table>	Scenario	Pass	Fail	1	9	0	2	3	0	3	0	0	4	0	0	5	0	0	6	0	0	7	0	0	8	0	0	9	0	0	10	0	0	11	0	0	12	0	0	13	0	0	14	0	0	15	0	0	<div>Steps</div> <div>Total - 59</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 57</div>		 <div>59</div>
Scenario	Pass		Fail																																																		
1	9		0																																																		
2	3		0																																																		
3	0	0																																																			
4	0	0																																																			
5	0	0																																																			
6	0	0																																																			
7	0	0																																																			
8	0	0																																																			
9	0	0																																																			
10	0	0																																																			
11	0	0																																																			
12	0	0																																																			
13	0	0																																																			
14	0	0																																																			
15	0	0																																																			
<div>/ 1:27:36.736 PM // 1:27:51.767 PM /</div>																																																					
<div>Checking the Fixed Asset functionality</div>																																																					
<div>@MultiAuth @KUBS_FAT_UAT_006_009</div>																																																					

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.046 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
			
2	Then Click on the Direction	FAILED	3.145 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-segment-button value="txn_bnk" layout="icon-top" ng-reflect-value="txn_bnk" ng-reflect-layout="icon-top" class="md in-segment in-segment-color segment-button-has-icon segment-button-has-icon-only segment-button-layout-icon-top ion-activatable ion-activatable-instant ion-focusable hydrated">...</ion-segment-button> is not clickable at point (134, 127). Other element would receive the click: <ion-radio class="sc-ion-select-popover md in-item interactive radio-checked hydrated" role="radio" aria-checked="true" aria-labelledby="ion-rb-0-lbl"></ion-radio> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fff19dca5b680d3215468d906245dd1c, clickElement {id=10787f9c-cdfb-4493-8069-e61fcf4cb5a5}] Capabilities</p>		

#	Step / Hook Details	Status	Duration
	<pre> {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53201}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53201/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (fff19dca5b680d3215468d906245dd1c)] -> xpath: //ion-segment/ion-segment-button[2]] Session ID: fff19dca5b680d3215468d906245dd1c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.InventoryManagment.click_on_direction(InventoryManagment.java:84) at ?.Click on the Direction(file:///C:/Users/inindc00089/git/AzentioAutomationFrameworkMaster_New2/AzentioAutomationFramework/src/test/ java/features/FixedAsset_AssetDeallocation.feature:87) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.099 s
3	Then Click on Fixed Asset	SKIPPED	0.000 s
4	Then Click on Asset Creation Eye button	SKIPPED	0.000 s
5	Then Click on the add button to add new record	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
6	Then Fill Form asset Creation	SKIPPED	0.000 s
7	Then Save the filled form	SKIPPED	0.001 s
8	Then Click on the Notification	SKIPPED	0.000 s
9	Then Select the record which we saved	SKIPPED	0.001 s
10	Then Click on Fixed Asset items	SKIPPED	0.000 s
11	Then Click on the add button of asset items	SKIPPED	0.000 s
12	Then fill the asset item details asset Creation	SKIPPED	0.000 s
13	Then Click on save button of item details	SKIPPED	0.000 s
14	Then Click on the Notification	SKIPPED	0.001 s
15	Then Select the record which we saved	SKIPPED	0.000 s
16	Then Submit record	SKIPPED	0.000 s
17	Then Open Reviewer account	SKIPPED	0.000 s
18	And Click on notification	SKIPPED	0.001 s
19	Then Approve the record which we submitted from maker stage	SKIPPED	0.000 s
20	Then Go to Checker account	SKIPPED	0.000 s
21	And Clam the record	SKIPPED	0.000 s
22	Then Click on notification and approve the record	SKIPPED	0.000 s
23	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
24	Then Click on the Direction	SKIPPED	0.000 s
25	Then Click on Fixed Asset	SKIPPED	0.001 s
26	Then Click on Asset Creation Eye button	SKIPPED	0.000 s
27	Then Select Asset Reference Number	SKIPPED	0.000 s
28	Then Click on Asset Impairment Eye button	SKIPPED	0.000 s
29	Then Click on the add button to add new record	SKIPPED	0.000 s
30	Then fill the form for Asset Impairment	SKIPPED	0.000 s
31	Then Click on Fixed Asset Save button	SKIPPED	0.000 s
32	Then Click on Asset Allocation Eye button	SKIPPED	0.000 s
33	Then Click on the add button to add new record	SKIPPED	0.000 s
34	Then Fill Asset Allocation Form	SKIPPED	0.000 s
35	Then Save the filled Allocation	SKIPPED	0.000 s
36	Then Click on the Notification	SKIPPED	0.000 s
37	Then Select the record which we saved	SKIPPED	0.000 s
38	Then Submit record	SKIPPED	0.000 s
39	Then Open Reviewer account	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
40	And Click on notification	SKIPPED	0.000 s
41	Then Approve the record which we submitted from maker stage	SKIPPED	0.001 s
42	Then Go to Checker account	SKIPPED	0.000 s
43	And Clam the record	SKIPPED	0.000 s
44	Then Click on notification and approve the record	SKIPPED	0.000 s
45	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
46	Then Click on fixed asset deallocaion Direction icon	SKIPPED	0.000 s
47	Then Click on Fixed assets field	SKIPPED	0.000 s
48	Then Click on asset deallocaion Eye button	SKIPPED	0.000 s
49	Then Click on Fixed Asset Add button	SKIPPED	0.001 s
50	Then Fill asset impaired deallocaion Mandatory fields	SKIPPED	0.000 s
51	Then Click on Fixed Asset Save button	SKIPPED	0.000 s
52	Then Click on Fixed Asset Notification	SKIPPED	0.001 s
53	And Select and Submit the record	SKIPPED	0.000 s
54	Then log in to the reviewer account	SKIPPED	0.000 s
55	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
56	Then log in to the Checker Account	SKIPPED	0.000 s
57	And then checker claim the record	SKIPPED	0.001 s
58	Then click on the checker Notification	SKIPPED	0.000 s
59	And select the record and Approve by checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any impaired asset can be de-allocated

(F) Checking the Fixed Asset functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if any impaired asset can be de-allocated

(F) Checking the Fixed Asset functionality

