


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	28.810 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank	Click on Process button on Bank Recon Process screen	16	12	1	3	28.807 s
	reconciliation module	post creating additional entries					

DETAILED SECTION -- 4 --

(F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 28.810 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 9:59:58.865 A	AM // 10:00:27.675 AM /	Pass - 0	1	Pass - 12	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Click on Process button on Bank Recon Process screen post creating additional entries

FAILED DURATION - 28.807 s		П		-						-			-				-	Steps			
/ 9:59:58.868 AM // 10:00:27.675 AM /	10	$\ \cdot\ $		+-	-							-		-				Total - 16			
testing the fuctionalities of bank reconciliation	5	-	•	÷-	-		-					-					-	Pass - 12		16	
module	0			-			_	<u>.</u>							<u> </u>		_	Skip - 3	N		
@KUBS_TAX_UAT_0010_001TC_001	7		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	13.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
	screenshot		
	Who are light to the holder and the light to		
2	And user click bank recon module	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		


#	Step / Hook Details	Status	Duration
	## \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
3	And user click eye icon in bank recon module	PASSED	0.300 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
4	And user click add icon in bank recon	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
5	And user select bank name in bank recon Module for csv file	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
	** O TOTAL CONTINUES OF THE CONTINUES OF		
6	And user select bank account Number in bank recon Module	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		

7 And user click bank recon from date and select the date for csv file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 And user click bank recon to date and select the date for csv file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 And user click bank recon to date and select the date for csv file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And user click choose file and upload the bank statement for csv AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click choose file and upload the bank statement for csv AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.116 s PASSED 0.181 s		0		
Screenshot And user click bank recon to date and select the date for csv file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DANG User click save button in bank recon PASSED O.116 s PASSED O.116 s PASSED O.181 s	7	And user click bank recon from date and select the date for csv file	PASSED	1.478 s
8 And user click bank recon to date and select the date for csv file AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And user click choose file and upload the bank statement for csv AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Art ER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Art ER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And user click save button in bank recon 10 And user click save button in bank recon PASSED 0.116 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.181 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
8 And user click bank recon to date and select the date for csv file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And user click choose file and upload the bank statement for csv AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.107 s PASSED O.116 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.116 s PASSED O.118 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And user click choose file and upload the bank statement for csv AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s 0.201 s 0.201 s		□ starting □		
Screenshot 9 And user click choose file and upload the bank statement for csv AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.107 s 0.216 s PASSED 0.116 s PASSED 0.116 s	8	And user click bank recon to date and select the date for csv file	PASSED	1.430 s
9 And user click choose file and upload the bank statement for csv AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.116 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.116 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
9 And user click choose file and upload the bank statement for csv AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.116 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.116 s O.116 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.216 s PASSED 0.116 s PASSED 0.118 s				
Screenshot 10 And user click save button in bank recon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.116 s 0.181 s	9	And user click choose file and upload the bank statement for csv	PASSED	0.107 s
10 And user click save button in bank recon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.116 s 0.181 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
10 And user click save button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.116 s 0.181 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.181 s				
	10	And user click save button in bank recon	PASSED	0.116 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
		screenshot]	


#	Step / Hook Details	Status	Duration
	Since State Space - State Spac		
11	And user click process button in bank recon	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.338 s
	The state of the s		
12	And user click the unmatched data in bank recon process	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot The state of the s		
13	And user match the records in unmached tab	FAILED	0.202 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8965d333940dea4c8d817db088499414, clickElement {id=ba78321f-edac-4a07-8870-111107d2d907}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:55344}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55344/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8965d333940dea4c8d817db088499414)] -> xpath: //ion-grid[1]//datatable-row-wrapper[2]/datatable-body-row//div[2]/datatable-body-cell[8]/div] Session ID: 8965d333940dea4c8d817db088499414 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at stepdefinitions.Bank_ReconModule.user_match_the_records_in_unmached_tab(Bank_ReconModule.java:303) at ?.user match the records in unmached tab(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Texastriction** **Texastrictio	PASSED	0.227 s
14	And user click matched data tab	SKIPPED	0.000 s
15	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	SKIPPED	0.001 s
16	Then user verify that Unmatched entry from Bank Side will not be displayed	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

