

Cucumber Report

Mar 25, 2022, 4:39:28 PM

Start : Mar 25, 4:39:01.755 PM

End : Mar 25, 4:39:26.087 PM

Duration : 24.332 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	24.332 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Create instrument code</u>	16	6	1	9	24.325 s


(F)- Check the Functionality of Inventory


FAILED	DURATION - 24.332 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 6 Fail - 1 Skip - 9	
/ 4:39:01.755 PM // 4:39:26.087 PM /					


(S)- Create instrument code

<div>FAILED</div> <div>DURATION - 24.325 s</div>		<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 9</div>	<div></div>
<div>/ 4:39:01.762 PM // 4:39:26.087 PM /</div>				
<div>Check the Functionality of Inventory</div>				
<div>@KUBS_INV_MGMT_UAT_002_001 @multiauth</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	11.542 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
	screenshot		
			
2	Then Click on Finance	PASSED	0.012 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Inventory maintenance	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot 		
4	Then Click on Instrument code master eye button	PASSED	0.481 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot 		
5	Then Click on Add button	PASSED	0.468 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot 		
6	Then Fill all the details	PASSED	0.895 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	<p>Then Click on save button on instrument code master</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="''">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <div class="ng-tns-c135-0 ng-star-inserted ng-trigger ng-trigger-flyInOut ngx-toastr toast-error" toast-component="" style="opacity: 1;">...</div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f2958e03a89a69b8afcb5ef1a2efd91e, clickElement {id=ca0ae84f-9ae3-4a5a-b7de-990e08f3d6ac}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\NINDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:63197}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63197/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (f2958e03a89a69b8afcb5ef1a2efd91e)] -> xpath: //page-inventory-access-master-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]]//page-instrument-code-master-update[1]/div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: f2958e03a89a69b8afcb5ef1a2efd91e</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) </pre>	FAILED	2.200 s

#	Step / Hook Details	Status	Duration
	<p>at stepdefinitions.InventoryManagment.click_on_save_button_on_instrument_code_master(InventoryManagment.java:413) at ?.Click on save button on instrument code master(file:///C:/Users/inindc00082/git/AzentioAutomationFramework2403/AzentioAutomationFramework/src/test/java/features/InventoryManagement.feature:69) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.127 s
8	Then Click Notification button	SKIPPED	0.001 s
9	And Select record which we saved	SKIPPED	0.000 s
10	And Submit the record	SKIPPED	0.000 s
11	Then Open Reviewer account	SKIPPED	0.000 s
12	And Click on notification	SKIPPED	0.000 s
13	Then Approve the record which we submitted from maker stage	SKIPPED	0.001 s
14	Then Go to Checker account	SKIPPED	0.000 s
15	And Clam the record	SKIPPED	0.000 s
16	Then Click on notification and approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create instrument code


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create instrument code


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create instrument code


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Instrument Code Master

* Routing Mask	* Track Reorder Level	* Track Excess Level
NO	NO	NO

* Denomination Applied	* Auto Serial Number
NO	NO

Last Serial Number 0

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 04-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Instrument Code Master

* Instrument Code	Instrument Description *	
11321		

* Routing Mask	* Track Reorder Level	* Track Excess Level
NO	NO	NO

* Denomination Applied	* Auto Serial Number
NO	NO

Starting Serial Number * 121 Last Serial Number 0

Home Preference

Instrument Code Master
Description already exists!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 04-Nov-2022 English Azentio Software

Finance

Instrument Code Master

Instrument Code 11321

Instrument Description *

* Routing Mask NO * Track Reorder Level NO * Track Excess Level NO

* Denomination Applied NO * Auto Serial Number NO

Starting Serial Number * 121 Last Serial Number 0

Instrument code master Denomination master Inventory item master Inventory access

22 Appro... 11 Messa...

Home Preference

Instrument Code Master
Description already exists!!