

Cucumber Report

06-Dec-2022, 3:11:43 pm

Start : Dec 06, 3:10:48.110 pm

End : Dec 06, 3:11:34.012 pm

Duration : 45.902 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 15







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	45.902 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Balance sheet post Bill is cancelled	16	0	1	15	45.897 s


(F)- AR/AP Module

FAILED	DURATION - 45.902 s	Scenarios		Steps	
/ 3:10:48.110 pm // 3:11:34.012 pm /		Total - 1	1	Total - 16	16
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- Verify Balance sheet post Bill is cancelled

<div>FAILED</div> <div>DURATION - 45.897 s</div>			Steps		
/ 3:10:48.115 pm // 3:11:34.012 pm /			Total - 16		
AR/AP Module			Pass - 0		
@KUBS_AR/AP_UAT_003_004_TC_02 @AR/AP			Fail - 1		
			Skip - 15		

#	Step / Hook Details	Status	Duration
1	<p>Given User should go to the kubs url and login as a maker user</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/p[contains(text(),'Otp')]"} (Session info: chrome=108.0.5359.71) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2e28fe672766a0c60c980f9be0e85a1, findElement {using=xpath, value=/p[contains(text(),'Otp')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.71, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55283}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55283/devtoo..., se:cdpVersion: 108.0.5359.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d2e28fe672766a0c60c980f9be0e85a1</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>	FAILED	30.274 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:44) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49) at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00075/eclipse-workspace/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:136) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.789 s
2	When click the account payable main module	SKIPPED	0.000 s
3	And click the eye icon of invoice bill booking	SKIPPED	0.000 s
4	And click the search icon in list view	SKIPPED	0.000 s
5	And user update the Excelsheet Testdata for balancesheet	SKIPPED	0.001 s
6	And search invoice type as expense	SKIPPED	0.000 s
7	And click the first eye icon in the list view of cancelled invoice bill	SKIPPED	0.000 s
8	And get the invoice number from the bill viewed	SKIPPED	0.001 s
9	And get buisness partner name and Bill Status	SKIPPED	0.000 s
10	And click the notes option in top	SKIPPED	0.000 s
11	And click the financial reporting	SKIPPED	0.001 s
12	And click the balance sheet report	SKIPPED	0.000 s
13	Then Fill branch details for report	SKIPPED	0.000 s
14	And select the date	SKIPPED	0.000 s
15	And click the view icon	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
16	Then Verify Balance sheet should be updated correctly basis the legs impacted in accounting entries.	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Balance sheet post Bill is
cancelled

(F) AR/AP Module

