

# Cucumber Report

3 Apr 2023, 10:10:41 AM

Start : Apr 03, 10:09:48.330 AM

End : Apr 03, 10:10:39.282 AM

Duration : 50.952 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 6  
FAILED - 1  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Checking the Bank Reconcilliation functionality	1	0	1	0	50.952 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Bank Reconciliation functionality</u>	<u>Verify system gives correct match basis the matching rule defined</u>	7	6	1	0	50.937 s

**(F)- Checking the Bank Reconcillation functionality**

<b>FAILED</b>	<b>DURATION - 50.952 s</b>	Scenarios		Steps	
/ 10:09:48.330 AM // 10:10:39.282 AM /		Total - 1		Total - 7	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

**(S)- Verify system gives correct match basis the matching rule defined**

<div>FAILED</div> <div>DURATION - 50.937 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:09:48.345 AM // 10:10:39.282 AM /				
Checking the Bank Reconcillation functionality				
@KUBS_TAX_UAT_002_002_TC_007_01 @MultiAuth				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	29.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
	screenshot		
			
2	Then select data set ID for verify match record basis data matching rule	PASSED	0.538 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.545 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user should navigate to bank recon format menu	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
			
4	When click on eye button of bank recon format	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.733 s
	screenshot		
			
5	Then open bank recon format configuration of a bank	PASSED	3.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.742 s
	screenshot		
			
6	And navigate to data matching rule	PASSED	0.422 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.510 s
	screenshot		
			
7	Then get the matching rule for correct match record	FAILED	6.673 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-guo-c277="" color="medium" class="data-grid-eye ion-color ion-color-medium md button button-clear ion-activatable ion-focusable hydrated" ng-reflect-color="medium">...</ion-button> is not clickable at point (312, 299). Other element would receive the click: <div _ngcontent-guo-c177="" class="ngx-overlay foreground-closing" style="background-color: rgba(40, 40, 40, 0.8); border-radius: 0px;">...</div> (Session info:		


#	Step / Hook Details	Status	Duration
	<p>chrome=111.0.5563.147) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.87', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c945149792542389ff5ad6dc4d9b36dd, clickElement [id=7ab4b95d-ec91-453a-9996-7184722c292f]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\ININDC~1\AppData\Local\Microsoft\EdgeDevToolsClient\}, goog:chromeOptions: {debuggerAddress: localhost:63193}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63193/devtools, se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c945149792542389ff5ad6dc4d9b36dd)] -&gt; xpath: //span[text()='Instrument Number']/ancestor::datatable-row-wrapper/descendant::ion-button[1]] Session ID: c945149792542389ff5ad6dc4d9b36dd</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)  at stepdefinitions.BankRecon_BankReconciliation.get_the_matching_rule_for_correct_match_record(BankRecon_BankReconciliation.java:731)  at ?.get the matching rule for correct match record(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/BankRecon_BankReconciliation.feature:117)  * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		

[illegible]

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify system gives correct match  
basis the matching rule defined


(F) Checking the Bank Reconcillation  
functionality




(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)


(S) Verify system gives correct match  
basis the matching rule defined

(F) Checking the Bank Reconcillation  
functionality






<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify system gives correct match basis the matching rule defined</u></p>	
<p><u>(F) Checking the Bank Reconcillation functionality</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify system gives correct match basis the matching rule defined</u></p>	
<p><u>(F) Checking the Bank Reconcillation functionality</u></p>	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify system gives correct match  
basis the matching rule defined

(F) Checking the Bank Reconcillation  
functionality





28-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Recon format**
- Petty cash configuration

22 Appro... 11 Mess...

Bank Format Master List View


Actions	Bank Name	Applicable Account Typ	Upload File Extension	Status	Created By	Created Da
	IDFC BANK	Search Applicable A	Search Upload File I	Search Status	Search Created By	Search Cr
 	IDFC BANK	SAVINGS ACCOUNT	Text	Active	1002435	27-Mar-20

1 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify system gives correct match  
basis the matching rule defined

(F) Checking the Bank Reconcillation  
functionality















28-Jan-2023 English Azentio Software (AZENTMAIN) ANANT

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurat...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Recon format**
- Petty cash configuration

22 Appro... 11 Mess...

Format Master Data Matching Rule

Data Matching View


Actions	Field Name	Data Type	Blank Space Padding	Fixed Length	Position	Status
 	Value Date	Date		24	6	Active
 	Transaction Date	Date		12	1	Active
 	Instrument Number	Alphanumeric		24	2	Active
 	Deposits	Numeric		25	3	Active
 	Particulars	Alphanumeric		21	5	Active
 	Withdrawals	Numeric		24	4	Active

6 total

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify system gives correct match  
basis the matching rule defined

(F) Checking the Bank Reconcillation  
functionality

 **AZENTIO**  
ONEBanking

Business partner setup

General ledger configuration

Accounting setup



Expense/AR & AP configurat...

Budget configuration



Fixed assets configuration

Inventory maintenance

Bank recon


**Recon format**  













Petty cash configuration

22 Appro...  11 Mess... 

Format Master **Data Matching Rule**

← Data Matching View 

FORMAT PREVIEW 

Actions	Field Name	Data Type	Blank Space Padding	Fixed Length	Position	Status
 	Value Date	Date		24	6	Active
 	Transaction Date	Date		12	1	Active
 	Instrument Number	Alphanumeric		24	2	Active
 	Deposits	Numeric		25	3	Active
 	Particulars	Alphanumeric		21	5	Active
 	Withdrawals	Numeric		24	4	Active

6 total

