
**Duration : 3.320 s** Start: Jan 17, 4:29:24.512 PM End: Jan 17, 4:29:27.832 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 34 35 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	3.320 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To Verify Checker can approve the record which is approved by reviewer	35	0	1	34	3.314 s

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 3.320 s	Scenarios		Steps	
		Total - 1		Total - 35	
/ 4:29:24.512 PI	M // 4:29:27.832 PM /	Pass - 0	1	Pass - 0	35
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 34	

## (S)- To Verify Checker can approve the record which is approved by reviewer



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	FAILED	0.045 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "x.userName" is null		
	at dataProvider.JsonConfig.lambda\$2(JsonConfig.java:279)		
	at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:178)		
	at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1002)		
	at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129)		
	at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.findAny(ReferencePipeline.java:652)		
	at dataProvider.JsonConfig.getBudgetdataByName(JsonConfig.java:279)		
	at stepdefinitions.BUDGET_BudgetDefinition. <init>(BUDGET_BudgetDefinition.java:34)</init>		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testing.resitve.rum(resitve.java.1661) at org.testing.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testing.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testing.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
	+		
2	Then click on budget configuration Menu	SKIPPED	0.001 s
3	And click on budget definition sub menu and click on eye icon	SKIPPED	0.001 s
4	Then search the budget code want to update	SKIPPED	0.001 s
5	And select the budget code	SKIPPED	0.001 s
6	And update the budget code	SKIPPED	0.000 s
7	Then update the budget budget type	SKIPPED	0.001 s
8	Then update warning percentage	SKIPPED	0.005 s
9	Then update budget name	SKIPPED	0.000 s
10	Then update remark	SKIPPED	0.000 s
11	And click on save after update all the details	SKIPPED	0.000 s
12	Then Click on notification icon	SKIPPED	0.001 s
13	And select the first record	SKIPPED	0.001 s
14	Then click on submit button	SKIPPED	0.001 s
15	And enter remark in alert tab	SKIPPED	0.001 s
16	And click on submit	SKIPPED	0.000 s
17	When click on submit button save the reviewer id	SKIPPED	0.000 s
18	Given navigate to URL and login as a reviewer	SKIPPED	0.000 s
19	Then click on notification icon	SKIPPED	0.001 s

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
20	When click on notification icon to check reviewer can get a record which is submitted by maker	SKIPPED	0.000 s
21	And click on action button	SKIPPED	0.000 s
22	Then verify the updated budget record is matched with maker submited record	SKIPPED	0.000 s
23	And approve the record in reviewer stage	SKIPPED	0.000 s
24	Then enter remark then submit	SKIPPED	0.003 s
25	Given navigate to URL and login as a checker	SKIPPED	0.000 s
26	Then click on security management menu	SKIPPED	0.000 s
27	And click on Action icon in security management	SKIPPED	0.000 s
28	Then clime the record	SKIPPED	0.000 s
29	And click on notification icon in checker stage	SKIPPED	0.000 s
30	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s
31	And click on action button in checker stage	SKIPPED	0.000 s
32	Then click on approve in checker stage	SKIPPED	0.001 s
33	Then validate the updated budget record	SKIPPED	0.000 s
34	And Write remark in alert	SKIPPED	0.001 s
35	And Submit the record from checker	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To Verify Checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature