


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	28.489 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	System should follow the flow as Maker	28	13	1	14	28.484 s
	feature module						

DETAILED SECTION -- 4 --

## (F)- Check Budget Request and Allocation feature module

FAILED	DURATION - 28.489 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 8:48:49.667 ar	m // 8:49:18.156 am /	Pass - 0	1	Pass - 13	28
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 14	

## (S)- System should follow the flow as Maker



#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url	PASSED	12.507 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
	# COLD Configure Annabases (STATE Configure Annabases (STATE CONFIGURE CONFIGURACION CONFIGURE CONFIGURACI		
2	Then Click Transfer Icon	PASSED	0.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		

Act   Click on Budget Module   PASSED   Act   PAS	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.112 s		10		
screenshot  Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.172 s	3	And Click on Budget Module	PASSED	0.097 s
Then Click on Budget Sub module Near Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  And Click on Add icon in Request and Allocation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.324 s  0.225 s  0.230 s  0.230 s  0.257 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
Then Click on Budget Sub module Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.230 s  PASSED  O.230 s  PASSED  O.257 s  O.257 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then Select Budget Code in fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.225 s  0.230 s  PASSED  0.257 s  0.918 s  PASSED  0.918 s				
screenshot  And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Select Budget Code in fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.918 s  PASSED  0.172 s	4	Then Click on Budget Sub module Near Eye Icon	PASSED	0.324 s
And Click on Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Select Budget Code in fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.230 s  0.257 s  0.257 s  0.258 s  0.257 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then Select Budget Code in fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s  0.257 s  0.257 s  PASSED  0.172 s		■ © INSTITUTION   1		
Screenshot  6 Then Select Budget Code in fields  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.172 s	5	And Click on Add icon in Request and Allocation	PASSED	0.230 s
6 Then Select Budget Code in fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.172 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
6 Then Select Budget Code in fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.918 s  0.172 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s		0 monatory   0 / 10 molecular 1000   00 m m		
	6	Then Select Budget Code in fields	PASSED	0.918 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	■ O SANCHARISTANIAN (IN THE PARTY OF THE PA		
7	And Select Current Budget Year	PASSED	0.489 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.915 s
	screenshot		
8	Then Click on Branch	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot	_	
	The state of the s		
9	And Select one Branch	PASSED	0.077 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
	### OF TAXABLE STATE OF		
10	Then Click on Branch ok button	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		

#	Step / Hook Details	Status	Duration
	United Space Control Space Con		
11	Then Select Which currency we need	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
12	And Enter Amount for which Budget Type Show in Budget type field	PASSED	4.775 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
	Screenshot   * * * * * * * * * * * * * * * * * *		
13	And click on save button	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
14	Then Click on Maker Notification button	FAILED	0.951 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=97.0.4692.99) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [32f8904dbab8e9ab82e1ee8ee5ce2f66, isElementDisplayed {id=bca97c02-8306-400b-b4a2-e51d20c9186e}] Capabilities		


	Step / Hook Details	Status	Duration
{acc	eptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 96.0.4664.45		
	4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:61562},		
	scriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		
	cy(), se:cdp: ws://localhost:61562/devtoo, se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts:		
	licit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	authn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS 3904dbab8e9ab82e1ee8ee5ce2f66)] -> xpath: //app-inbox//datatable-row-wrapper[1]/datatable-body-row/div/datatable-body-cell[1]//ion-		
	on] Session ID: 32f8904dbab8e9ab82e1ee8ee5ce2f66		
1	java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
at	java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
at	java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
at	java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
at	java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
at	org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
at	org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
at	org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
at	org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
at	org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
at	org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
at	org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
at	org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		
at	org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307)		
at	jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source)		
at	java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
at	java.base/java.lang.reflect.Method.invoke(Method.java:568)		
at	org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
at	jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
at	org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
at	org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
at	org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
at	org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
at	org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)		
at	org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)		
at	org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
at	helper.WaitHelper.waitForElement(WaitHelper.java:79)		
at	stepdefinitions.BUDGET_BudgetRequestandAllocation.click_on_maker_notification_button(BUDGET_BudgetRequestandAllocation.		
java	:156)		
	?.Click on Maker Notification button(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/		
	res/BUDGET_BudgetRequestandAllocation.feature:17)		
* No	t displayable characters are replaced by '?'.		
ΔET	ER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s

#	Step / Hook Details	Status	Duration
	The contraction   The contra		
15	And Click on Record submit	SKIPPED	0.000 s
16	Given Navigate the Azentio Url login as Reviewer	SKIPPED	0.000 s
17	Then Click on Notification icon	SKIPPED	0.001 s
18	And Click on Reviewer Action button	SKIPPED	0.000 s
19	Then Click on Approve button in Reviewer	SKIPPED	0.000 s
20	And Submit the reviewer Record	SKIPPED	0.000 s
21	Given Navigate the Azentio Url login as checker	SKIPPED	0.000 s
22	Then click on security management	SKIPPED	0.000 s
23	And Click on sub module open pool near Edit icon	SKIPPED	0.001 s
24	Then Click the claim option	SKIPPED	0.000 s
25	And Click on checker notification icon	SKIPPED	0.000 s
26	Then click checker action icon	SKIPPED	0.000 s
27	And Approve the Record	SKIPPED	0.000 s
28	Then Submit the Record	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

