

Cucumber Report

Mar 9, 2022, 4:49:51 PM

Start : Mar 09, 4:49:24.323 PM

End : Mar 09, 4:49:48.985 PM

Duration : 24.662 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	24.662 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Check inventory access details report</u>	6	4	1	1	24.656 s




(F)- Check the Functionality of Inventory


FAILED	DURATION - 24.662 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 4:49:24.323 PM // 4:49:48.985 PM /					

(S)- Check inventory access details report

FAILED	DURATION - 24.656 s		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 4:49:24.329 PM // 4:49:48.985 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_007_001				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	13.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
			
2	Then click on report button	PASSED	0.315 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then Click on Report Tab	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot 		
4	Then Click on Inventory access detail report edit grid	PASSED	0.376 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot 		
5	Then Fill the form for Inventory access detail report	FAILED	0.556 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[@class='input-calendar'])[2]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDPO14667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6d80b130cc8791b2df0745669bad8b53, findElement {using=xpath, value=(//span[@class='input-calendar'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:54580}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54580/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6d80b130cc8791b2df0745669bad8b53</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.InventoryManagment.fill_the_form_for_inventory_access_detail_report(InventoryManagment.java:1259) at ?.Fill the form for Inventory access detail report(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/InventoryManagement.feature:296) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.130 s
6	And click on view button to view report	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory access details report


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory access details report


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory access details report


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory access details report

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory access details report

(F) Check the Functionality of Inventory

The screenshot displays the Kastle Universal Banking (Beta) web application interface. The top navigation bar includes the application name, date (23-Oct-2022), language (English), software version (Azentio Software), and user information (ANANT). A sidebar on the left lists various reports, with 'Inventory Items details' highlighted. The main content area, titled 'Inventory Items Details', features a search bar with 'WHITEBOARD-WHITE BOARD' entered. Below the search bar, there is a table with columns for 'Item Description' and 'Inventory Item As On'. The bottom of the page has a dark blue footer with 'Home' and 'Preference' links.

Kastle Universal Banking (Beta)

23-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Inventory Items details

Inventory request

Inventory stock receipt

Purchase requisition

Stock confirmation report

Stock issuance

Stock return

Fund requisition report

Petty cash receipt report

Advance cash report cash memo

Petty cash register report

Petty cash reconciliation

Account payable report

Inventory Items Details

VIEW

Item Description

Inventory Item As On

WHITEBOARD-WHITE BOARD

22 Appro... 11 Messa...

Home Preference