


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|----------|
| 1 | AR_AP Module | 1 | 0 | 1 | 0 | 53.069 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|----|----|---|---|----------|
| 1 | AR_AP Module | Verify Payout Report post payout approval (Payout for | 14 | 13 | 1 | 0 | 53.059 s |
| | | multiple bills) | | | | | |

DETAILED SECTION

(F)- AR_AP Module

| FAILED | DURATION - 53.069 s | Scenarios | | Steps | |
|-------------------|------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 14 | |
| / 12:25:57.940 pr | m // 12:26:51.009 pm / | Pass - 0 | 1 | Pass - 13 | 14 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Verify Payout Report post payout approval (Payout for multiple bills)



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 33.431 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.640 s |
| | screenshot | | |
| | | | |
| 2 | And click on accounts Payable module | PASSED | 2.282 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.321 s |
| | screenshot | | |
| | | | |

| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) And user update the Excelsheet Testdata for post payout approval AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.113 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.113 s | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| And user update the Excelsheet Testdata for post payout approval AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And get the recently approved payout reference number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.219 s | 3 | When click on eye button of manual payout | PASSED | 0.330 s |
| 4 And user update the Excelsheet Testdata for post payout approval AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And get the recently approved payout reference number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.219 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.495 s |
| 4 And user update the Excelsheet Testdata for post payout approval AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And get the recently approved payout reference number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 4 PASSED D.161 s PASSED O.534 s FATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.206 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And get the recently approved payout reference number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.406 s 0.161 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.851 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s PASSED 0.206 s PASSED 0.2113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.2113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.2113 s | | + | | |
| screenshot After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.113 s After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.219 s | 4 | And user update the Excelsheet Testdata for post payout approval | PASSED | 0.036 s |
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.219 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.406 s |
| And get the recently approved payout reference number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on report segment button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.851 s PASSED 0.206 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s PASSED 0.219 s | | screenshot | | |
| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Add click on report main menu PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.113 s PASSED 0.219 s | | + | | |
| screenshot Then click on report segment button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 7 And click on report main menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.206 s PASSED 0.113 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.219 s | 5 | And get the recently approved payout reference number | PASSED | 0.161 s |
| 7 And click on report main menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s 7 And click on report main menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s 0.219 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.534 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click on report main menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s PASSED 0.219 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click on report main menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s PASSED 0.219 s | | Company Comp | | |
| 7 And click on report main menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s 0.219 s | 6 | Then click on report segment button | PASSED | 1.851 s |
| 7 And click on report main menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s 0.219 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.206 s |
| 7 And click on report main menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s PASSED 0.219 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.219 s | | Automotive Aut | | |
| | 7 | And click on report main menu | PASSED | 0.113 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.219 s |
| | | screenshot | | |


| # Step / Hook Details Status | Duration |
|--|-----------------|
| ### A STATE | |
| 8 And click on the payout report PASSED | 0.226 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED | 0.234 s |
| screenshot | |
| # 140 *** 150 | |
| 9 And enter business partner name for payout report PASSED | 0.330 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED | 0.181 s |
| screenshot | |
| The state of the s | |
| 10 And click on date icon PASSED | 0.167 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED | 0.225 s |
| screenshot | |
| | |
| 11 And give date in report PASSED | 0.383 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED | 0.173 s |
| screenshot | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | | | |
| 12 | And enter payout status in payout report | PASSED | 0.208 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.197 s |
| | screenshot | | |
| | | | |
| 13 | And click on the view button | PASSED | 1.110 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.257 s |
| | screenshot | | |
| | State Stat | | |
| 14 | Then verify approved payout reference number is available in the payout report | FAILED | 2.202 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//tbody/tr[2]/td[7]/input[1]"} (Session info: chrome=108.0.5359.99) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e61b5a7190b321ae6619ba6c430fa7da, findElement {using=xpath, value=//tbody/tr[2]/td[7]/input[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.99, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53642}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53642/devtoo, se:cdpVersion: 108.0.5359.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e61b5a7190b321ae6c19ba6c430fa7da at jdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceConstructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) | | |


DETAILED SECTION -- 8 --


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) | | |
| | at stepdefinitions.AR_AP_Module.verify_approved_payout_reference_number_is_available_in_the_payout_report(AR_AP_Module. | | |
| | java:2558) | | |
| | at ?.verify approved payout reference number is available in the payout report(file:///C:/Users/inindc00075/git/Updated_Kubs_Arshath/ | | |
| | AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:597) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.137 s |
| | screenshot | | |
| | | | |
| | Learning Control of the Control of t | | |
| | | | |
| | | | |
| | | | |
| | | | |

EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

