

# Cucumber Report

19 Jan 2023, 11:12:26 AM

Start : Jan 19, 10:20:22.045 AM

End : Jan 19, 11:12:20.597 AM

Duration : 51 m 58.552 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 21  
FAILED - 1  
SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	<u>To create Bank Recon details</u>	1	0	1	0	51 m 58.552 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To create Bank Recon details</u>	<u>Create format master and Data matching Rules for a specific Bank and Account Type</u>	30	21	1	8	51 m 58.546 s




**(F)- To create Bank Recon details**

<b>FAILED</b>	<b>DURATION - 51 m 58.552 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 30 Pass - 21 Fail - 1 Skip - 8	
/ 10:20:22.045 AM // 11:12:20.597 AM /					

**(S)- Create format master and Data matching Rules for a specific Bank and Account Type**



<div>FAILED</div> <div>DURATION - 51 m 58.546 s</div>		<div></div>	<div>Steps</div> <div>Total - 30</div> <div>Pass - 21</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
<div>/ 10:20:22.051 AM // 11:12:20.597 AM /</div>				
<div>To create Bank Recon details</div>				
<div>@KUBS_BRS_UAT_001_001_TC_001</div> <div>@MultiAuth</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	51.087 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.863 s
	screenshot		
			
2	Then Click on Direction Left	PASSED	0.585 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
			




#	Step / Hook Details	Status	Duration
3	Then Click on Bank Recon	PASSED	0.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
			
4	Then click on Bank Recon format eye button	PASSED	1.070 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.978 s
	screenshot		
			
5	Then Click on Inventory Maintenance Add button	PASSED	2.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.688 s
	screenshot		
			
6	Then user update the Excel sheet testdata for BankRecon	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
7	Then fill the Bank Reconciliation Format	PASSED	7.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then fill the Bank Reconciliation Placeholder	PASSED	12.835 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
			
9	Then Click on Inventory Item Save button	PASSED	2.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
			
10	Then Click on Inventory Maintenance Add button	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.437 s
	screenshot		
			
11	Then user update the Excel sheet testdata for BankRecon	PASSED	0.031 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	Then File Data matching rule	PASSED	4.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
			
13	Then Click on Inventory Item Save button	PASSED	2.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.620 s
	screenshot		
			
14	Then click back button	PASSED	1.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.752 s
	screenshot		
			
15	Then Click on Inventory Maintenance Add button	PASSED	0.681 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	Then user update the Excel sheet testdata for BankRecon	PASSED	0.012 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
			
17	Then File Transaction Data matching rule	PASSED	2.769 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
			
18	Then Click on Inventory Item Save button	PASSED	2.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		
			
19	Then click back button	PASSED	0.598 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.584 s
	screenshot		



#	Step / Hook Details	Status	Duration
			
20	Then Click on Inventory Maintenance Add button	PASSED	0.692 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
			
21	Then user update the Excel sheet testdata for BankRecon	PASSED	0.010 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
			
22	Then File Deposit Data matching rule	FAILED	50 m 5.434 s
	<p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [69e196009b3673cc084c1906db360e68, findElement {using=xpath, value=//ng-dropdown-panel[@id='ac122f62ab8f']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65468}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65468/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 69e196009b3673cc084c1906db360e68</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4218) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4218) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElement(WaitHelper.java:81) at stepdefinitions.BankRecons.file_deposit_data_matching_rule(BankRecons.java:414) at ?.File Deposit Data matching rule(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/BankRecon.feature:26) * Not displayable characters are replaced by '?'. </pre>		
	<p><b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b></p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [69e196009b3673cc084c1906db360e68, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:65468}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65468/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 69e196009b3673cc084c1906db360e68 at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) </pre>	FAILED	0.077 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
23	Then Click on Inventory Item Save button	SKIPPED	0.031 s
24	Then click back button	SKIPPED	0.000 s
25	Then Click on Inventory Maintenance Add button	SKIPPED	0.001 s
26	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.001 s
27	Then File Withdrawals Data matching rule	SKIPPED	0.000 s
28	Then Click on Inventory Item Save button	SKIPPED	0.002 s
29	Then Click on Inventory Item Notification	SKIPPED	0.000 s
30	And Select and Submit the record	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type


(F) To create Bank Recon details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type


(F) To create Bank Recon details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type


(F) To create Bank Recon details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Bank Reconciliation Format Master

Bank Reconciliation Format

\* Bank Name \* Applicable Account Type \* Upload File Extension

\* Separator \* Allow unadjust entry from Bank statement

Format Status: ACTIVE \* Allow Value Date Upto Summery Lines To Be Skipped \*

File Name Prefix \*

Bank Reconciliation Placeholder

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Bank Reconciliation Format Master

Bank Reconciliation Format

\* Bank Name \* Applicable Account Type \* Upload File Extension

\* Separator \* Allow unadjust entry from Bank statement

Format Status: ACTIVE \* Allow Value Date Upto Summery Lines To Be Skipped \*

File Name Prefix \*

Bank Reconciliation Placeholder

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

**AZENTIO ONEBanking**

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Bank Reconciliation Format Master

Bank Reconciliation Format

* Bank Name	Bank Of India	* Applicable Account Type	SAVINGS ACCOUNT	* Upload File Extension	Text
* Separator	Fixed Length	* Allow unadjust entry from Bank statement	NO	Effective Date	04-Jan-2023
Format Status	ACTIVE	* Allow Value Date Upto	2nd Previous Month end	Summary Lines To Be Skipped *	6
File Name Prefix *	HDFC_BANK				

Bank Reconciliation Placeholder

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

**AZENTIO ONEBanking**

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Bank Reconciliation Format Master

Bank Reconciliation Format

* Bank Name	Bank Of India	* Applicable Account Type	SAVINGS ACCOUNT	* Upload File Extension	Text
* Separator	Fixed Length	* Allow unadjust entry from Bank statement	NO	Effective Date	04-Jan-2023
Format Status	ACTIVE	* Allow Value Date Upto	2nd Previous Month end	Summary Lines To Be Skipped *	6
File Name Prefix *	HDFC_BANK				

Bank Reconciliation Placeholder

Sr	PlaceHolders in File	Row Number	Column Number	Length	Starting Position	Action
1	Account No	2	1	14	15	-
2	Closing Balance	4	1	11	13	-
3	As On Date	3	1	11	19	+ -

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

20-Nov-2022 English Azentio Software

Workflow initiated submit record from inbox.

Finance

Data Matching

Actions	Field Name	Data Type	Blank Space Padding	Fixed Length	Position	Status
No data to display						
0 total						

BankReconciliationFormatMaster created successfully.

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

20-Nov-2022 English Azentio Software

Workflow initiated submit record from inbox.

Finance

Data Matching

Actions	Field Name	Data Type	Blank Space Padding	Fixed Length	Position	Status
No data to display						
0 total						

BankReconciliationFormatMaster created successfully.

22 Appro... 11 Mess...



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

**AZENTIO ONEBanking**

20-Nov-2022 English Azentio Software

Workflow initiated submit record from inbox.

← Data Matching

* Field Name	* System Data Point	* Data Type
Fixed Length	Blank Space Padding	Default Value if Null
* Position	* Soundex Match	Rule Sequence
* Match Condition	Suggested Condition	Transposition Condition

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

**AZENTIO ONEBanking**

20-Nov-2022 English Azentio Software (AZENTMAIN)

← Data Matching

* Field Name	* System Data Point	* Data Type
Value Date	Value Date	Date
Date Format dd/MM/yyyy	Fixed Length 10	Blank Space Padding Left Padding
Default Value if Null	* Position 4	Rule Sequence
* Match Condition Fully Matched	Suggested Condition	Transposition Condition

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance Data Matching

* Field Name	* System Data Point	* Data Type
Value Date	Value Date	Date
Date Format	Fixed Length	Blank Space Padding
dd/MM/yyyy	10	Left Padding
Default Value if Null	* Position	Rule Sequence
* Match Condition	Suggested Condition	Transposition Condition
Fully Matched		

BankReconciliationFormatFields created successfully.

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

20-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance Data Matching

Actions	Field Name	Data Type	Blank Space Padding	Fixed Length	Position	Status
<input checked="" type="checkbox"/>	Value Date	Date	Left Padding	10	4	Active
Total						

FORMAT PREVIEW

22 Appro... 11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

The screenshot shows the AZENTIO ONEBanking interface. On the left is a blue sidebar with a menu of configuration options: Business partner setup, General ledger configuration, Accounting setup, Expense/AR & AP configuration, Budget configuration, Fixed assets configuration, Inventory maintenance, Bank recon, Recon format (highlighted in purple), and Petty cash configuration. At the bottom of the sidebar, it shows '22 Appro...' and '11 Mess...'. The main area is titled 'Data Matching' and contains a form with three columns: Field Name, System Data Point, and Data Type. Each column has a dropdown menu with a red asterisk and a red error message 'Please select...'. Below these are sections for 'Default Value if Null', 'Match Condition', 'Position', 'Suggested Condition', 'Rule Sequence', and 'Transposition Condition', each with a dropdown menu. The top right of the interface shows the date '20-Nov-2022', language 'English', and user 'ANANT'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

This screenshot is identical to the one above, showing the AZENTIO ONEBanking 'Data Matching' configuration screen. It includes the same sidebar menu, main form with dropdowns for Field Name, System Data Point, and Data Type, and sections for Default Value if Null, Match Condition, Position, Suggested Condition, Rule Sequence, and Transposition Condition. The top right corner displays the date '20-Nov-2022', language 'English', and user 'ANANT'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

The screenshot shows the Azentio ONEBanking interface. On the left is a blue sidebar with a menu of configuration options: Business partner setup, General ledger configuration, Accounting setup, Expense/AR & AP configuration, Budget configuration, Fixed assets configuration, Inventory maintenance, Bank recon, Recon format (highlighted in purple), and Petty cash configuration. At the bottom of the sidebar, it shows '22 Appro...' and '11 Mess...'. The main area is titled 'Data Matching' and contains a table with the following columns: Field Name, System Data Point, and Data Type. The table has three rows of configuration data: 1. Transaction Date (System Data Point) mapped to Date (Data Type). 2. Date Format dd/MM/yyyy (System Data Point) mapped to Fixed Length 12 (Data Type), with sub-rows for Blank Space Padding and Left Padding. 3. Default Value if Null (System Data Point) mapped to Position 4 (Data Type), with a sub-row for Rule Sequence. Below the table, there are Match Condition (Fully Matched) and Suggested Condition (Transposition Condition) dropdowns. The top right of the interface shows the date '20-Nov-2022', language 'English', and user 'ANANT'.

* Field Name	* System Data Point	* Data Type
Transaction Date	Transaction Date	Date
Date Format dd/MM/yyyy	Fixed Length 12	Blank Space Padding Left Padding
Default Value if Null	* Position 4	Rule Sequence
* Match Condition Fully Matched	Suggested Condition	Transposition Condition

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

This screenshot is identical to the one above, showing the 'Data Matching' configuration screen. However, a dark grey toast message box is overlaid in the center of the screen, displaying the text: 'BankReconciliationFormatFields created successfully.' The rest of the interface, including the sidebar menu and the configuration table, remains the same.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

Actions	Field Name	Data Type	Blank Space Padding	Fixed Length	Position	Status
<input checked="" type="checkbox"/>	Transaction Date	Date	Left Padding	12	4	Active
<input checked="" type="checkbox"/>	Value Date	Date	Left Padding	10	4	Active
2 total						

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

**Data Matching Configuration:**

- \* Field Name: Please select Field Name
- \* System Data Point: Please select System Data Point
- \* Data Type: Please select Data Type
- Date Format: Date Format
- Fixed Length: Fixed Length
- Blank Space Padding: Blank Space Padding
- Default Value if Null: Default Value if Null
- \* Position: Position
- \* Match Condition: Please select Match Condition
- Suggested Condition: Suggested Condition
- Rule Sequence: Rule Sequence
- Transposition Condition: Transposition Condition

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create format master and Data  
matching Rules for a specific Bank and  
Account Type

(F) To create Bank Recon details

AZENTIO

ONEBanking

Finance

⚙️

🔗

🕒

🕒 Business partner setup

🕒 General ledger configuration

🕒 Accounting setup

🕒 Expense/AR & AP configuration

🕒 Budget configuration

🕒 Fixed assets configuration

🕒 Inventory maintenance

🕒 Bank recon

Recon format

🕒 Petty cash configuration

22 Appro...

11 Mess...

20-Nov-2022EnglishAzentio Software(AZENTMAIN)ANANT

←Data Matching

\* Field Name

Please select Field Name

Date Format

▼

\* System Data Point

Please select System Data Point

Fixed Length

▼

\* Data Type

Please select Data Type

Blank Space Padding

▼

Default Value if Null

\* Match Condition

Please select Match Condition

▼

\* Position

Suggested Condition

▼

Rule Sequence

Transposition Condition

▼