


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	19.261 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	To verify the impact if user enters all the invalid details and	11	10	1	0	19.255 s
	feature module	clicking on save button					

DETAILED SECTION -- 4 --

(F)- Check Budget Request and Allocation feature module

FAILED	DURATION - 19.261 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 9:14:49.818 an	m // 9:15:09.079 am /	Pass - 0	1	Pass - 10	11
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 0	

(S)- To verify the impact if user enters all the invalid details and clicking on save button



#	Step / Hook Details	Status	Duration
1	Given Navigate Azentio Maker Url	PASSED	12.621 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
	### Participations		
2	Then Click Transfer Icon button	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on Budget Sub module Near Eye Icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click on Budget Sub module Near Eye Icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		The state of the s		
screenshot 4 Then Click on Budget Sub module Near Eye Icon button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click on Add icon Request and Allocation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click on Add icon Request and Allocation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.235 s 0.298 s	3	And Click on Budget Module field	PASSED	0.102 s
Then Click on Budget Sub module Near Eye Icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click on Add icon Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.198 s PASSED O.298 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
Then Click on Budget Sub module Near Eye Icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click on Add icon Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinit		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click on Add icon Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### PASSED 0.235 s 0.298 s 0.298 s		Prince Or Approximate		
Screenshot 5 And Click on Add icon Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The step of the step	4	Then Click on Budget Sub module Near Eye Icon button	PASSED	0.313 s
5 And Click on Add icon Request and Allocation AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) screenshot The step of th		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot University of the step of the st		# On an international property of the Control September 1997 of 1997	_	
Screenshot	5	And Click on Add icon Request and Allocation	PASSED	0.198 s
FOR THE THE THE STATE OF		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
O Interest O		screenshot		
6 Then chaose Rudget Code		© transformance © Most Most Mos		
Their choose budget code	6	Then choose Budget Code	PASSED	0.259 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s			PASSED	0.180 s
screenshot		screenshot		

# © manufacture #0.000 tops manufacture manufacture	
7 And Clk Budget Year 0.312	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.300) s
screenshot	
8 Then Clk Branch fields PASSED 0.123	} s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.222	2 S
screenshot	
9 And Choose Branch in branch field PASSED 0.115	i s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128	} s
screenshot	
### ### ##############################	
10 Then Clk Branch ok button in pop up PASSED 0.098	} s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198	} s
ATTEN_STEP Stepachinitions. Hooks class. add selection of the stepachinitions. Hooks class. add selection of the stepachinition of t	,


#	Step / Hook Details	Status	Duration
	Part Part		
11	And Capture the validation Message	FAILED	0.021 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'iNMUADP014547', ip: '10.1.47.111', os. name: Windows 10, os. arch: 'am644, os. version: '13.0', java.version: '17.0' ibrive info: org. openqa.selenium.chrome.ChromeDriver Command: [83b00337f8849a72f7e75b8d3fd83eb2, executeScript {script=retum document.query/Selector(ion-toast').shadowRoot. query/Selector('div/class=toast-message '), args=[]] Capabilities {acceptinsecureCerts: false, browsern/sension: pro.de92.71, chrome: (chromedriver/version: 96.0466.45 (76e4c1bb2ab46, userofatabil): CAUsersININDOC-11AppDatAlL), goog:chromeOptions: {debuggerAddress: localhost:51758}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:51758/evtoo, se.cdp/version: 97.0.4692.71, setWindowRect: true, strictFielenteractability: false, timeouts: (implicit: 0, pageLoad3 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virualAuthenticators: true) Session ID: 83b00337f849a72f7e75b8d3fd83eb2 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWintCeller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance)(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance)(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.eductor.dec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.eductor.dec.w3c.W3CHttpRespo		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Comparison Com		


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

