

# Cucumber Report

9 Jan 2023, 9:22:33 PM

Start : Jan 09, 9:21:41.809 PM

End : Jan 09, 9:22:31.721 PM

Duration : 49.912 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	49.912 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify status for the receipt is auto changed to Deposit	9	3	1	5	49.906 s


**(F)- AR/AP Module**


<b>FAILED</b>	<b>DURATION - 49.912 s</b>	Scenarios		Steps	
/ 9:21:41.809 PM // 9:22:31.721 PM /		Total - 1		Total - 9	
		Pass - 0		Pass - 3	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	


**(S)- Verify status for the receipt is auto changed to Deposit**


<div>FAILED</div> <div>DURATION - 49.906 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 9:21:41.815 PM // 9:22:31.721 PM /</div>				
<div>AR/AP Module</div>				
<div>@AR/AP</div> <div>@KUBS_AR_AP_UAT_010_002_TC_02_01</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	37.007 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.728 s
	screenshot		
			
2	Then select data set ID for verify status of the receipt is auto changed to deposit	PASSED	0.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And goto accouts Receivable module	PASSED	2.419 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
			
4	And goto accouts receipt module	FAILED	1.197 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button routerlinkactive="active" color="medium" class="menuicons ion-color ion-color-medium md button button-small button-clear ion-activatable ion-focusable hydrated" ng-reflect-color="medium" tabindex="0" ng-reflect-router-link-active="active" ng-reflect-router-direction="root" ng-reflect-router-link="/tabs/list/datagrid-view/193" ng-reflect-query-params="[object Object]">...</ion-button> is not clickable at point (199, 65). Other element would receive the click: <ion-header _ngcontent-yan-c278="" role="banner" class="md header-md header-collapse-none hydrated">...</ion-header> (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.22', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5eba9c04a03db3420487a8ddd79c7843, clickElement {id=97e9492a-e1ec-4e00-aa80-6626019f3774}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:52178}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52178/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (5eba9c04a03db3420487a8ddd79c7843)] -> xpath: //ion-button[@ng-reflect-router-link="/tabs/list/datagrid-view/193']] Session ID: 5eba9c04a03db3420487a8ddd79c7843 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_ClearingReceiptViaChequeMode.goto_accouts_receipt_module(ARAP_ClearingReceiptViaChequeMode.java:110) at ?.goto accouts receipt module(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:1054) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.207 s
5	And click on Add Icon	SKIPPED	0.000 s
6	And fill the all receipt mendatory details	SKIPPED	0.001 s
7	And save the receipt record	SKIPPED	0.000 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.000 s
9	And Select and Submit the Update Deposited Cheque record	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>	
<p><u>(F) AR/AP Module</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Verify status for the receipt is auto changed to Deposit</u></p>	
<p><u>(F) AR/AP Module</u></p>	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify status for the receipt is auto  
changed to Deposit

(F) AR/AP Module

The screenshot shows the Azentio ONEBanking interface. The top navigation bar includes the date '11-Nov-2022', language 'English', software version 'Azentio Software', user '(AZENTMAIN)', and a user profile icon for 'ANANT'. The left sidebar is titled 'Finance' and contains a list of modules: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), Accounts receivable, Accounts receivable (Debit notes), and Credit notes on. The bottom of the sidebar shows '22 Appro...' and '11 Mess...'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify status for the receipt is auto  
changed to Deposit

(F) AR/AP Module

The screenshot shows the Azentio ONEBanking interface. The top navigation bar includes the date '11-Nov-2022', language 'English', software version 'Azentio Software', user '(AZENTMAIN)', and a user profile icon for 'ANANT'. The left sidebar is titled 'Finance' and contains a list of modules: Receipts, Receipts reversals, Cheque deposit, Update cheque status, Appropriation, Appropriation reversals, Fixed assets, Inventory management, Petty cash, and Bank recon. The bottom of the sidebar shows '22 Appro...' and '11 Mess...'.