


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	1 m 25.525 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Check if the given asset is sold at higher price	21	0	0	21	1 m 25.478 s

DETAILED SECTION -- 4 --

(F)- FIXED ASSETS

FAILED	DURATION - 1 m 25.525 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 4:37:04.235 AI	M // 4:38:29.760 AM /	Pass - 0	1	Pass - 0	21
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 21	

(S)- Check if the given asset is sold at higher price

FAILED DURATION - 1 m 25.478 s	0.15	7[1	-	1		1		-	-		Steps			
/ 4:37:04.282 AM // 4:38:29.760 AM /	0.1	-																	Total - 21			
FIXED ASSETS	.05	-							-										Pass - 0 Fail - 0		21	
@KUBS_FAT_UAT_004_001	0	1	-				<u> </u>	<u> </u>				_	<u> </u>		-	-	-	<u> </u>	Skip - 21	\		
			1	2	- 2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1 m 25.319 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: unknown error: DevToolsActivePort file doesn't exist Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}, at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:166) at org.openqa.selenium.remote.RemoteWebDriver.	FAILED	1 m 25.319 s
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)</init></init></init>		

#	Step / Hook Details	Status	Duration
	at resources.BaseClass.initializeDriver(BaseClass.java:28)		
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
2	And user should navigate to fixed asset menu	SKIPPED	0.000 s
3	When click on eye button of asset sale	SKIPPED	0.001 s
4	And click on add button to create sale asset record	SKIPPED	0.001 s
5	And Fill the required fields to sale asset	SKIPPED	0.000 s
6	Then Save and submit the asset sale record	SKIPPED	0.000 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.001 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.001 s
14	And capture claimed status	SKIPPED	0.001 s
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the asset sale	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
18	And user should navigate to fixed asset menu	SKIPPED	0.000 s
19	When click on eye button of asset sale	SKIPPED	0.000 s
20	Then click on first eye button to get the profit earned	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.034 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		