


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Budget Transfer	1	0	1	0	58.017 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Budget Transfer	To verify the impact if checker1 user select, view and	11	8	1	2	58.000 s
		approve the Budget Transfer record submitted by maker user					

DETAILED SECTION -- 4 --

## (F)- Budget Transfer

FAILED	DURATION - 58.017 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 10:15:01.250	AM // 10:15:59.267 AM /	Pass - 0	1	Pass - 8	📕 11 📜
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

## (S)- To verify the impact if checker1 user select, view and approve the Budget Transfer record submitted by maker user

FAILED DURATION - 58.000 s	15													Steps		
/ 10:15:01.267 AM // 10:15:59.267 AM /	10 -	-	ł						1					Total - 11		
Budget Transfer	5 -	-	ŀ	-				-	ł					Pass - 8 Fail - 1	1	
@BP_BT_05_03 @Multiauth	0 -		1	2	3	4	5	6	7	8	9	10	11	Skip - 2		

#	Step / Hook Details	Status	Duration
1	Given navigate to kubs url and login as maker user	PASSED	14.463 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.498 s
	screenshot		
	* O Manufacture William ( ) A Company ( ) A		
2	Then select budget menu	PASSED	2.841 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		


After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step -	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then click on add button to create record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And fill the required field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And fill the required field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Fill the required field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.438 S  0.232 s		The state of th		
screenshot  4 Then click on add button to create record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And fill the required field  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And fill the required field  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  7.438 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.202 s	3	And click on the eye icon of budget transfer sub menu	PASSED	0.807 s
Then click on add button to create record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot  And fill the required field  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  7.438 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  7.438 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.468 s
Then click on add button to create record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  Affile the required field  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  7.438 s  PASSED  0.232 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And fill the required field  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.438 s  PASSED  0.232 s		© 100/11/10/06		
screenshot  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The save and submit by maker to transfer  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.438 s  PASSED  0.232 s	4	Then click on add button to create record	PASSED	0.416 s
And fill the required field  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.438 s  PASSED  0.232 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.909 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7.438 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.203 s		# Option   Prince   P	_	
Screenshot  6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.232 s	5	And fill the required field	PASSED	3.492 s
6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.232 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
6 Then save and submit by maker to transfer  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.232 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.232 s				
	6	Then save and submit by maker to transfer	PASSED	7.438 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
		screenshot		


#	Step / Hook Details	Status	Duration
	Fig. 10 And 10 A		
7	And Navigate to Url and login as a reviewer	PASSED	12.383 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
:	Then Click on Notification button	PASSED	0.360 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.434 s
	screenshot		
	## \$ 10000000000000000000000000000000000		
	And validate the data submitted by maker to checker1	FAILED	4.177 s
	java.lang.AssertionError: expected [AZENTMAIN-Azentio Main Branch] but found [AZENTMAIN] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.assertEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:629) at org.testng.Assert.assertEquals(Assert.java:639) at stepdefinitions.BUDGET_BudgetTransfer.validate_the_data_submitted_by_maker_to_checker1(BUDGET_BudgetTransfer.java:269) at ?.validate the data submitted by maker to checker1(file:///C:/Users/inindc00091/git/AzentioAutomationFrameworkMasterNew/ AzentioAutomationFramework/src/test/java/features/BUDGET_BudgetTransfer.feature:37) * Not displayable characters are replaced by '?'.		
- 1			
$\dashv$	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	# 0 and recommendation   1 and		
10	Then approve the record by reviewer	SKIPPED	0.000 s
11	And reviewer user logout	SKIPPED	0.000 s


EXPANDED SECTION --- 8 --





EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --

