

Cucumber Report

30 Jan 2023, 1:31:07 PM

Start : Jan 30, 1:30:12.364 PM

End : Jan 30, 1:31:05.556 PM

Duration : 53.192 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 14







#	Feature Name	T	P	F	S	Duration
1	<u>To check the functionalities of bank recon</u>	1	0	1	0	53.192 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To check the functionalities of bank recon</u>	<u>Select a matched record and click on unmatched button</u>	20	5	1	14	53.185 s





(F)- To check the functionalities of bank recon

FAILED	DURATION - 53.192 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 20 Pass - 5 Fail - 1 Skip - 14	
/ 1:30:12.364 PM // 1:31:05.556 PM /					

(S)- Select a matched record and click on unmatched button

<div>FAILED</div> <div>DURATION - 53.185 s</div>			<div>Steps</div> <div>Total - 20</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 14</div>	
/ 1:30:12.371 PM // 1:31:05.556 PM /				
To check the functionalities of bank recon				
@KUBS_TAX_UAT_003_001TC_001				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	38.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.460 s
	screenshot		
			
2	Then Choose the second Tab Segment	PASSED	2.781 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	And user click bank recon module	PASSED	0.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.522 s
	screenshot		
			
4	And user click eye icon in bank recon module	PASSED	0.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.603 s
	screenshot		
			
5	And user click add icon in bank recon	PASSED	0.631 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.345 s
	screenshot		
			
6	And user select bank name in bank recon Module for csv files	FAILED	0.008 s
	Step undefined	PASSED	0.357 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	screenshot		
			
7	And user select bank account Number in bank recon Module	SKIPPED	0.000 s
8	And user click bank recon from date and select the date for csv files	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
9	And user click bank recon to date and select the date for csv files	SKIPPED	0.000 s
10	And user click choose file and upload the bank statements for csv	SKIPPED	0.000 s
11	And user click save button in bank recon	SKIPPED	0.000 s
12	And user click process button in bank recon	SKIPPED	0.000 s
13	And user click the unmatched data in bank recon process	SKIPPED	0.001 s
14	And user match the records in unmached tabs	SKIPPED	0.004 s
15	And user click matched data tab	SKIPPED	0.001 s
16	And user unmatched the matched records in matched tabs	SKIPPED	0.000 s
17	And user click the unmatched data in bank recon process	SKIPPED	0.000 s
18	Then user verify System must unmatched a matched record and now the both the records to be displayed on Unmatched Tab under Unmatched transactions from Bank statement and Books	SKIPPED	0.001 s
19	And user click matched data tab	SKIPPED	0.000 s
20	Then user verify Same records should not be displayed in Matched Tabs	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Select a matched record and click on
unmatch button


(F) To check the functionalities of bank
recon



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Select a matched record and click on
unmatch button


(F) To check the functionalities of bank
recon



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Select a matched record and click on
unmatch button


(F) To check the functionalities of bank
recon



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Select a matched record and click on
unmatch button

(F) To check the functionalities of bank
recon



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Select a matched record and click on
unmatch button

(F) To check the functionalities of bank
recon

The screenshot displays the Azentio ONEBanking web application. The top navigation bar includes the date '02-Dec-2022', language 'English', and user 'ANANT'. The left sidebar menu lists various financial modules: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), Accounts receivable, Fixed assets, Inventory management, Petty cash, Bank recon, and Bank reconciliation (highlighted in purple). The main content area shows a search bar with 'Finance' and an 'Actions' table with a single row for '0 total'. A blue circular button with a plus sign is located in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Select a matched record and click on
unmatch button

(F) To check the functionalities of bank
recon

This screenshot is identical to the one above, showing the Azentio ONEBanking interface with the Bank reconciliation module highlighted in the sidebar and the '0 total' entry in the Actions table.