


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionally	1	1	0	0	31.786 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget	budget for Budgetcode type monthly	13	13	0	0	31.779 s
	Request and Allocation functionally						

DETAILED SECTION -- 4 --

## (F)- Check The Azentio UAT Budget Request and Allocation functionally

PASSED	DURATION - 31.786 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 9:53:47.973 am	// 9:54:19.759 am /	Pass - 1	1	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **(S)-** budget for Budgetcode type monthly




#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	13.457 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
	THE DESCRIPTION OF THE PROPERTY OF THE PROPERT		
2	Then click the Two Direction Icon	PASSED	0.365 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		


3 And click to the Budget  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on the Add icon in Request and Allocation  PASSED  0.346 s  AGTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.346 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.362 s  0.345 s		The Control Academic Control Of The		
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click on the Add icon in Request and Allocation  PASSED  0.362 s  0.345 s	3	And click to the Budget	PASSED	1.118 s
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And click on the Add icon in Request and Allocation  PASSED  0.362 s  0.345 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on the Add icon in Request and Allocation  PASSED  0.362 s  PASSED  0.345 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on the Add icon in Request and Allocation  PASSED  0.345 s		* " " "   * "		
Screenshot  Screenshot  And click on the Add icon in Request and Allocation  PASSED  0.346 s	4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.362 s
5 And click on the Add icon in Request and Allocation  PASSED 0.346 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.345 s
·		■ © statisfications   □   □   □   □   □   □   □   □   □		
AFTED STED standafinitions HacksClass addSaraanshat/ia augumbar java Saanaria)	5	And click on the Add icon in Request and Allocation	PASSED	0.346 s
AFTER_STEP - Stepheninilions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
screenshot		screenshot		
## Management   100 min   100 min		© total programme (a) (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c		
6 Then select the Budget Code PASSED 0.404 s	6	Then select the Budget Code	PASSED	0.404 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
screenshot		screenshot		

## OF CONTRACTOR   TO BE AND ADDRESS OF CONTRACTOR   TO BE ADDRESS OF CONTRACT	
7 And select the Budget Year PAS	0.546 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PAS	0.180 s
screenshot	
8 Then click on the Branch PAS	0.188 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PAS	0.360 s
screenshot	
The state of the s	
9 And select to one Branch PAS	0.126 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	0.265 s
screenshot	
# Descriptions   Property   Prope	
10 Then click on the Branch ok button PAS	SSED 0.218 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SSED 0.580 s


#	Step / Hook Details	Status	Duration
11	Then select one currency we need	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
12	And Enter the Amount for Monthly Budget type	PASSED	2.772 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
13	And click on the save button	PASSED	2.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		

EXPANDED SECTION --- 8 --







EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

