


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed Assets	1	0	1	0	21.610 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed	Create an amendment to modify an asset for capitalization	36	12	1	23	21.604 s
	Assets	date					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the Fixed Assets

FAILED	DURATION - 21.610 s	Scenarios		Steps	
		Total - 1		Total - 36	
/ 1:29:37.460 pm	n // 1:29:59.070 pm /	Pass - 0	1	Pass - 12	36
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 23	

(S)- Create an amendment to modify an asset for capitalization date



#	Step / Hook Details	Status	Duration
1	Given Lauch The Azentio Url	PASSED	11.772 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
	The Control of Control		
2	Then Click Second Segment Icon	PASSED	0.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		

#	Step / Hook Details	Status	Duration
	© Contraction to the contract of the contract		
3	And Click on fixed Asset Module	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
	# © 000 (0000 (0000 0000 0000 0000 0000		
4	Then click on Asset creation Eye icon	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.394 s
5	And Click to view First record and store RefNo	PASSED	0.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The step of the ste	PASSED	0.226 s
6	Then Click on Asset Ammendent submodule Eye Icon	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot	1	
6	Screenshot Then Click on Asset Ammendent submodule Eye Icon	PASSED	0.195 s

To And Click on Add Icon AFTER_STEP - stepdefinitions.HooksClass.add/Screenshot(io.cucumber.java.Scenario) B. Then Enter Asset Referance Number AFTER_STEP - stepdefinitions.HooksClass.add/Screenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.add/Screenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.add/Screenshot(io.cuc	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 Then Enter Asset Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ###################################		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
Screenshot 8 Then Enter Asset Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.221 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot	7	And Click on Add Icon	PASSED	0.277 s
8 Then Enter Asset Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.221 s PASSED 0.194 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
8 Then Enter Asset Referance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 PASSED 0.221 s PASSED 0.221 s 0.194 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.133 s 0.194 s				
Screenshot 9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The standard of the s	8	Then Enter Asset Referance Number	PASSED	0.534 s
9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The standard of t		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
9 And Enter Asset Item Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### PASSED 0.221 s O.194 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.194 s		1		
screenshot	9	And Enter Asset Item Number	PASSED	0.221 s
■ Outcomplane ** Outcomplane ** Ou		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
*** ***		screenshot		
10 Then Choose Modification Type Which we need PASSED 0.415 s	10	Then Choose Modification Type Which we need	PASSED	0.415 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.147 s		·	PASSED	0.147 s
screenshot		screenshot]	


#	Step / Hook Details	Status	Duration
	PORTO SPACE OF THE PROPERTY OF		
11	And Click on calender Icon	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		
	The state of the s		
12	And Choose a current date in calender	PASSED	0.274 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	Screenshot Output Output		
13	Then Save the Asset Record	FAILED	1.151 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated" color="primary" ng-reflect-color="primary" ng-reflect-disabled="false">ion-button> is not clickable at point (1414, 88). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-backdrop fbackground-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7a07d9fa7b7fa5bd63b0f30edb6d36ed, clickElement {id=cd48058b-22f1-4563-b402-fd5f9509d305}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:55033}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55033/devtoo, se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (7a07d9fa7b7fa5bd63b0f30edb6d36ed)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 7a07d9fa7b7fa5bd63b0f30edb6d36ed at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</ion-button>		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.Remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDiver.execute(RemoteWebDiver.java:547) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.MativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.MativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.MativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccesso	PASSED	0.114 s
	screenshot	FASSED	0.114 5
	*** *** *** *** *** *** *** *** *** **		
14	And Click on Maker Notification	SKIPPED	0.000 s
15	Then Select Saved record and click on action icon	SKIPPED	0.000 s
16	And Submit the Asset record to Reviewer	SKIPPED	0.000 s
17	Given Launch the Azentio Reviewer Page	SKIPPED	0.000 s
18	And Click the Reviewer Notification icon	SKIPPED	0.000 s
19	Then Click the submitted record from maker	SKIPPED	0.000 s
20	And Click the Approve icon from Reviewer End	SKIPPED	0.000 s
21	Then Enter the remark and submit the Record	SKIPPED	0.001 s


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
22	Given Launch the Azentio Checker page	SKIPPED	0.000 s
23	Then Click the Security management module	SKIPPED	0.000 s
24	And Click the open pool Edit icon	SKIPPED	0.000 s
25	Then Claim the record Approved from Reviewer	SKIPPED	0.000 s
26	And Click the Checker Notification icon	SKIPPED	0.000 s
27	Then Click the Action Icon from claimed record	SKIPPED	0.000 s
28	And Click on Approve icon	SKIPPED	0.001 s
29	Then Submit the Record from Checker End	SKIPPED	0.000 s
30	Given Lauch The Azentio Url	SKIPPED	0.000 s
31	Then Click Second Segment Icon	SKIPPED	0.000 s
32	And Click on fixed Asset Module	SKIPPED	0.000 s
33	Then Click on Asset Ammendent submodule Eye Icon	SKIPPED	0.001 s
34	And Click the search icon	SKIPPED	0.000 s
35	Then Enter the Asset Referance No	SKIPPED	0.000 s
36	When capture the Asset Grid view	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION --- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

