


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	1 m 6.354 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify accounting entries post payment settlement approval	18	17	1	0	1 m 6.349 s
	Module						

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 1 m 6.354 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 12:36:30.675 pi	m // 12:37:37.029 pm /	Pass - 0	1	Pass - 17	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify accounting entries post payment settlement approval



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.636 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
	PER SID FAM: AND FAM:		
2	Then Choose the second Tab Segment	PASSED	0.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		

Arter Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.248 s Arter Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.278	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreensho				
screenshot Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Advance to employee and Active Value In Advance Status PASSED 0.206 s 0.379 s	3	And Click On Main module Accounts payable	PASSED	0.120 s
4 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ### AFTER_STEP - stepde		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
4 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.379 s 0.379 s 0.20 s PASSED 0.120 s PASSED 0.267 s screenshot Then Enter Advance to employee and Active Value In Advance Status PASSED 0.248 s		© 100 may 100		
screenshot And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Enter Advance to employee and Active Value In Advance Status PASSED 0.120 s 0.267 s PASSED 0.248 s	4	Then Click sub module Payment settlement Eye Icon	PASSED	0.206 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter Advance to employee and Active Value In Advance Status PASSED 0.267 s PASSED 0.268 s		Screenshot	PASSED	0.379 s
Screenshot Then Enter Advance to employee and Active Value In Advance Status PASSED 0.248 s	5	And Click On Search Icon	PASSED	0.120 s
		Screenshot	PASSED	0.267 s
	6	Then Enter Advance to employee and Active Value In Advance Status	PASSED	0.248 s
			PASSED	0.207 s
screenshot		screenshot	1	

7 And Enter Advance to employee Pan Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_ST	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AND And Choose Enquiry Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.144 S PASSED 0.164 s		1		
screenshot 8 Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.365 s 0.365 s 0.389 s 0.145 s 0.145 s 0.145 s	7	And Enter Advance to employee Pan Number	PASSED	0.199 s
8 Then Click on Table Row First Eye Icon PASSED 0.112 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) PASSED 0.339 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) PASSED 0.145 s 10 And Choose Enquiry Module PASSED 0.144 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) PASSED 0.144 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
8 Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.39 s PASSED 0.145 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.144 s PASSED 0.144 s PASSED 0.164 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.365 s 0.365 s 0.365 s		1		
screenshot 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.144 s PASSED 0.164 s	8	Then Click on Table Row First Eye Icon	PASSED	0.112 s
9 Then Third Segment report Icon PASSED 0.339 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.144 s PASSED 0.164 s		Screenshot	PASSED	0.365 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.145 s PASSED 0.144 s PASSED 0.164 s		100 t		
Screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.144 s 0.164 s	9	· ·		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.164 s		Screenshot	PASSED	0.145 s
	10	And Choose Enquiry Module	PASSED	0.144 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	Part		
11	Then Click Note iCon near by financial transction	PASSED	0.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
12	And choose branch code	PASSED	0.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot	7	
	# © Nationalization 200 to 100 to 1		
13	And click on transaction from date in calender	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
	Figure 1 and		
14	Then Select from date in calender	PASSED	0.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot	1	


#	Step / Hook Details	Status	Duration
	POUS IGNO - CONTROL 10 POUS 10 P		
15	And click on transaction to date in calender icon	PASSED	0.180 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
	TOURS (AM. DESCRIPTION DESCRIP		
16	Then Select To date in calender	PASSED	0.774 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
	TO SEE TO		
17	And Click View HyperLink	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
	Part		
18	Then Verify Accounting entries post payment settlement approval fo Advance to Employee	FAILED	39.142 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: (//i[@class='datatable-icon-right'])[2] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		

	Step / Hook Details	Status	Duratio
at org.ope at org.ope at org.ope at jdk.pro at stepde verify_accor java:2378) at ?.Verify Arshath_Az	enqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) enqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) enqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) enqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) enqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) xy2/jdk.proxy2.\$Proxy46.click(Unknown Source) finitions.ARAP_AccountsReceivable_AccountsPayable. unting_entries_post_payment_settlement_approval_fo_advance_to_employee(ARAP_AccountsReceivable_AccountsPayable. y Accounting entries post payment settlement approval fo Advance to Employee(file:///C:/Users/inindc00075/git/repository/entio_AutomationFramework/src/test/java/features/ARAP_AccountsReceivable_AccountsPayable.feature:962) yable characters are replaced by '?'.		
AFTER_S	TEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.012 s
(Session inf '10.1.47.111 ChromeDriv chrome, bro C:\Users\IN\ networkCon ws://localho pageLoad: 3 webauthn:e. at java.ba at java.ba at java.ba at java.ba at org.ope	selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found on chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511.cbda' System info: host: 'INMUVADPO14547', ip: 1', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ter Command: [4b6d2ac3b70cbbcf4a9fcc1e21b7e47c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: INDC-1\AppDataL}, goog:chromeOptions: {debuggerAddress: localhost:53829}, javascriptEnabled: true, mectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: st:53829/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strict:fileInteractability: false, timeouts: {implicit: 0, 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, xtension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4b6d2ac3b70cbbcf4a9fcc1e21b7e47c ase/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) ase/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) ase/java.lang.reflect.ColegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) ase/java.lang.reflect.Constructor.newInstanceConstructor.java:480) ase/java.lang.reflect.Constructor.newInstanceConstructor.java:480) ase/java.lang.reflect.Constructor.newInstanceConstructor.java:480) ase/java.lang.reflect.Constructor.newInstanceConstructor.java:480) ase/java.lang.reflect.Constructor.newInstanceConstructor.java:480) ase/java.lang.reflect.Constructor.newInstanceConstructor.java:480) ase/java.lang.reflect.Constructor.newInstanceConstructor.java:480) ase/java.lang.reflect.Constructor.newInstanceConstructor.java:480) ase/java.lang.reflect.Constructor.ne		
	finitions.HooksClass.addScreenshot(HooksClass.java:42)		
org.openqa.	tepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', 5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0',	FAILED	4.101 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b6d2ac3b70cbbcf4a9fcc1e21b7e47c, close {}]		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80		
	(7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53829},		
	javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:		
	Proxy(), se:cdp: ws://localhost:53829/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts:		
	{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4b6d2ac3b70cbbcf4a9fcc1e21b7e47c		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openga.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --







EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

