
Cucumber Report




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Budget Transfer	1	0	1	0	1 m 22.674 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Budget Transfer	To verify the impact if checker2 user select, view and reject	22	18	1	3	1 m 22.667 s
		the Budget Transfer record details by maker					

DETAILED SECTION -- 4 --

(F)- Budget Transfer

FAILED	DURATION - 1 m 22.674 s	Scenarios		Steps	
		Total - 1		Total - 22	
/ 10:23:25.402	AM // 10:24:48.076 AM /	Pass - 0	1	Pass - 18	22
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- To verify the impact if checker2 user select, view and reject the Budget Transfer record details by maker

	Ш							1					Steps	
10 -	-			 							 		Total - 22	
5 -	-	- +		 -	-				-	ł	 		Pass - 18 Fail - 1	22
0 -			<u> </u>	 		<u>.</u>	<u> </u>	<u> </u>			 -		Skip - 3	
	_	_	.									5 -	5 -	5 - Pass - 18 Fail - 1

#	Step / Hook Details	Status	Duration
1	Given navigate to kubs url and login as maker user	PASSED	14.583 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.414 s
	screenshot		
	# 0 AND		
2	Then select budget menu	PASSED	2.910 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		

3 And click on the eye icon of budget transfer sub menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 4 Then click on add button to create record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP -	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then click on add button to create record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And fill the required field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And fill the required field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.480 s PASSED O.179 s		The control of the		
screenshot 4 Then click on add button to create record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 And fill the required field AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 And fill the required field AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Comparison of the step of th	3	And click on the eye icon of budget transfer sub menu	PASSED	0.506 s
### Then click on add button to create record ### PASSED 0.397 s ### AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ### Screenshot PASSED 0.412 s ### Company of the state of the s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.573 s
4 Then click on add button to create record PASSED 0.397 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And fill the required field PASSED 0.204 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.480 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.179 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And fill the required field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.480 s PASSED 0.179 s		* Total # 0 * 0 * 1		
Screenshot 5 And fill the required field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.480 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.480 s PASSED 0.179 s	4	Then click on add button to create record	PASSED	0.397 s
5 And fill the required field PASSED 4.131 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.480 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.179 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.412 s
5 And fill the required field AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.480 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.480 s 0.179 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.480 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7.480 s O.204 s		** O MATHEMATICAL STATE OF THE PARTY OF THE		
Screenshot 6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.179 s	5	And fill the required field	PASSED	4.131 s
6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.179 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
6 Then save and submit by maker to transfer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.179 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.179 s		0 to 1		
	6	Then save and submit by maker to transfer	PASSED	7.480 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
		screenshot]	

7 And Navigate to Url and login as a reviewer PASSED 12.484 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Click on Notification button PASSED 0.299 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And validate the data submitted by maker to checker1 PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And validate the data submitted by maker to checker1 PASSED Screenshot 10 Then approve the record by reviewer PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.197 s PAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.400 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ### PASSED				
Screenshot 8 Then Click on Notification button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And validate the data submitted by maker to checker1 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then approve the record by reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then approve the record by reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.197 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s	7		PASSED	12.484 s
8 Then Click on Notification button PASSED 0.299 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And validate the data submitted by maker to checker1 PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4.143 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then approve the record by reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.197 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
8 Then Click on Notification button PASSED 0.299 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And validate the data submitted by maker to checker1 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And validate the data submitted by maker to checker1 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then approve the record by reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.197 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And validate the data submitted by maker to checker1 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And validate the data submitted by maker to checker1 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then approve the record by reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.197 s PASSED 0.441 s				
screenshot 9 And validate the data submitted by maker to checker1 PASSED 4.143 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s screenshot 10 Then approve the record by reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s	8	Then Click on Notification button	PASSED	0.299 s
9 And validate the data submitted by maker to checker1 PASSED 4.143 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then approve the record by reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.197 s O.140 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.471 s
9 And validate the data submitted by maker to checker1 PASSED 4.143 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then approve the record by reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.197 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then approve the record by reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.197 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s		1		
Screenshot 10 Then approve the record by reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s	9	And validate the data submitted by maker to checker1	PASSED	4.143 s
10 Then approve the record by reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s			PASSED	0.206 s
10 Then approve the record by reviewer AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s		C 10 10 10 10 10 10 10		
	10	Then approve the record by reviewer	PASSED	3.197 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
		screenshot]	

R	
State Stat	
11 And reviewer user logout PASSED	6.100 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.911 s
screenshot	
The state of the s	
12 Given Navigate to Url and login as a Checker PASSED	9.115 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.106 s
screenshot	
Funds (and constructions)	
13 Then Click the Notification icon PASSED	0.002 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.119 s
screenshot	
Procedure processing to the contract of the co	
14 And Click on security management PASSED	0.090 s
	0.101 -
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.181 s


#	Step / Hook Details	Status	Duration
	■ © Nacionalization Price of Age Conditions (Market Q		
15	Then Click on open pool	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
	Fig. 50 April Continues and April Continues an		
	THE F THE F		
16	And Click on claim button	PASSED	0.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
	The SET SUMMER SET OF SET SUMMER SET SUMMER SET		
	Sec. 1 Sec. 2		
17	And claimed status	PASSED	0.263 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
	Part Speciment Part Speciment Part Speciment Specime		
	No. 5 No. 5		
18	Then click on notification	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.474 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Plant State #		
19	And Click on action button of record user want to reject	FAILED	0.603 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath":"selector"://spanjcontains(text), '550')/Jancestor::datatable-body-cell/preceding-sibling::datatable-body-cell/ion-buttor"; (Session info: chrome=99, 0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions//tho_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1 Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [25034136433a881c52bff6fddc42003, version: '10.0', java.version: '17.0.1 Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [25034136433a881c52bff6fddc42003, red.] (25034136433a881c52bff6fddc42003, 20034). "John Values-/lspanjcontains(text), '550')/Jancestor::datatable-body-recell/proceding-sibling::datatable-body-cell/proceding-sibling:datable-body-cell/proceding-sibling:datable-body-cell/proceding-sibling:datable-body-cell/proceding-sibling:datable-body-cell/proceding-sibling:datable-body-cell/proce		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	Fig. 5 against an analysis and a second		
20	Then Click on reject button	SKIPPED	0.000 s
21	And system should show the prompt message for verification	SKIPPED	0.000 s
22	And checker user logout	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --





EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

Change Password

=>

Change PIN

Logout


Kastle Universal Banking Sign In

User Name


(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) To verify the impact if checker2 user select, view and reject the Budget Transfer record details by maker


(F) Budget Transfer



EXPANDED SECTION -- 17 --







EXPANDED SECTION -- 20 --

