


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	41.414 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To Verify Reviewer can approve the record which is	20	10	1	9	41.409 s
	feature	submitted by maker					

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 41.414 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 11:16:12.141 F	PM // 11:16:53.555 PM /	Pass - 0	1	Pass - 10	20
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

## (S)- To Verify Reviewer can approve the record which is submitted by maker



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.489 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.572 s
	screenshot		
	The state and the state of the		
2	Then click on budget configuration Menu	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)   AFTER_STEP - stepdefinitions	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4		The state of the s		
screenshot  Then click on pencil icon near by budget code AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AATTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	3	And click on budget definition sub menu and click on eye icon	PASSED	0.173 s
Then click on pencil icon near by budget code  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot  And update the budget code  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.160 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
4 Then click on pencil icon near by budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.292 s  PASSED  O.292 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.383 s  0.383 s  0.383 s		© between : : : : : : : : : : : : : : : : : :		
Screenshot  5 And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.292 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s	4	Then click on pencil icon near by budget code	PASSED	0.084 s
5 And update the budget code PASSED 3.198 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.292 s  PASSED 0.160 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
5 And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.292 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.167 s  PASSED  0.292 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s		Page		
Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.292 s  0.160 s	5	And update the budget code	PASSED	3.198 s
6 Then update the budget budget type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.292 s  0.160 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.292 s  0.160 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s		S SOCIALES S S S S S S S S S S S S S S S S S S		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s	6	Then update the budget budget type	PASSED	0.292 s
screenshot			PASSED	0.160 s
		screenshot	1	


#	Step / Hook Details	Status	Duration
	■ Continue State		
7	Then update warning percentage	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
	State   Stat		
8	Then update budget name	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	Screenshot   **********************************		
9	Then update remark	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot     The content of	PASSED	0.161 s
10	And click on save after update all the details	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Section Sectio		
11	And choose the updated budget code in main list	FAILED	21.722 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [477cd814934ddbec13df1f415aa3815, isElementDisplayed [id=70ad1462-3430-4f37-b7ed-35ed3e9f168]] Capabilities (acceptinsecureCerts: talse, browserName: chrome, browserVersion: 96.0.4664.45, chrome: (chromedinverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:UsersiNiNDC—1AppDataL), goog:chromeOptions: (debuggerAddress: localhost.61151), javascriptEnabled: true, networkConnectionEnabled: dase, pageLoadStrategy; normal, platform. WINDOWS, platfornMane: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost:61151/devtoo, sec.dpVersion: 96.0.4664.45, ethorm: (Informedinter). Windows: platfornMane: windows: (Informedinter). Windows: ws.//localhost:61151/devtoo, sec.dpVersion: 96.0.4664.45, ethorm: (Informedinter). Windows: platfornMane: windows: (Implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension.largeBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (477cd814934ddbec13df1415aa3815]] -> xpath: //span(contains(text(), BUD90090U))/Jancestor::datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/datatable-body-cell/parent::div/da		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at ?.choose the updated budget code in main list(file:///C:/Users/inindc00076/git/ AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:153) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
	Part   Part		
12	Then click on submit button	SKIPPED	0.000 s
13	And enter remark in alert tab	SKIPPED	0.000 s
14	And click on submit	SKIPPED	0.000 s
15	When click on submit button save the reviewer id	SKIPPED	0.000 s
16	Given navigate to URL and login as a reviewer	SKIPPED	0.000 s
17	Then click on notification icon	SKIPPED	0.000 s
18	And click on action button	SKIPPED	0.000 s
19	And approve the record in reviewer stage	SKIPPED	0.000 s
20	Then enter remark then submit	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

