


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	1 m 11.337 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Check if the given asset is sold at higher price	21	0	1	20	1 m 11.332 s

DETAILED SECTION -- 4 --

## (F)- FIXED ASSETS

FAILED	DURATION - 1 m 11.337 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 2:34:01.920 AN	Л // 2:35:13.257 AM /	Pass - 0	1	Pass - 0	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 20	

## (S)- Check if the given asset is sold at higher price



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	FAILED	39.287 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a75ebb918e3f12d8faa4613f0f900e56, clickElement {id=7964c8ed-73eb-4210-ada8-1a6e9b63d158}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, setVindowserName: WiNDOWS, proxy: Proxy(), se:cdp: ws://localhost:52769/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (a75ebb918e3f12d8faa4613f0f900e56)] -> xpath: //ion-item[2]/ion-radio] Session Ib: a75ebb918e3f12d8faa4613f0f900e56 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)		
	at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:46)		
	at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.		
	user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:48)		
	at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/		
	java/features/FIXEDASSETS_AssetSale.feature:6)  * Not displayable characters are replaced by '?'.		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.906 s
		T ASSED	1.900 3
	screenshot	-	
	The Contract of the Contract o		
2	And user should navigate to fixed asset menu	SKIPPED	0.000 s
3	When click on eye button of asset sale	SKIPPED	0.000 s
4	And click on add button to create sale asset record	SKIPPED	0.000 s
5	And Fill the required fields to sale asset	SKIPPED	0.000 s
6	Then Save and submit the asset sale record	SKIPPED	0.001 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.001 s
9	And approve the record by reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.001 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.001 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.001 s

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the asset sale	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to fixed asset menu	SKIPPED	0.000 s
19	When click on eye button of fixed asset	SKIPPED	0.000 s
20	Then click on first eye button to get the profit earned	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.000 s

EXPANDED SECTION -- 7

