


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionally	1	1	0	0	31.961 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget	Check to cancel the wrongly created budget code	16	16	0	0	31.956 s
	Request and Allocation functionally						

DETAILED SECTION -- 4 --

(F)- Check The Azentio UAT Budget Request and Allocation functionally

PASSED	DURATION - 31.961 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 11:56:31.499 ar	m // 11:57:03.460 am /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check to cancel the wrongly created budget code



#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	12.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
	The Original State of the Control of		
2	Then click the Two Direction Icon	PASSED	0.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		

3 And click to the Budget AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The standard of the budget passed in the standard of the standard of the budget passed in the standard of the budget passed in the standard of the budget passed in the standard of the standard of the budget passed in the standard of the standard
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot
Screenshot ** On the control of the
□ ■ MAIN CHARLES DESCRIPTION ■ 0 CONT 1
1
© toward
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon PASSED 0.368 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.285 s
screenshot
Section Formation Forma
5 And click on the Add icon in Request and Allocation 0.264 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.272 s
screenshot
Section Formation Forma
6 Then select the Wrong Budget Code PASSED 0.361 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.168 s
screenshot


7 And select the past Budget Year AFER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select FIRST Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 O.91 s 9 O.93 s 9 O.93 s 9 O.94 s 9 O.95 s 9 O.95 s 9 O.95 s 9 O.95 s 9 O.96 s 9 O.97 s 9 O.99 s 9 O.	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And select FIRST Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select FIRST Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select FIRST Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And select FIRST Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot				
8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And select FIRST Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.081 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 0.143 s	7		PASSED	
8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And select FIRST Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.081 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 0.113 s 0.290 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And select FIRST Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s 0.290 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And select FIRST Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.290 s 0.290 s 0.291 s 0.081 s 0.081 s				
9 And select FIRST Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.081 s 0.143 s	8	Then click on the Branch	PASSED	0.113 s
9 And select FIRST Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.081 s 0.143 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		# © 1/10 (Marketing) # 1/10 (Marketing) # 0 (M	-	
screenshot	9	And select FIRST Branch	PASSED	0.081 s
IN EXPLORATION PROPERTY AND ADDRESS OF THE PARTY AND ADDRESS OF THE PAR		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
TO DESCRIPTION OF THE PROPERTY		screenshot		
The state of the s		9 1 0 1 1 1 1 1 1 1 1		
10 Then click on the Branch ok button PASSED 0.097 s	10	Then click on the Branch ok button	PASSED	0.097 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.219 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
screenshot		screenshot		

The nestect one currency we need	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 12 And Enter the Amount for Required Budget type AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 13 And click on the save button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefini		© market research (a)		
Screenshot Scr	11	Then select one currency we need	PASSED	0.158 s
12 And Enter the Amount for Required Budget type PASSED 0.464 s 13 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 14 And click on the save button PASSED 3.153 s 15 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 16 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 17 Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 18 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 19 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 19 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 20 ASSED 3.153 s 21 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 21 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 22 ASSED 3.153 s 23 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 24 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 25 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 26 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 27 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 28 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 29 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 20 And click on the save button 20 And click on the save button 20 AND click on the save button 20 ADS click on the save button 21 ADS click on the sav		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
2. And Enter the Amount for Required Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And click on the save button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot And click on the save button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot Then click on the Maker icon button PASSED 0.180 s 0.180 s 0.180 s 0.180 s		O		
screenshot And click on the save button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on the Maker icon button PASSED PASSED O.129 s PASSED PASSED O.129 s O.129 s O.129 s O.129 s O.120 s	12	And Enter the Amount for Required Budget type	PASSED	0.464 s
After Step - step definitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) screenshot Then click on the Maker icon button PASSED 2.153 s PASSED 0.129 s 0.129 s 0.129 s 0.129 s 0.129 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 Then click on the Maker icon button PASSED 0.129 s 0.129 s PASSED 0.129 s				
Screenshot Then click on the Maker icon button PASSED 0.916 s	13	And click on the save button	PASSED	2.153 s
		SCREENShot		0.129 s
	14	Then click on the Maker icon button	PASSED	0.916 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.313 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
screenshot			1	


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	State Stat		
15	And Click the Cancel button	PASSED	0.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
16	Then Submit the Cancel Record	PASSED	1.553 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

