

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|------------------------------------|---|---|---|---|----------|
| 1 | Check The Azentio UAT functionaliy | 1 | 1 | 0 | 0 | 22.388 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------------|---|----|----|---|---|----------|
| 1 | Check The Azentio UAT functionally | Check for the budget request for Quarterly on current | 12 | 12 | 0 | 0 | 22.383 s |
| | | financial year accounting period is Jan to Dec | | | | | |

DETAILED SECTION -- 4 -

(F)- Check The Azentio UAT functionally

| PASSED | DURATION - 22.388 s | Scenarios | | Steps | |
|------------------|---------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 12 | |
| / 1:28:20.705 pm | // 1:28:43.093 pm / | Pass - 1 | 1 | Pass - 12 | 12 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Check for the budget request for Quarterly on current financial year accounting period is Jan to Dec

| PASSED | DURATION - 22.383 s | 10 | - F-1 | <u> </u> | | | ; | - ; | | | -; | - ; | | | | Steps | | | |
|----------------|--------------------------|-----|--------|----------|---|---|---|-----|---|----------|----------|-----|----|----|----|------------|---|----|---|
| / 1:28:20 71(| 0 pm // 1:28:43.093 pm / | 8 | | - | | | | | | | | | | | | Total - 12 | | | |
| 7 1.20.20.7 10 | σ μπ // 1.26.46.656 μπ / | 6 | 11 | | | | ; | | | | | | | | | Pass - 12 | | 12 | A |
| Check The Az | zentio UAT functionaliy | 2 | | | 1 | | | | | 1 | -! | | | | | Fail - 0 | | 12 | |
| @KUBS ΠΔΊ | Γ_KUBS_BP_UAT_003_004 | - 0 | _ | | | | | | | <u> </u> | <u> </u> | | | | | Skip - 0 | • | | |
| WKODS_OAT | 1_1(0B3_B1 _0A1_003_004 | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to the Azentio Url | PASSED | 10.539 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.520 s |
| | screenshot | | |
| | | | |
| 2 | Then click the Two Direction Icon | PASSED | 0.282 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.219 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | PORT SECURITY PROPERTY OF THE | | |
| 3 | And click to the Budget | PASSED | 0.114 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| | screenshot | | |
| | | | |
| 4 | Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon | PASSED | 0.270 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.201 s |
| 5 | And click on the Add icon in Request and Allocation | PASSED | 0.232 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Tex_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Tex_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.253 s |
| 6 | Then Quarterly Budget Code | PASSED | 0.288 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.166 s |
| | screenshot | | |

| 7 And Enter the Budget Year PASSED 0.122 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 Then click on the Branch PASSED 0.154 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And select to one Branch PASSED 0.135 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.ja | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ### PASSED | | | | |
| screenshot Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAd select to one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Diagram | 7 | And Enter the Budget Year | PASSED | 0.122 s |
| 8 Then click on the Branch PASSED 0.154 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And select to one Branch PASSED 0.119 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on the Branch ok button PASSED 0.151 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.135 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.148 s |
| 8 Then click on the Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And select to one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s PASSED 0.135 s 0.135 s 0.135 s 0.135 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And select to one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s PASSED 0.343 s | | Language 6 C | | |
| screenshot 9 And select to one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.119 s O.135 s Screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.151 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.343 s | 8 | Then click on the Branch | PASSED | 0.154 s |
| 9 And select to one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s 0.343 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.273 s |
| 9 And select to one Branch AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.119 s 0.135 s 0.135 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.135 s PASSED 0.135 s 0.135 s | | © Notes 100 10 | | |
| screenshot 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.151 s 0.343 s | 9 | And select to one Branch | PASSED | 0.119 s |
| 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.151 s 0.343 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.135 s |
| 10 Then click on the Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s 0.343 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 s | | 10 10 10 10 10 10 10 10 | | |
| | 10 | Then click on the Branch ok button | PASSED | 0.151 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.343 s |
| | | screenshot | 7 | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | PARTICIPATION PARTIC | | |
| 11 | Then select one currency we need | PASSED | 0.174 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.174 s |
| | screenshot | | |
| | Principles Princi | | |
| 12 | Then Give budget amount for quarterly | PASSED | 0.410 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.156 s |
| | screenshot | | |
| | PARTICIPATION PARTIC | | |

EXPANDED SECTION --- 8 --







EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

