

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	1	0	0	28.082 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1	Check the accounting mapping done for the accounting	9	9	0	0	28.076 s
	<u>Module</u>	Scheme					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL1 Module

PASSED	DURATION - 28.082 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 5:31:49.908 pm	// 5:32:17.990 pm /	Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check the accounting mapping done for the accounting Scheme


PASSED DURATION - 28.076 s							-		-	-		Steps		
/ 5:31:49.914 pm // 5:32:17.990 pm /	15 -	 ľ			- +	-		+		-!		Total - 9		
γ 3.31.43.314 μπγγ 3.32.17.330 μπγ	10 -	 ľ							i	-j		Pass - 9	9	
Check the Functionality of the GL1 Module	5 -	 ŀ			-			-				Fail - 0		!
@KUBS GL UAT 007 001	0 -	 			-	<u> </u>	<u> </u>	<u> </u>	<u> </u>	-		Skip - 0		
		1	2	2	3	4	5	6	7	8	9			


#	Step / Hook Details	Status	Duration
1	Given Login as a Azentio Maker	PASSED	18.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
	We do not have a second to the		
2	When user click the Accounting setup	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		

3 And click the accounting scheme definition eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot And click the search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) PASSED O.363 s D.363 s D.364		The control of the		
screenshot And click the search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.035 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.171 s	3		PASSED	
4 And click the search icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) creenshot 5 And search the active status in list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.035 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
4 And click the search icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 5 And search the active status in list view AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) APASSED APASSED O.641 s PASSED O.172 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.035 s PASSED O.071 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And search the active status in list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.035 s PASSED O.171 s		I business g of the second sec		
screenshot And search the active status in list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And get the accounting scheme name in first list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And get the accounting scheme name in first list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.035 s 0.171 s	4	And click the search icon	PASSED	0.090 s
And search the active status in list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And get the accounting scheme name in first list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And get the accounting scheme name in first list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.035 s 0.171 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
5 And search the active status in list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And get the accounting scheme name in first list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.035 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.035 s O.171 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And get the accounting scheme name in first list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s PASSED 0.035 s PASSED 0.171 s				
Screenshot 6 And get the accounting scheme name in first list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.035 s 0.171 s	5	And search the active status in list view	PASSED	0.641 s
6 And get the accounting scheme name in first list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.035 s 0.171 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
6 And get the accounting scheme name in first list view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.035 s 0.171 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.171 s		Visiting 6 e		
	6	And get the accounting scheme name in first list view	PASSED	0.035 s
screenshot			PASSED	0.171 s
		screenshot		


#	Step / Hook Details	Status	Duration
	## Open Control Program 14.000 from 14.0		
7	And click the Accounting Scheme Event Mapping Eye icon	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.249 s
	** O minimum of the control of the c		
8	And click add icon in GI	PASSED	0.545 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
	screenshot		
	1 1 1 1 1 1 1 1 1 1		
9	Then verify the mapping of accounintg entries to be triggered	PASSED	0.243 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
	The continue of the continue		

EXPANDED SECTION --- 7 -






EXPANDED SECTION



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

