

Cucumber Report

30-Mar-2022, 6:50:49 pm

Start : Mar 30, 6:49:59.781 pm

End : Mar 30, 6:50:48.141 pm

Duration : 48.360 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Petty cash</u>	1	0	1	0	48.360 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Petty cash</u>	<u>Create Custodian Limit</u>	28	11	1	16	48.355 s





(F)- Check the Functionality of Petty cash

FAILED	DURATION - 48.360 s	Scenarios		Steps	
/ 6:49:59.781 pm // 6:50:48.141 pm /		Total - 1		Total - 28	
		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	



(S)- Create Custodian Limit

<div>FAILED</div> <div>DURATION - 48.355 s</div>			Steps	<div>Total - 28</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 16</div>	
/ 6:49:59.786 pm // 6:50:48.141 pm /					
Check the Functionality of Petty cash					
@KUBS_PC_UAT_001_003					

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.875 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
			
2	Then Click on Pettycash Configuration	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click on Custodian limit module	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		
			
4	Then Click on Add Icon in Petty cash	PASSED	0.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
			
5	And Enter user name in the Custodian limit	PASSED	0.303 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
			
6	And give maximum limit	PASSED	0.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And give replenish limit	PASSED	0.288 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
			
8	And enter the currency type	PASSED	0.227 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
			
9	Then save Record in Petty cash	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
			
10	Then Goto The Notification Icon	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And Store the Reference Id and Open the Record	PASSED	0.756 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot 		
12	Then Click submit button and Enter Remark submit it	FAILED	14.616 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ed8b8f372bb89a5d1f9ef39ac3e5ab4e, findElement {using=xpath, value=//div[@id='toast-container']/div[@role='alertdialog']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59962}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:59962/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ed8b8f372bb89a5d1f9ef39ac3e5ab4e</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p>		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable. click_submit_button_and_enter_remark_submit_it(ARAP_AccountsReceivable_AccountsPayable.java:1851) at ?.Click submit button and Enter Remark submit it(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/ test/java/features/Petty_Cash.feature:78) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ed8b8f372bb89a5d1f9ef39ac3e5ab4e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59962}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59962/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ed8b8f372bb89a5d1f9ef39ac3e5ab4e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) </p>	FAILED	12.200 s


#	Step / Hook Details	Status	Duration
13	Given Navigate as a Reviewer	SKIPPED	0.001 s
14	Then click on Notify icon	SKIPPED	0.001 s
15	And Click First record Action icon	SKIPPED	0.001 s
16	Then Approve the record in Reviewer	SKIPPED	0.001 s
17	And Give Remark and Submit	SKIPPED	0.000 s
18	Given Navigate as a Checker	SKIPPED	0.001 s
19	Then Click module security management	SKIPPED	0.001 s
20	And Claim the Record in Checker	SKIPPED	0.001 s
21	Then Goto the Checker notification Icon	SKIPPED	0.000 s
22	And Click the First Action Icon	SKIPPED	0.000 s
23	Then Approve the Record in checker stage	SKIPPED	0.000 s
24	And Give the Remark and Submit it	SKIPPED	0.000 s
25	Given Navigate The Azentio Url	SKIPPED	0.000 s
26	Then Click on Pettycash Configuration	SKIPPED	0.000 s
27	And Click on Employee Limit	SKIPPED	0.000 s
28	Then Click on Table Row First Eye Icon	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.230 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ed8b8f372bb89a5d1f9ef39ac3e5ab4e, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59962}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59962/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ed8b8f372bb89a5d1f9ef39ac3e5ab4e</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit


(F) Check the Functionality of Petty cash



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

















(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

Kastle Universal Banking (Beta) 08-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Custodian Limit View

Actions	User Name	Max Limit	Float Limit	Auto Limit	Availed Limit	Status	Create Date
 	Vikash Mhatre	80000	20000			Active	30-Mar-2022
 	Reviewer	80000	20000			In-Active	30-Mar-2022
 	SURESH PANDEY	100000	20000			Active	21-Mar-2022
 	DEEPAK	500000	20000			Active	21-Mar-2022
 	LE FOUR CHECKER	100000	80000		70000	Active	14-Feb-2022
 	King	10000	10000			Active	22-Dec-2021
 	Abuzar	10000	10000			Active	14-Dec-2021
 	Santosh	8500	6000			Active	13-Dec-2021

14 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

Kastle Universal Banking (Beta) 08-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

User PettyCash Limit

* User Name * Max Limit * Replenish Limit *

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

Kastle Universal Banking (Beta) 08-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

User PettyCash Limit

* User Name Vikash Mhatre x

* Max Limit

* Replenish Limit

No items found

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

Kastle Universal Banking (Beta) 08-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

User PettyCash Limit

* User Name

* Max Limit 80,000.00 INR

* Replenish Limit

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

Kastle Universal Banking (Beta) 08-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

User PettyCash Limit

* User Name * Max Limit 80,000.00 INR * Replenish Limit 20,000.00 INR

Business partner setup
General ledger configurat...
Accounting setup
Expense/AR & AP configu...
Budget configuration
Fixed assets configuration
Inventory maintenance
Bank recon
Petty cash configuration

Custodian limit
Employee limit

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

Kastle Universal Banking (Beta) 08-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

User PettyCash Limit

* User Name * Max Limit 80,000.00 INR * Replenish Limit 20,000.00 INR | INR x

Business partner setup
General ledger configurat...
Accounting setup
Expense/AR & AP configu...
Budget configuration
Fixed assets configuration
Inventory maintenance
Bank recon
Petty cash configuration

Custodian limit
Employee limit

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

The screenshot shows the 'User PettyCash Limit' form in the Kastle Universal Banking (Beta) application. The top navigation bar includes the date '08-Nov-2022', language 'English', and user 'ANANT'. The left sidebar lists various configuration options under the 'Finance' category, with 'Petty cash configuration' selected. The main form area contains three input fields: 'User Name' (with a dropdown arrow), 'Max Limit' (set to '80,000.00 INR'), and 'Replenish Limit' (set to '20,000.00 INR'). A currency dropdown is set to 'INR'. At the bottom, there are buttons for 'Home' and 'Preference'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

The screenshot shows the 'Inbox PettyCash Limit' view in the Kastle Universal Banking (Beta) application. The top navigation bar is identical to the previous screenshot. The left sidebar is also identical. The main content area displays a table with the following data:

Actions	User Name	Max Limit	Replenish Limit
No data to display		80,000.00 INR	20,000.00 INR
0 total			

At the bottom, there are buttons for 'Home' and 'Preference'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

Kastle Universal Banking (Beta) 08-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	118	ACCOUNTING_CATEGORY	MAKER	MAKER	1002435
✓	121	PTC_FUND_REQ	PTC_CUST_MKR	PTCCUST	1002435
✓	120	PTC_FUND_REQ	PTC_CUST_MKR	PTCCUST	1002435
✓	119	PTC_FUND_REQ	PTC_CUST_MKR	PTCCUST	1002435
✓	118	PTC_FUND_REQ	PTC_CUST_MKR	PTCCUST	1002435

1,606 total

1 2 3 4 5

22 Appro... 11 Messa...

Business partner setup
General ledger configurat...
Accounting setup
Expense/AR & AP configu...
Budget configuration
Fixed assets configuration
Inventory maintenance
Bank recon
Petty cash configuration

Custodian limit
Employee limit