


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	1	0	0	39.492 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	System should follow the flow as Record Rejecting in	20	20	0	0	39.487 s
	feature module	Reviewer					

DETAILED SECTION -- 4 --

(F)- Check Budget Request and Allocation feature module

PASSED	DURATION - 39.492 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 11:21:37.157 ar	m // 11:22:16.649 am /	Pass - 1	1	Pass - 20	20
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- System should follow the flow as Record Rejecting in Reviewer



#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url	PASSED	13.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
	Final State Age - Analysis - Anal		
2	Then Click Transfer Icon	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		


#	Step / Hook Details	Status	Duration
	PRODUCTIONS PRODUC		
3	And Click on Budget Module	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
	The Contract of the Contract o		
4	Then Click on Budget Sub module Near Eye Icon	PASSED	0.361 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	Screenshot *** On the contract of the contra		
5	And Click on Add icon in Request and Allocation	PASSED	0.276 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)** **Tex_stepdefinitions.Hooks	PASSED	0.283 s
6	Then Select New Budget Code	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot]	

7 And Select Current Budget Year PASSED 0.428 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 Then Click on Branch PASSED 0.257 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And Select Ournett Budget Year PASSED 0.257 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And Select Ournett Budget Year PASSED 0.111 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And Select Ournett Budget Year PASSED 0.250 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And Select Ournett Budget Year PASSED 0.136 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 10 Then Click on Branch ok button PASSED 0.103 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. Ho	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 Then Click on Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And Select on one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Select on one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Click on Branch ok button 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s		© Name of the Control		
screenshot 8 Then Click on Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Select on one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Art Select on one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s	7	And Select Current Budget Year	PASSED	
Then Click on Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Click on Branch ok button PASSED 0.103 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
Then Click on Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.111 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) To Then Click on Branch ok button PASSED O.103 s PASSED O.224 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And Select on one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.250 s 0.250 s 0.250 s 0.250 s 0.250 s 0.250 s PASSED 0.082 s 0.136 s 0.136 s 0.136 s 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s		C Section		
screenshot 9 And Select on one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 70 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s PASSED 0.224 s	8	Then Click on Branch	PASSED	0.111 s
9 And Select on one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s PASSED 0.224 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
9 And Select on one Branch AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s PASSED 0.224 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.136 s 0.136 s PASSED 0.103 s PASSED 0.224 s		Part		
Screenshot 10 Then Click on Branch ok button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s 0.224 s	9	And Select on one Branch	PASSED	0.082 s
10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s O.224 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
10 Then Click on Branch ok button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.103 s 0.224 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.224 s				
	10	Then Click on Branch ok button	PASSED	0.103 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
			1	


## Oran September Francisco Francisco	
11 Then Select currency we need PASSED 0.236 s	i
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.122 s	j
screenshot	
12 And Enter Amount which Budget Type Show in Budget type field 4.296 s	i
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.099 s	į
screenshot	
### Open Controlled	
13 And click on save button PASSED 0.099 s	i
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.124 s	i
screenshot	
Fig.	
14 Then Click on Maker Notification button PASSED 1.164 s	;
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169 s	j
screenshot	

15 And Click on Record submit AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 16 Given Navigate the Azentio Url login as Reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.093 s Then Click on Notification icon PASSED O.144 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 16 Given Navigate the Azentio Url login as Reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot PASSED 0.202 s 6.679 s 0.093 s				
Screenshot 16 Given Navigate the Azentio Url login as Reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.093 s	15	And Click on Record submit	PASSED	2.816 s
16 Given Navigate the Azentio Url login as Reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.093 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
16 Given Navigate the Azentio Url login as Reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot				
Screenshot	16	Given Navigate the Azentio Url login as Reviewer	PASSED	6.679 s
# Outstand Annual Control of the Con		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
The control		screenshot		
17 Then Click on Notification icon PASSED 0.144 s		To the control of the		
	17	Then Click on Notification icon	PASSED	0.144 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.243 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
screenshot		screenshot		
This is the second of the seco		PRINT (pp) Controlled (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0 (0		
18 And Click Reviewer Action button PASSED 0.285 s	18	And Click Reviewer Action button	PASSED	0.285 s
AFTER CTER standafinitions Hadiscless addCare analytic quayribon into Connectic		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
AFTER_STEP - Stepdelinitions.HooksClass.addScreenshot(lo.cucumber.java.Scenario)		screenshot		


DETAILED SECTION -- 9 --



EXPANDED SECTION -- 10 --




EXPANDED SECTION




-- 11 --


EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --






EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

