
**Duration: 1 m 56.230 s** Start: Feb 04, 3:15:57.550 AM End: Feb 04, 3:17:53.780 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 17 18 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	1 m 56.230 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Create a contract	18	0	1	17	1 m 56.224 s

DETAILED SECTION -- 4 -

## (F)- ACCOUNTS PAYABLE

FAILED	DURATION - 1 m 56.230 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 3:15:57.550 AM	1 // 3:17:53.780 AM /	Pass - 0	1	Pass - 0	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

## (S)- Create a contract



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	FAILED	23.356 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-radio aria-checked="false" aria-labelledby="ion-rb-1-lbl" class="sc-ion-select-popover md in-item interactive hydrated" role="radio"> //on-radio&gt; is not clickable at point (199, 136). Other element would receive the click: <ion-radio aria-checked="frue" aria-labelledby="ion-rb-0-lbl" class="sc-ion-select-popover md in-item interactive radio-checked hydrated" role="radio"> //on-radio&gt; (Session info: chrome=96.0.4664.45) Build info: version: '40.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [a0f48b18c1c668bb57c99b9742bdd709, clickElement fid=75086b74-23f1-4a73-a85e-b36b3ee67734] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:61014}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61014/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (a0f48b18c1c668bb57c99b9742bdd709] -&gt; xpath: //ion-radio] Session ID: a0f48b18c1c668bb57c99b9742bdd709 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Cons</ion-radio></ion-radio>		

# Step / Hook Details	Status	Duration
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) at java.base/java.lang.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:46) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:47) at ?.User should go to the kubs url and login as a maker user(file:///C./Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test.java/features/ACCOUNTSPAYABLE_VendorContracts.feature:6) * Not displayable characters are replaced by '?'.  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.847 s
Screenshot		
2 And user should navigate to accounts payable menu	SKIPPED	0.001 s
3 When click on eye button of account payable	SKIPPED	0.001 s
4 And click on add button to create contract	SKIPPED	0.000 s
5 And Fill the required fields to create contract	SKIPPED	0.000 s
6 Then Save and submit the creation contract record	SKIPPED	0.000 s
7 And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8 Then Click on notification button in reviewer	SKIPPED	0.000 s
9 And approve the record by reviewer user	SKIPPED	0.000 s
Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
And Click on security management in checker	SKIPPED	0.000 s

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.000 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the contract record	SKIPPED	0.000 s
17	And system should show the prompt message	SKIPPED	0.000 s
18	And checker logout	SKIPPED	0.000 s

EXPANDED SECTION -- 7

