


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	33.952 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	To check BudgetDefinition moduel	To Verify Reviewer can approve the record which is	20	20	0	0	33.948 s
	feature	submitted by maker					

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 33.952 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 10:49:17.775 PI	M // 10:49:51.727 PM /	Pass - 1	1	Pass - 20	20
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- To Verify Reviewer can approve the record which is submitted by maker

PASSED DURATION - 33.948 s	10					1											-	Steps			
/ 10:49:17.779 PM // 10:49:51.727 PM /	8					-1		-		-!		-	-1-		-1-	- + -	-	Total - 20			
7 10.40.11.170 TWW 10.40.01.127 TWW	4	_  -							ļ	-  -		-	-1-	_			-	Pass - 20		20	
To check BudgetDefinition moduel feature	2			ļ 1 — —	ļ. 		<b>i</b>	-!	ļ.,									Fail - 0		20	
@Updated_Budget_Approved_By_Reviewer	0		<b>I</b>			<u>.</u>	■.	<u> </u>			_		Skip - 0	\		•					
@Opdatica_Budget_/\ppioved_By_iteviewer		1	1 :	2	3	4	5	6	7	8	9	10	11	12	13	14	15				


#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.940 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.450 s
	screenshot		
	State Space		
2	Then click on budget configuration Menu	PASSED	0.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)   AFTE	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Tenc click on pencil icon near by budget code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And update the budget code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And update the budget code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.290 s		The state of the s		
screenshot  Then click on pencil icon near by budget code AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Ada Then click on pencil icon near by budget code AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AATTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.209 s	3	And click on budget definition sub menu and click on eye icon	PASSED	0.324 s
Then click on pencil icon near by budget code AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot  And update the budget code AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) And update the budget code AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) ACTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.209 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
Then click on pencil icon near by budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.189 s  PASSED  O.209 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.246 s  0.246 s  0.246 s  0.246 s		© Meson = 1 × 1 × 1 × 1		
screenshot  And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.189 s  PASSED  O.209 s	4	Then click on pencil icon near by budget code	PASSED	0.089 s
5 And update the budget code PASSED 3.213 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.189 s  PASSED 0.209 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
5 And update the budget code PASSED 3.213 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.189 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.209 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.154 s  PASSED  0.189 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.209 s		This of type: I would have selected \$\below{\text{B}}\$ D and \$\below{\text{B}}\$ \$\below{\text{B}}\$ \$\text{B}\$		
Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.189 s  0.209 s	5	And update the budget code	PASSED	3.213 s
6 Then update the budget budget type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.189 s  0.209 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.189 s  0.209 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.209 s		© 900mm		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.209 s	6	Then update the budget budget type	PASSED	0.189 s
screenshot			PASSED	0.209 s
		screenshot	1	


#	Step / Hook Details	Status	Duration
	# Descriptions   State of the control of the contro		
7	Then update warning percentage	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
	## Discontinues    Discontinues   Di		
8	Then update budget name	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	Screenshot  # # International Part of the Control Part of the Cont	_	
	Description Outcomes Outcomes Outcomes Outcomes Outcomes Outcomes Outcomes		
9	Then update remark	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.161 s
10	And click on save after update all the details	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		


#	Step / Hook Details	Status	Duration
	The Continue of the Continue o		
11	And choose the updated budget code in main list	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.403 s
	screenshot		
	## OF THE PROPERTY OF THE PRO		
12	Then click on submit button	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	Screenshot   **********************************		
13	And enter remark in alert tab	PASSED	0.772 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  +	PASSED	0.201 s
14	And click on submit	PASSED	0.061 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot	]	

15 When click on submit button save the reviewer id PASSED 0.610 s  AFTER_STEP - stepdefinitions HooksClass.addScreenshot(lo.cucumber.java.Scenario)  PASSED 0.154 s  O.154 s  O.155 s  O.154 s  O.154 s  O.154 s  O.154 s  O.155 s  O.154 s  O.154 s  O.155 s  O.154 s  O.155 s  O.154 s  O.155 s  O.154 s  O.154 s  O.155 s  O.154 s  O.155 s  O.15 s  O.155 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  16 Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  17 Then click on notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.117 s  PASSED  0.117 s  PASSED  0.117 s  PASSED  0.172 s		© manufacture and process of the pro		
screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.117 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.117 s	15	When click on submit button save the reviewer id	PASSED	0.610 s
16 Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  17 Then click on notification icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s  PASSED  0.324 s  18 And click on action button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.117 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.117 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
16 Given navigate to URL and login as a reviewer  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  17 Then click on notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  18 And click on action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s  PASSED  0.324 s  PASSED  0.117 s  PASSED  0.117 s  PASSED  0.117 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.094 s  Then click on notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click on action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.131 s  O.324 s  O.324 s  O.324 s  PASSED  O.117 s  PASSED  O.117 s  PASSED  O.172 s		© Standardens,  © Marchande    Control   Contr		
Screenshot  Then click on notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click on action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s  0.324 s  0.324 s  0.325 s  0.327 s  PASSED  0.117 s  0.117 s	16	Given navigate to URL and login as a reviewer	PASSED	7.698 s
Then click on notification icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click on action button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.117 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.117 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
17 Then click on notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  18 And click on action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.131 s  PASSED  0.324 s  0.324 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  18 And click on action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.324 s  PASSED  0.117 s  PASSED  0.117 s		■ <b>0</b> - 100		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  18 And click on action button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.324 s  PASSED  0.117 s  PASSED  0.117 s	17	Then click on notification icon	PASSED	0 131 s
Screenshot  18 And click on action button  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.117 s  0.172 s				
18 And click on action button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.117 s  0.172 s			1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s		# © Total Joseph Company   Data State   Data		
	18	And click on action button	PASSED	0.117 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
		screenshot	1	




EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

