
Start: Mar 31, 3:46:02.531 PM End: Mar 31, 3:46:40.925 PM **Duration: 38.394 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 18 SKIPPED - 0 SKIPPED - 0 SKIPPED - 15 34 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 52 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the General Ledger Module	1	0	1	0	38.394 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the General Ledger Module	check Accounting schemes should mapped to the same	34	18	1	15	38.389 s
		Transaction event					

DETAILED SECTION -- 4 --

(F)- testing the General Ledger Module

FAILED	DURATION - 38.394 s	Scenarios		Steps	
		Total - 1		Total - 34	
/ 3:46:02.531 /	PM // 3:46:40.925 PM /	Pass - 0	1	Pass - 18	34
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- check Accounting schemes should mapped to the same Transaction event



#	Step / Hook Details	Status	Duration
1	Given Login as a Azentio Maker	PASSED	10.277 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
	■ Particular State (Control of the Control of the		
2	When user click the Accounting setup	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		

#	Step / Hook Details	Status	Duration

3	And click the Accounting Scheme Event Mapping Eye icon	PASSED	0.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
	screenshot		
	*** O TANISHMAN SAN THE SAN TH		
4	And click add icon in GI	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
5	And select the event	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
	■ © 100 (20		
6	And click the Scheme	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot	1	
		-	·

After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Passed	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click next Scheme AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		*** ***		
Screenshot 8 And click next Scheme And click next Scheme And click next Scheme Arter_step - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 And click Add button 4 FFER_step - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 And click Add button Arter_step - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 creenshot 5 creenshot 6 AFTER_step - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 7 AGT Click Save button in event mapping And click save button in event mapping AFTER_step - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 8 Ad Click save button in event mapping AFTER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad TER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad TER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad TER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad TER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad STER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad STER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad STER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad STER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad STER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad STER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad STER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad STER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad STER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Ad STER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java. Sc	7	And click Add button	PASSED	0.056 s
8 And click next Scheme PASSED 0.066 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And click Add button PASSED 0.048 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click Add button PASSED 0.048 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Add click save button in event mapping 10 Add click save button in event mapping 11 After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 12 After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 13 Add Click save button in event mapping 14 After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 15 After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 16 After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 17 And Click save button in event mapping 18 After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 19 Add Click save button in event mapping 10 Add Click save button in event mapping 10 Add Click save button in event mapping 10 Add Click save button in event mapping 11 After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 12 Alter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 13 Add Click save button in event mapping 14 After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 15 Add Click save button in event mapping 16 Add Click save button in event mapping 17 Add Click save button in event mapping 18 After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 18 Add Click save button in event mapping 18 Add Click save button in event mapping 18 Add Click save button in ev		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
8 And click next Scheme PASSED 0.066 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And click Add button PASSED 0.137 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And click Add button PASSED 0.048 s O.048 s O.058 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND click save button in event mapping PASSED 0.049 s O.049 s O.049 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And click Add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Screenshot 10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.137 s 0.137 s 0.137 s 0.048 s PASSED 0.048 s 0.163 s 0.049 s PASSED 0.049 s PASSED 0.049 s		I marrier 6 a Contraction Cont		
screenshot 9 And click Add button PASSED 0.048 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s screenshot PASSED 0.049 s And click save button in event mapping PASSED 0.049 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.049 s	8	And click next Scheme	PASSED	0.066 s
9 And click Add button PASSED 0.048 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.049 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.049 s 0.049 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
9 And click Add button PASSED 0.048 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.048 s PASSED 0.049 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.049 s 0.049 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s PASSED 0.049 s PASSED 0.049 s PASSED 0.206 s		I make 6 to 1 Martin Ma		
Screenshot 10 And click save button in event mapping AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.049 s 0.206 s	9	And click Add button	PASSED	0.048 s
10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
10 And click save button in event mapping AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.049 s 0.206 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s		Market		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s	10	And click save button in event mapping	PASSED	0.049 s
screenshot		11 1	PASSED	0.206 s
		screenshot	7	

#	Step / Hook Details	Status	Duration
	E Q SECONDO CONTROL E DE CONTRO		
11	And Click on notification icon	PASSED	1.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
12	And select the first record	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
13	And click on submit button	PASSED	0.618 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
	** ** ** ** ** ** ** ** ** ** ** ** **		
14	And enter remark in alert tab	PASSED	2.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot]	


15 And click on submit AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.169 s Creenshot 16 Given Navigate to Url and login as a reviewer AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Click on Notification button AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) screenshot 16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.101 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.129 s 18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) PASSED 0.151 s		© Instruction For National Section For Nat		
screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	15	And click on submit	PASSED	4.125 s
16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.101 s Then Click on Notification button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.795 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.129 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.129 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
16 Given Navigate to Url and login as a reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.101 s PASSED 0.101 s PASSED 0.795 s PASSED 0.795 s PASSED 0.795 s PASSED 0.129 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.401 s PASSED 0.151 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.101 s Then Click on Notification button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.401 s PASSED O.151 s		Summitting & A. Lander of the Control of the Contro		
Screenshot 17 Then Click on Notification button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.401 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.795 s 0.129 s	16	Given Navigate to Url and login as a reviewer	PASSED	6.393 s
Then Click on Notification button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.401 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.795 s 0.129 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
17 Then Click on Notification button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.401 s PASSED 0.795 s 1.401 s PASSED 0.151 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.401 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s				
Screenshot 18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s	17	Then Click on Notification button	PASSED	0.795 s
18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.151 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
18 And Find the budget code which submitted from maker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.151 s				
	18	And Find the budget code which submitted from maker	PASSED	1.401 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
		screenshot		

#	Step / Hook Details	Status	Duration
	** ** ** ** ** ** ** ** ** ** ** ** **		
)	Then Click on action button	FAILED	0.018 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text().1720]/parent::du/parent::datatable-body-cell[]//div/i/on-buttons/i/on-button"/ (Session info: chrome-99.0 4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/i/on-button"/ (Session info: chrome-90.0 4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/i/on-button/] (Session info: version: '0.0rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1 Driver info: org.openqa.selenium.chrome.ChromeDriver Commano: '123ab6d33c7cad195ca97d0345f78, findElement (using=xpath, value=/!span[contains(text(),1720')/parent::div/parent::datatable-body-cell/preceding-psibling::datatable-body-cell/proceding-psibling::datatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/proceding-psibling-idatable-body-cell/pro		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	** ** ** ** ** ** ** ** ** ** ** ** **		
20	And Approve the record	SKIPPED	0.000 s
21	Given Navigate to Url and login as a Checker	SKIPPED	0.000 s
22	Then Click the Notification icon	SKIPPED	0.000 s
23	And Click on security management	SKIPPED	0.000 s
24	Then Click on open pool	SKIPPED	0.001 s
25	And Click on claim button	SKIPPED	0.000 s
26	Then click on notification	SKIPPED	0.000 s
27	Then approve the records	SKIPPED	0.000 s
28	Given Login as a Azentio Maker	SKIPPED	0.000 s
29	When user click the Accounting setup	SKIPPED	0.000 s
30	And click the Accounting Scheme Event Mapping Eye icon	SKIPPED	0.000 s
31	And click the search icon	SKIPPED	0.000 s
32	And search Event name based on which we created	SKIPPED	0.001 s
33	And clck the first edit icon in list view	SKIPPED	0.000 s
34	Then verify System should allow to map to the transaction event more than one Accounting Scheme	SKIPPED	0.001 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION --- 15 --







EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

