

# Cucumber Report

18-Nov-2022, 3:14:36 pm

**Start : Nov 18, 3:14:05.779 pm**

**End : Nov 18, 3:14:35.144 pm**

**Duration : 29.365 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 5**

**FAILED - 1**

**SKIPPED - 1**







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	29.365 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type Purchases	7	5	1	1	29.359 s




**(F)- AR/AP Module**


<b>FAILED</b>	<b>DURATION - 29.365 s</b>	Scenarios		Steps	
/ 3:14:05.779 pm // 3:14:35.144 pm /		Total - 1		Total - 7	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

**(S)- Create a contract for an active vendor with expense type Purchases**

<div>FAILED</div> <div>DURATION - 29.359 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:14:05.785 pm // 3:14:35.144 pm /				
AR/AP Module				
@AR/AP @KUBS_AR/AP_UAT_001_001_TC_001_01				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	13.541 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	2.599 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
			
3	When click on eye button of vendor contract	PASSED	0.250 s


#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.292 s
4	And click on add button to create contract	PASSED	1.786 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.790 s
5	And Updating Testdata Id for Vendor contract	PASSED	0.029 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.120 s
6	And Fill the required fields to create contract	FAILED	5.081 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: '10.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b2da16aafd9289f7f59861d4e67aaa91, sendKeysToElement {id=a1ce5cf0-724b-40dc-9a05-c6ad5b1c45e4, value=[Ljava.lang.CharSequence;@24010875]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\goog-chrome-options: {debuggerAddress: localhost:61059}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61059/devtools, se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (b2da16aafd9289f7f59861d4e67aaa91)] -&gt; xpath: //ion-grid[1]/fieldset/ion-row/ion-col[17]/ion-item/ion-input/input] Session ID: b2da16aafd9289f7f59861d4e67aaa91</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. fill_the_required_fields_to_create_contract(ACCOUNTSPAYABLE_VendorContracts.java:185)   at ?.Fill the required fields to create contract(file:///C:/Users/inindc00072/git/AzentioAutomationFramework_KUBS/ AzentioAutomationFramework/src/test/java/features/ArAp1_Excel.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.184 s
7	Then Save and submit the creation contract record	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases


(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases


(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases


(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module





(F) AR/AP Module

[illegible]

(F) AR/AP Module

The screenshot displays the Azentio ONE Banking web application. The top navigation bar includes the date "01-Oct-2023", user information "E... ANANT", and system identifiers "Azentio Software" and "(AZENTMAIN)". On the left, a dark blue sidebar contains a search bar with "Finance" entered, and several menu items: "General ledger transaction", "Budget", "Accounts payable", "Vendor contracts" (highlighted), and "Vendor purchase". At the bottom of the sidebar are two notification bubbles: "22 Appro..." and "11 Mess...".

The main content area is titled "Contract Creation" and features a light gray header bar with a minus icon and the title. Below this, the form is organized into three columns:

- \* Entity Branch:** A dropdown menu currently showing "Azentio Main Branch".
- \* Expense Type:** A dropdown menu showing "Purchases Contract" with a red 'x' icon.
- \* BP Name:** A dropdown menu showing "DELUXE 001" with a red 'x' icon.

---

The second row of fields includes:

- BP Branch:** An unlabeled dropdown menu.
- Contract Account Code:** A field with a plus icon in a box to its right.
- \* Contract Name:** A field containing the text "Tokyo".

---

The third row of fields includes:

- Transaction Date:** A field showing "01-Oct-2023" with a calendar icon.
- \* Agreement Date:** A field showing "20-Oct-2023" with a calendar icon.
- \* Contract End Date:** A field showing "20-Oct-2023" with a calendar icon.

---

The final row of fields includes:

- \* Contract Signed on Date:** A field showing "20-Oct-2023" with a calendar icon.
- Total Contract Value:** A field showing "I..x" with a dropdown arrow.
- Contract Status:** A field showing "Active" with a dropdown arrow.