
Start: Mar 22, 4:24:15.204 PM End: Mar 22, 4:25:00.310 PM **Duration: 45.106 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 9 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 10 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 90 % 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	45.106 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify cancelling Debit Note is not allowed if the same has	10	9	1	0	45.100 s
		been adjusted at payment settlement					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 45.106 s	Scenarios		Steps	
		Total - 1		Total - 10	
/ 4:24:15.204 PI	M // 4:25:00.310 PM /	Pass - 0	1	Pass - 9	10
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify cancelling Debit Note is not allowed if the same has been adjusted at payment settlement

FAILED DURATION - 45.100 s	30 -	-		 ÷				-		 i	 	 	Steps			
/ 4:24:15.210 PM // 4:25:00.310 PM /	20 -	ļ. -		 - 			ļ	-		 	 	 	Total - 10			
AR/AP Module	10 -	-	I	 						 	 	 	Pass - 9 Fail - 1	C	10	
@KUBS_AR_AP_UAT_003_006_TC_05_05	0 -		<u> </u>	 2	3	L	4	5	6	 7	 9	 10	Skip - 0	•		


#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	32.814 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.326 s
	ACENTO State of State Control of State		
2	Then select data set ID to Verify Cancellation of Debit Note is not allowed if it has been adjusted	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.613 s
	screenshot		
	Date of logs - sentimes - store © © sent		


Then Choose the second Tab Segment	#	Step / Hook Details	Status	Duration
screenshot Then Open the Adjustment ARAP module AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTE	3	Then Choose the second Tab Segment	PASSED	2.195 s
To then Open the Adjustment ARAP module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARSSED ARS		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
Then Open the Adjustment ARAP module PASSED O.160 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click on Adjustment ARAP Eye Icon And Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.add		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Click Add icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Give The Business Partner PASSED 0.208 s 0.268 s 0.574 s 0		SEASON SE		
Screenshot Add Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AGTICR_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AGTICR_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot To Then Give The Business Partner PASSED O.268 s O.574 s O.574 s O.575 s PASSED O.352 s To Then Give The Business Partner	4	Then Open the Adjustment ARAP module	PASSED	0.160 s
After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Click Add icon button And Click Add icon button Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Click Add icon button Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot To Then Give The Business Partner PASSED O.268 s O.574 s PASSED O.374 s O.375 s PASSED O.385 s O.385		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
5 And Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Click Add icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Click Add icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Give The Business Partner PASSED 0.574 s 0.574 s 0.574 s 0.574 s 0.574 s 0.574 s		SACRITIO SACRITIC SACRITIO SACRITIC SACRIT		
Screenshot 6 And Click Add icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Give The Business Partner PASSED 1.257 s 0.352 s PASSED 0.447 s	5	And Click on Adjustment ARAP Eye Icon	PASSED	0.268 s
6 And Click Add icon button PASSED 1.257 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Give The Business Partner PASSED 0.447 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.574 s
6 And Click Add icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then Give The Business Partner PASSED PASSED 1.257 s 0.352 s 0.352 s PASSED PASSED 0.447 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Give The Business Partner PASSED 0.352 s PASSED 0.447 s		+ + + + + + + + + + + + + + + + + + +		
Screenshot 7 Then Give The Business Partner PASSED 0.447 s	6	And Click Add icon button	PASSED	1.257 s
Then Give The Business Partner 7 Then Give The Business Partner		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
		screenshot		
		25 25 25 25 25 25 25 25		
AETED STED standafinitions HooksClass addScreenshot(in cucumber java Scenario)	7	Then Give The Business Partner	PASSED	0.447 s
AFTEN_STEF - stepuelinitions: 100ksClass.aduScreensilot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	SACRITION DESCRIPTION DESCRIP		
8	And Give The Adjustment Type	PASSED	0.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.262 s
	Description of the control of the co		
9	Then Give the Adjustment Item Type	PASSED	0.433 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.214 s
10	And Give the Adjustment Ref No and Validate	FAILED	0.076 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.ARAP_CancellationOfDebitNote.give_the_adjustment_ref_no_and_validate(ARAP_CancellationOfDebitNote.java:1051) at ?.Give the Adjustment Ref No and Validate(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_AccountsReceivable.feature:120) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.199 s


#	Step / Hook Details	Status	Duration
	ATSPTO		
	Control of the second of the s		

EXPANDED SECTION -- 8 --






EXPANDED SECTION --- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

