

Cucumber Report

Feb 23, 2022, 8:31:44 AM

Start : Feb 23, 8:10:35.414 AM

End : Feb 23, 8:31:43.745 AM

Duration : 21 m 8.331 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 9







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	21 m 8.331 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Creating Manual payouts for approved Bills of a Vendor	21	11	1	9	21 m 8.327 s

(F)- AR/AP Module





FAILED	DURATION - 21 m 8.331 s	Scenarios		Steps	
/ 8:10:35.414 AM // 8:31:43.745 AM /		Total - 1		Total - 21	
		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	



(S)- Creating Manual payouts for approved Bills of a Vendor

<div>FAILED</div> <div>DURATION - 21 m 8.327 s</div>			<div>Steps</div> <div>Total - 21</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 9</div>	
<div>/ 8:10:35.418 AM // 8:31:43.745 AM /</div>				
<div>AR/AP Module</div>				
<div>@KUBS_AR/AP_UAT_006_001_TC_01</div>				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.654 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
			
2	Then Click on Direction icon	PASSED	2.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Account Payable	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot 		
4	When click on eye button of manual payout	PASSED	0.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot 		
5	And click on add button for manual payout	PASSED	0.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot 		
6	And Fill the required fields for manual payout	PASSED	7.652 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Click on Account Payable Save button	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
			
8	Then Click on Account Payable Notification	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
			
9	Then Select the record from Notification	PASSED	0.794 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
			
10	And Submit the Selected record of Manual payout	PASSED	7.724 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
11	Then log in to the reviewer account	PASSED	6.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.084 s
	screenshot		
			
12	Then click on the Notification select the record and Approve	FAILED	20 m 24.569 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ad04d95987c57fd4bbcc3ff0d21c3873, findElement {using=xpath, value=//textarea[@name='remarks']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61984}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61984/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ad04d95987c57fd4bbcc3ff0d21c3873</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.InventoryMaintenance.click_on_the_notification_select_the_record_and_approve(InventoryMaintenance.java:322) at ?.click on the Notification select the record and Approve(file:///C:/Users/inindc00089/git/repository/ Priyanka_AzentioAutomationFramework/src/test/java/features/AccountsPayable_ManualPayout.feature:17) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ad04d95987c57fd4bbcc3ff0d21c3873, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61984}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61984/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ad04d95987c57fd4bbcc3ff0d21c3873 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) </pre>	FAILED	4.010 s
13	Then log in to the Checker Account	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating Manual payouts for approved
Bills of a Vendor


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating Manual payouts for approved
Bills of a Vendor

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating Manual payouts for approved
Bills of a Vendor

(F) AR/AP Module

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date (19-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and user profile (ANANT). The left sidebar menu is expanded to the 'Finance' section, which includes options like 'General ledger transaction', 'Budget', 'Accounts payable', 'Vendor contracts', 'Vendor purchase orders', 'Goods received note (GRN)', 'Invoice booking', 'Payment settlement', and 'Payment settlement cancellation'. The main content area displays a 'Welcome, anant' message. The bottom navigation bar has 'Home' and 'Preference' buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating Manual payouts for approved
Bills of a Vendor

(F) AR/AP Module

The screenshot shows the Kastle Universal Banking (Beta) interface with the 'Manual Payout View' screen. The top navigation bar is the same as the previous screenshot. The left sidebar menu is expanded to the 'Payment settlement cancellation' section, which includes options like 'Auto payout', 'Manual payout', 'Payment file download', and 'Payment response file upload'. The main content area displays a table of transactions with the following columns: Actions, Branch Code - Name, BP Name, Payment Mode, Value Date, Payment Amount, Payout Date, and Payout Number. The table contains 16 rows of data, with the first row showing a transaction for 'AZENTMAIN - Azentio N. PAUL MCADAMS & Co.' with a payment amount of 10000. The bottom navigation bar has 'Home' and 'Preference' buttons.

Actions	Branch Code - Name	BP Name	Payment Mode	Value Date	Payment Amount	Payout Date	Payout Number
	AZENTMAIN - Azentio N.	PAUL MCADAMS & Co.	Cheque	19-Oct-2022	10000	2022-10-19T06:55:29.	PTN-901-18-
	BRO003 - East Zone	Shisankar Sivanand Lah	Cheque	02-Jun-2022	50000	2022-06-02T06:44:50	PTN-1001-17
	BRO003 - East Zone	Indian Oil Corporation	Cheque	02-Jun-2022	100000	2022-06-02T06:14:31.	PTN-1001-16
	AZENTMAIN - Azentio N.	Santosh Shant Kosti	Transfer	02-Jun-2022	20000	2022-06-02T05:33:25	PTN-901-15-
	AZENTMAIN - Azentio N.	Santosh Shant Kosti	Cheque	02-Jun-2022	300000	2022-06-02T08:21:18.	PTN-901-14-
	AZENTMAIN - Azentio N.	Aspire Dealers	Cheque	02-Jun-2022	112000	2022-06-02T07:07:39.	PTN-901-13-
	AZENTMAIN - Azentio N.	Aspire Dealers	Cheque	02-Apr-2022	99000	2022-04-02T00:29:29	PTN-901-12-
	AZENTMAIN - Azentio N.	Santosh Shant Kosti	Cheque	01-Jan-2022	7500	2022-01-10T06:38:17.£	PTN-901-11-
16 total							

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating Manual payouts for approved
Bills of a Vendor

(F) AR/AP Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Manual Payout Processing

Legal Entity: Azentio Software Entity Branch: Bp Name

* Beneficiary Name Bank Name Branch Name

IFSC Code Account Number Payout Type: Manual

* Currency * Value Date: 19-Oct-2022 * Payment Amount

* Payment Bank * Bank Account Number * Available Balance

Reference Number Payment Mode Payout Date

Cheque Number * Status: Active Payout Txn Number

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating Manual payouts for approved
Bills of a Vendor

(F) AR/AP Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Manual Payout Processing

Reference Number: Ref-001 Payment Mode: Cheque Payout Date

Cheque Number: C-001 * Status: Active Payout Txn Number

Remark *
ok

Select	Payment Approval Txn No	Payable Type	Reference Number	Gross Amount	Deductions	Net Payable Amount
<input type="checkbox"/>	PAN-12-2021-12-17	Billing - Regular Expense	INV-49-122021	1046958.78	133124.18	913834.6
<input type="checkbox"/>	PAN-25-2021-12-24	Billing	INV-66-122021	10000	0	10000
2 total						

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating Manual payouts for approved
Bills of a Vendor

(F) AR/AP Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Manual Payout Processing

Reference Number: Ref-001 Payment Mode: Cheque Payout Date:

Cheque Number: C-001 Status: Active Payout Txn Number:

Remark: ok

Select	Payment Approval Txn No	Payable Type	Reference Number	Gross Amount	Deductions	Net Payable Amount
<input type="checkbox"/>	PAN-12-2021-12-17	Billing - Regular Expense	INV-49-122021	1046958.78	133124.18	913834.6
<input checked="" type="checkbox"/>	PAN-25-2021-12-24	Billing	INV-66-122021	10000	0	10000
2 total						

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating Manual payouts for approved
Bills of a Vendor

(F) AR/AP Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Manual Payout Inbox

Actions	Branch Code - Name	BP Name	Payment Mode	Value Date	Payment Amount	Payout Date	Payout Number
No data to display	AZENTMAIN - Azentio I.	PAUL MCADAMS & Co.	Cheque	19-Oct-2022	10000		
	AZENTMAIN - Azentio I.	PAUL MCADAMS & Co.	Cheque	19-Oct-2022	10000		
0 total	AZENTMAIN - Azentio I.	PAUL MCADAMS & Co.	Cheque	19-Oct-2022	10000		
	AZENTMAIN - Azentio I.	PAUL MCADAMS & Co.	Cheque	19-Oct-2022	10000		
	AZENTMAIN - Azentio I.	PAUL MCADAMS & Co.	Cheque	19-Oct-2022	10000		
	AZENTMAIN - Azentio I.	Borton Agency	Cheque	19-Oct-2022	9800		
	AZENTMAIN - Azentio I.	PAUL MCADAMS & Co.	Cheque	19-Oct-2022	10000		
18 total							14 < 1 2 3 >

ManualPayoutProcessing created successfully.

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating Manual payouts for approved
Bills of a Vendor

(F) AR/AP Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Payment settlement cancellation
Auto payout
Manual payout
Payment file download
Payment response file upload

Adjustments (AR and AP)
Accounts receivable
Fixed assets
Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	96809	AR_AP_MANUAL_PAYOUT	MAKER	MAKER	1002435
✓	96808	AR_AP_MANUAL_PAYOUT	MAKER	MAKER	1002435
✓	96807	AR_AP_MANUAL_PAYOUT	MAKER	MAKER	1002435
✓	96806	AR_AP_MANUAL_PAYOUT	MAKER	MAKER	1002435
✓	91	AR_AP_ADJUSTMENTS	MAKER	MAKER	1002435

ManualPayoutProcessing created successfully. success

97/1 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating Manual payouts for approved
Bills of a Vendor

(F) AR/AP Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Payment settlement cancellation
Auto payout
Manual payout
Payment file download
Payment response file upload

Adjustments (AR and AP)
Accounts receivable
Fixed assets
Inventory management
Petty cash
Bank recon

22 Appro... 11 Messa...

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	96808	AR_AP_MANUAL_PAYOUT	MAKER	MAKER	1002435
✓	96807	AR_AP_MANUAL_PAYOUT	MAKER	MAKER	1002435
✓	96806	AR_AP_MANUAL_PAYOUT	MAKER	MAKER	1002435
✓	91	AR_AP_ADJUSTMENTS	MAKER	MAKER	1002435
✓	53	AR_ADVANCE	MAKER	MAKER	1002435

97/0 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creating Manual payouts for approved
Bills of a Vendor

(F) AR/AP Module

The screenshot displays the Kastle Universal Banking (Beta) web application. The top header bar includes the application name, a date of 19-Oct-2022, a language dropdown set to English, the software provider Azentio Software, a user ID (BR0004), and a user profile icon labeled VISHWA. A left sidebar menu is visible, starting with a 'Configuration' dropdown and followed by icons for various modules. The main content area shows a 'Welcome, Vishwa' message. At the bottom, a dark blue navigation bar contains '22 Appro...' and '11 Messa...' buttons, along with 'Home' and 'Preference' links.

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (BR0004) VISHWA

Configuration

Welcome, Vishwa

Entity maintenance

Security management

User management

Job scheduler

Reference data

Tax configuration

22 Appro... 11 Messa...

Home Preference