

# Cucumber Report

Feb 8, 2022, 11:41:05 AM

**Start : Feb 08, 11:07:24.656 AM**

**End : Feb 08, 11:41:03.470 AM**

**Duration : 33 m 38.814 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 6**


**FAILED - 1**

**SKIPPED - 9**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	33 m 38.814 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Create instrument code</u>	16	6	1	9	33 m 38.806 s





**(F)- Check the Functionality of Inventory**


<b>FAILED</b>	<b>DURATION - 33 m 38.814 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 16 Pass - 6 Fail - 1 Skip - 9	
/ 11:07:24.656 AM // 11:41:03.470 AM /					

**(S)- Create instrument code**


<div>FAILED</div> <div>DURATION - 33 m 38.806 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 11:07:24.664 AM // 11:41:03.470 AM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_002_001 @multiauth				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	11.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
			
2	Then Click on Finance	PASSED	0.002 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Inventory maintenance	PASSED	0.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot 		
4	Then Click on Instrument code master eye button	PASSED	0.433 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot 		
5	Then Click on Add button	PASSED	0.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot 		
6	Then Fill all the details	PASSED	0.743 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	<p><b>Then Click on save button</b></p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //ion-router-outlet[1]/page-grn-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]//div[1]/ion-router-outlet[1]/page-inventory-request-hdr-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]' (tried for 2000 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at helper.WaitHelper.waitForElement(WaitHelper.java:79)  at stepdefinitions.InventoryManagment.click_on_save_button(InventoryManagment.java:129)  at ?.Click on save button(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/InventoryManagement.feature:69)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-router-outlet[1]/page-grn-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]//div[1]/ion-router-outlet[1]/page-inventory-request-hdr-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADPO14667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7ef978b3d68fc067b64db4a3ab05c249, findElement {using=xpath, value=//ion-router-outlet[1]/page-grn-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]//div[1]/ion-router-outlet[1]/page-inventory-request-hdr-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..}, goog:chromeOptions: {debuggerAddress: localhost:56397}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:56397/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 7ef978b3d68fc067b64db4a3ab05c249</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p>	FAILED	33 m 20.077 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.InventoryManagment.click_on_save_button(InventoryManagment.java:129) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.430 s
	screenshot		
			
8	Then Click on Notification button	SKIPPED	0.000 s
9	And Select record which we saved	SKIPPED	0.000 s
10	And Submit the record	SKIPPED	0.000 s
11	Then Open Reviewer account	SKIPPED	0.000 s
12	And Click on notification	SKIPPED	0.000 s
13	Then Approve the record which we submitted from maker stage	SKIPPED	0.000 s
14	Then Go to Checker account	SKIPPED	0.001 s
15	And Clam the record	SKIPPED	0.001 s
16	Then Click on notification and approve the record	SKIPPED	0.001 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code


(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

Actions	Instrument Code	Description	Transaction Date	Status	Created By	Create Date	Modified By
	CODE	code	03-OCT-2022 00:00:00	Active	admin	07-Feb-2022	
	TESTING	tessting	03-OCT-2022 00:00:00	Active	admin	07-Feb-2022	
	AZENTIO	azentio	03-OCT-2022 00:00:00	Active	admin	04-Feb-2022	admin
	BUDGET	budget	03-OCT-2022 00:00:00	Active	admin	04-Feb-2022	admin
	BANKING	banking	03-OCT-2022 00:00:00	Active	admin	04-Feb-2022	
	CHEQUES	Cheques includes SB, C	03-OCT-2022 00:00:00	Active	admin	13-Jan-2022	admin
	INV010	Term Deposit receipt	01-JAN-2022 00:00:00	Active	admin	22-Dec-2021	
	INV009	Pay Order	01-OCT-2021 00:00:00	Active	admin	09-Dec-2021	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Instrument Code Master View

Actions	Instrument Code	Description	Transaction Date	Status	Created By	Create Date	Modified By
	CODE	code	03-OCT-2022 00:00:00	Active	admin	07-Feb-2022	
	TESTING	testing	03-OCT-2022 00:00:00	Active	admin	07-Feb-2022	
	AZENTIO	azentio	03-OCT-2022 00:00:00	Active	admin	04-Feb-2022	admin
	BUDGET	budget	03-OCT-2022 00:00:00	Active	admin	04-Feb-2022	admin
	BANKING	banking	03-OCT-2022 00:00:00	Active	admin	04-Feb-2022	
	CHEQUES	Cheques includes SB, C	03-OCT-2022 00:00:00	Active	admin	13-Jan-2022	admin
	INV010	Term Deposit receipt	01-JAN-2022 00:00:00	Active	admin	22-Dec-2021	
	INV009	Pay Order	01-OCT-2021 00:00:00	Active	admin	09-Dec-2021	

16 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Instrument Code Master

\* Instrument Code: 8081080

Instrument Description: Book & A4 Paper

\* Routing Mask: NO

\* Track Reorder Level: NO

\* Track Excess Level: NO

\* Denomination Applied: NO

\* Auto Serial Number: NO

Starting Serial Number: 123456

Last Serial Number: 0

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create instrument code

(F) Check the Functionality of Inventory

Finance

Business partner setup

General ledger configurat...

Accounting setup

Expense/AR & AP configu...

Budget configuration

Fixed assets configuration

Inventory maintenance

Instrument code master

Denomination master

Inventory item master

Inventory access

22 Appro...

11 Messa...

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN)

ANANT

Instrument Code Master

\* Instrument Code

8081080

Instrument Description \*

Book & A4 Paper

\* Routing Mask

NO

x

\* Track Reorder Level

NO

x

\* Track Excess Level

NO

x

\* Denomination Applied

NO

x

\* Auto Serial Number

NO

x

Starting Serial Number \*

123456

Last Serial Number

0

Home

Preference