

Cucumber Report

Mar 4, 2022, 4:04:54 PM

Start : Mar 04, 4:03:46.295 PM

End : Mar 04, 4:04:47.407 PM

Duration : 1 m 1.112 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 10


FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	1 m 1.112 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	<u>Verify accounting entries for cleared cheques</u>	11	10	1	0	1 m 1.106 s

(F)- Check the Functionality of AR/AP Module


FAILED	DURATION - 1 m 1.112 s	Scenarios		Steps	
/ 4:03:46.295 PM // 4:04:47.407 PM /		Total - 1		Total - 11	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


(S)- Verify accounting entries for cleared cheques


<div>FAILED</div> <div>DURATION - 1 m 1.106 s</div>	<div></div>	<div>Steps</div> <div>Total - 11</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:03:46.301 PM // 4:04:47.407 PM /</div>			
<div>Check the Functionality of AR/AP Module</div>			
<div>@KUBS_AR/AP_UAT_010_002_TC_04</div>			

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	25.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.727 s
	screenshot		
			
2	Then click on report button	PASSED	0.401 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click Enquiry menu	PASSED	0.355 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
			
4	Then click on Edit icon near by financial transaction	PASSED	0.572 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.537 s
	screenshot		
			
5	And choose branch code Id	PASSED	0.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
			
6	And click on transaction from date in calender icon	PASSED	1.660 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then choose from date in calender	PASSED	1.552 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		
			
8	And click on the transaction to date in calender icon	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
			
9	Then choose the To date in calender	PASSED	0.822 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		
			
10	And click on view button to see the Record	PASSED	2.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.557 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
11	<p>Then Verify record is available in the sheet or not</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='datatable-icon-right']}[2]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDPO14667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [010bce82bfc962c56e2319ffe6739806, findElement {using=xpath, value=(//i[@class='datatable-icon-right'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64350}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64350/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 010bce82bfc962c56e2319ffe6739806</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) </pre>	FAILED	1.240 s

#	Step / Hook Details	Status	Duration
	<p>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27) at helper.JavascriptHelper.scrollToView(JavascriptHelper.java:49) at stepdefinitions.ArAp.verify_record_is_available_in_the_sheet_or_not(ArAp.java:616) at ?.Verify record is available in the sheet or not(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/ArAp.feature:371) * Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.159 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

The screenshot displays the Kastle Universal Banking (Beta) application interface. The top header shows the date (19-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and user profile (ANANT). The left sidebar contains a navigation menu with options: Reports, Financial reporting, Enquiry, Financial transaction (highlighted), and Petty cash. The main content area is titled "Financial Transaction" and features a form with the following fields: Branch Code (AZENTMAIN-Azentio Main Branch), Branch Name (Azentio Main Branch), GI Code, Transaction From Date, Transaction To Date, Transaction Ref No, and Account Number. A "VIEW" link is located in the top right corner of the form area. At the bottom, there are buttons for "Home" and "Preference", along with notification counts for "22 Appro..." and "11 Messa...".

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

This screenshot is identical to the one above, showing the Kastle Universal Banking (Beta) application interface. The top header, left sidebar, and main content area are the same. The "Financial Transaction" form is visible, with fields for Branch Code, Branch Name, GI Code, Transaction From Date, Transaction To Date, Transaction Ref No, and Account Number. The "VIEW" link and bottom navigation buttons are also present.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

Branch Code AZENTMAIN-Azentio Main Branch Branch Name Azentio Main Branch GI Code

Transaction From Date 01-May-2022 Transaction To Date Transaction Ref No

Account Number

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

Branch Code AZENTMAIN-Azentio Main Branch Branch Name Azentio Main Branch GI Code

Transaction From Date 01-May-2022 Transaction To Date Transaction Ref No

Account Number

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

Branch Code: AZENTMAIN-Azentio Main Branch Branch Name: Azentio Main Branch GI Code:
Transaction From Date: 01-May-2022 Transaction To Date: 18-Oct-2022 Transaction Ref No:
Account Number:
VIEW

22 Appro... 11 Messa... Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

Branch Code: AZENTMAIN-Azentio Main Branch Branch Name: Azentio Main Branch GI Code:
Transaction From Date: 01-May-2022 Transaction To Date: 18-Oct-2022 Transaction Ref No:
Account Number:
VIEW

Financial Transaction Report

Voucher No	Transaction date	Value Date	GL Code	GL Description	Transaction Type	Amount	Curre
ASSR122	04-Oct-2022	04-Oct-2022	IFRS-LIAB-LI3000003	Accounts Payable	Debit	100000	INR
ASSR122	04-Oct-2022	04-Oct-2022	IFRS-AS-AS1000010	Computers & Laptop	Credit	100000	INR
ASSR129	03-Oct-2022	03-Oct-2022	IFRS-LIAB-LI3000003	Accounts Payable	Debit	1000000	INR

22 Appro... 11 Messa... Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

Branch Code: AZENTMAIN-Azentio Main Branch Branch Name: Azentio Main Branch GI Code

Transaction From Date: 01-May-2022 Transaction To Date: 18-Oct-2022 Transaction Ref No

Account Number

Financial Transaction Report

Voucher No	Transaction date	Value Date	GL Code	GL Description	Transaction Type	Amount	Curre
ASSR122	04-Oct-2022	04-Oct-2022	IFRS-LIAB-LI3000003	Accounts Payable	Debit	100000	INR
ASSR122	04-Oct-2022	04-Oct-2022	IFRS-AS-AS1000010	Computers & Laptop	Credit	100000	INR
ASSR129	03-Oct-2022	03-Oct-2022	IFRS-LIAB-LI3000003	Accounts Payable	Debit	1000000	INR

22 Appro... 11 Messa...

Home Preference