


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Appropriation functionality	1	0	1	0	2.551 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable	Below amount must be correctly calculated & displayed post	7	0	1	6	2.547 s
	Appropriation functionality	receipt appropriation.					

DETAILED SECTION -- 4 --

(F)- Checking the Acount Receivable Appropriation functionality

FAILED	DURATION - 2.551 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 8:10:34.820 AN	M // 8:10:37.371 AM /	Pass - 0	1	Pass - 0	7
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Below amount must be correctly calculated & displayed post receipt appropriation.

FAILED DURATION - 2.547 s	0.15	57								Steps	
/ 8:10:34.824 AM // 8:10:37.371 AM /	0.1			-!						Total - 7	
Checking the Acount Receivable Appropriation functionality	.05	-		-						Pass - 0 Fail - 1	7
@MultiAuth @KUBS_AR/AP_UAT_010_005_TC_04	0		1	2	3	4	5	6	7	Skip - 6	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	FAILED	0.044 s
1	Given Maker Navigate to UAT URL login com.google.gson.JsonSyntaxException: com.google.gson.stream.MalformedJsonException: Expected name at line 7 column 3 path \$[0].null at com.google.gson.Gson.fromJson(Gson.java:947) at com.google.gson.Gson.fromJson(Gson.java:870) at dataProvider.JsonConfig.getAppropriationListData(JsonConfig.java:525) at dataProvider.JsonConfig.sinit>(JsonConfig.java:158) at stepdefinitions.InventoryMaintenance. <init>(InventoryMaintenance.java:36) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.sl.run(ConstructorInjector.java:342) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjector.getComponentInstance(Constructor.java:364) at org.picocontainer.injectors.AbstractInjector.getComponentInstance(Constructor.java:364) at org.picocontainer.injectors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)</init>	FAILED	0.044 s

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: com.google.gson.stream.MalformedJsonException: Expected name at line 7 column 3 path \$[0].null		
	at com.google.gson.stream.JsonReader.syntaxError(JsonReader.java:1562)		
	at com.google.gson.stream.JsonReader.doPeek(JsonReader.java:504)		
	at com.google.gson.stream.JsonReader.hasNext(JsonReader.java:413)		
	at com.google.gson.internal.bind.ReflectiveTypeAdapterFactory\$Adapter.read(ReflectiveTypeAdapterFactory.java:216)		
	at com.google.gson.internal.bind.TypeAdapterRuntimeTypeWrapper.read(TypeAdapterRuntimeTypeWrapper.java:41)		
	at com.google.gson.internal.bind.ArrayTypeAdapter.read(ArrayTypeAdapter.java:72)		
	at com.google.gson.Gson.fromJson(Gson.java:932)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
	+		
2	Then Click on Direction icon	SKIPPED	0.000 s
_			
3	Then Click on Account Recivable button	SKIPPED	0.000 s
4	Then Click on Account Recivable Appropriation eye button	SKIPPED	0.000 s
5	Then Click to add record in Account Recivable	SKIPPED	0.000 s
6	Then Check receipt is available for Appropriation	SKIPPED	0.000 s
7	Then enter App Amount check the calculation for Outstanding amount for Receivable	SKIPPED	0.000 s

EXPANDED SECTION -- 7 -

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality