
**Duration: 28.809 s** Start: Mar 10, 1:44:27.718 PM End: Mar 10, 1:44:56.527 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 9 SKIPPED - 0 SKIPPED - 0 SKIPPED - 88 98 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	1	0	1	0	28.809 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the asset impairement	Check the Write Off for an undertaken asset from other	98	9	1	88	28.801 s
	module in fixed asset module	branch (usage life exhausted)					

DETAILED SECTION -- 4 --

## (F)- To check the asset impairement module in fixed asset module

FAILED	DURATION - 28.809 s	Scenarios		Steps	
		Total - 1		Total - 98	
/ 1:44:27.718 PN	M // 1:44:56.527 PM /	Pass - 0	1	Pass - 9	98
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 88	

## (S)- Check the Write Off for an undertaken asset from other branch (usage life exhausted)



#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	15.524 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
	PRINCE UNION STATE OF THE PRINCE UNION STATE UNION STATE UNION STATE O		
2	And click on fixed asset main module	PASSED	0.705 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		

3 And goto asset creation module PASSED 0.523 s  AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) PASSED 0.513 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.513 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.141 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.141 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.141 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  4 Then search the asset reference number which we going to do undertaking  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  5 Then check if the asset life is exhausted  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_ST				
screenshot  4 Then search the asset reference number which we going to do undertaking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 Then check if the asset life is exhausted  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passet  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	3	And goto asset creation module	PASSED	0.523 s
4 Then search the asset reference number which we going to do undertaking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then check if the asset life is exhausted  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.184 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.513 s
4 Then search the asset reference number which we going to do undertaking  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 Then check if the asset life is exhausted  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then check if the asset life is exhausted  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot		0   10   10   10   10   10   10   10		
Screenshot  Then check if the asset life is exhausted  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.184 s	4	Then search the asset reference number which we going to do undertaking	PASSED	1.636 s
5 Then check if the asset life is exhausted PASSED 1.522 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  The check if the asset life is exhausted PASSED 1.522 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passet  O.184 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    PASSED   0.184 s		O   Marie		
SCREENShot	5	Then check if the asset life is exhausted	PASSED	1.522 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
6 And Coto Asset Transfer DASSED 0.212 s		The state of the		
Alla Goto Asset Translet	6	And Goto Asset Transfer	PASSED	0.212 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.574 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.574 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	1		
7	And click on Add Icon	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
8	And enter asset reerence Number	PASSED	0.745 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	**   **   **   **   **   **   **   *		
9	And enter new ranch	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Tex_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)*  **Tex_stepdefinitions.HooksClass.addScreenshot(io.cu	PASSED	0.209 s
10	And enter transfer as yes and save the record	FAILED	0.042 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//datatable-body-cell/div/app-kub-lov/ion-select"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f9ceb9a6aa80f8d99668b8f2a902aae9, findElement {using=xpath, value=//datatable-body-cell/div/app-kub-lov/ion-select}]		

#	Step / Hook Details	Status	Duration
	Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDatabir: C:Users\hin\hin\hin\hin\hin\hin\hin\hin\hin\hin		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
11	Then click on notification button	SKIPPED	0.001 s
12	Then choose first record in the notification record	SKIPPED	0.001 s
13	And click on Submit button	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
14	Then enter remark in confirmation alert	SKIPPED	0.001 s
15	Then click on submit button in alert	SKIPPED	0.000 s
16	And capture the reviewer ID in pop up which is open when we submit our record in Transfer maker stage	SKIPPED	0.000 s
17	Then logout from maker	SKIPPED	0.000 s
18	And login with reviewer credentials	SKIPPED	0.000 s
19	Then click on notification button	SKIPPED	0.000 s
20	And select our record in notification records using reference ID	SKIPPED	0.001 s
21	Then Approve the record from reviewer	SKIPPED	0.000 s
22	And enter the remark in alert	SKIPPED	0.000 s
23	Then click on submit in alert	SKIPPED	0.001 s
24	And capture the reviewer ID in pop up which is open when we submit our record in Transfer maker stage	SKIPPED	0.000 s
25	And logout from reviewer	SKIPPED	0.001 s
26	And login with reviewer credentials	SKIPPED	0.000 s
27	Then click on notification button	SKIPPED	0.000 s
28	And select our record in notification records using reference ID	SKIPPED	0.000 s
29	And enter transfer as yes and save the record in second reviewer	SKIPPED	0.000 s
30	Then click on notification button	SKIPPED	0.000 s
31	And select our record in notification records using reference ID	SKIPPED	0.000 s
32	And click on Submit button	SKIPPED	0.000 s
33	And enter the remark in alert	SKIPPED	0.001 s
34	Then click on submit in alert	SKIPPED	0.001 s
35	And capture the reviewer ID in pop up which is open when we submit our record in Transfer maker stage	SKIPPED	0.000 s
36	And logout from reviewer	SKIPPED	0.000 s
37	And login with reviewer credentials	SKIPPED	0.000 s
38	Then click on notification button	SKIPPED	0.000 s
39	And select our record in notification records using reference ID	SKIPPED	0.000 s
40	Then Approve the record from reviewer	SKIPPED	0.000 s
41	And enter the remark in alert	SKIPPED	0.001 s
42	Then click on submit in alert	SKIPPED	0.001 s
43	And verify the record got approved from checker	SKIPPED	0.000 s
44	And logout from reviewer	SKIPPED	0.000 s
45	And login with Maker ID	SKIPPED	0.001 s
46	And click on fixed asset main module	SKIPPED	0.000 s
47	And go to asset undertaking module	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
48	And click on search	SKIPPED	0.000 s
49	And check the asset reference number is available in the undertaking module	SKIPPED	0.000 s
50	And get the text of asset code and transfered branch name	SKIPPED	0.004 s
51	And choose configuration option	SKIPPED	0.002 s
52	And click on entity maintenece	SKIPPED	0.001 s
53	And click on view button near by legal entity branches	SKIPPED	0.000 s
54	And click on search	SKIPPED	0.000 s
55	And search the brach name and get the branch code	SKIPPED	0.000 s
56	And choose finance option	SKIPPED	0.001 s
57	And click on fixed asset configuration	SKIPPED	0.000 s
58	And the click on view button near by serail number setup	SKIPPED	0.001 s
59	And click on search	SKIPPED	0.001 s
60	And serach the asset code and get the last serail number	SKIPPED	0.001 s
61	And click on fixed asset main Module	SKIPPED	0.001 s
62	And click on view button near by asset impairement module	SKIPPED	0.001 s
63	And click on Add Icon	SKIPPED	0.000 s
64	Then Check System shuld display the input fields	SKIPPED	0.000 s
65	And select asset reference number of undertaking assset in write off	SKIPPED	0.000 s
66	And choose the asset Item no	SKIPPED	0.000 s
67	And choose the transcation type as writeOff	SKIPPED	0.000 s
68	Then click on Save Button	SKIPPED	0.001 s
69	Then click on notification button	SKIPPED	0.000 s
70	Then choose first record in the notification record	SKIPPED	0.000 s
71	And click on Submit button	SKIPPED	0.000 s
72	Then enter remark in confirmation alert	SKIPPED	0.000 s
73	Then click on submit button in alert	SKIPPED	0.000 s
74	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
75	Then logout from maker	SKIPPED	0.000 s
76	And login with reviewer credentials	SKIPPED	0.001 s
77	Then click on notification button	SKIPPED	0.000 s
78	And select our record in notification records using reference ID	SKIPPED	0.000 s
79	Then Approve the record from reviewer	SKIPPED	0.000 s
80	And enter the remark in alert	SKIPPED	0.000 s
81	Then click on submit in alert	SKIPPED	0.000 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
82	Then verify the approval status of the record	SKIPPED	0.001 s
83	And logout from reviewer	SKIPPED	0.000 s
84	Then login as a checker	SKIPPED	0.000 s
85	And click on security management menu in checker	SKIPPED	0.000 s
86	Then click on action button under security management menu	SKIPPED	0.002 s
87	And select our record and clime using reference ID	SKIPPED	0.000 s
88	Then click on Notification button	SKIPPED	0.001 s
89	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
90	And click on approve button in checker stage	SKIPPED	0.000 s
91	Then give alert remark	SKIPPED	0.000 s
92	Then click on submit button on alert	SKIPPED	0.000 s
93	And verify the record got approved from checker	SKIPPED	0.000 s
94	Then logout from checker	SKIPPED	0.000 s
95	And login with Maker ID	SKIPPED	0.000 s
96	And click on fixed asset main module	SKIPPED	0.000 s
97	And click on view button near by asset impairement module	SKIPPED	0.001 s
98	Then check the approved record is displayed in appeared in maker list view stage	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

